

Oil Cons.
N.M. Div-Dist. 2
1301 W. Grand Avenue
Artesia, NM 88210
SUBMIT IN DUPLICATE
(See other in
street directory
reverse side)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO.

NMLC028784A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

NMNM88525X

8. FARM OR LEASE NAME, WELL NO.

BURCH KEELY UNIT #334

9. API WELL NO.

30-015-32702 S1

10. FIELD AND POOL, OR WILDCAT

GRBG JACKSON SR O GRBG SA

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

SEC. 24-T17S-R29E

12. COUNTY OR PARISH 13. STATE

EDDY

NM

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL:

OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

MARBOB ENERGY CORPORATION

3. ADDRESS AND TELEPHONE NO.

PO BOX 227, ARTESIA, NM 88211-0227 (505) 748-3304

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface

2485 FNL 843 FEL, UNIT H

At top prod. interval reported below

At total depth SAME

SAME

14. PERMIT NO.

DATE ISSUED

12. COUNTY OR PARISH

13. STATE

15. DATE SPURRED

4/30/03

16. DATE T.D. REACHED

5/12/03

17. DATE COMPL. (Ready to prod.)

5/24/03

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*

3619' GL

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

4765'

21. PLUG, BACK T.D., MD & TVD

4737'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

0 - 4765'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

4334' - 4494' SAN ANDRES

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL, CSNG

25. WAS DIRECTIONAL SURVEY MADE

NO

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8 5/8" K55	24#	355'	12 1/4"	300 SX, CIRC	NONE
5 1/2" J55	17#	4765'	7 7/8"	1200 SX, CIRC	NONE

29. LINER RECORD

30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	4336'	

31. PERFORATION RECORD (Interval, size and number)

4334' - 4494' (20 SHOTS) JUL 3 2003

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)

4334' - 4494'

AMOUNT AND KIND OF MATERIAL USED

ACDZ W/ 2000 GAL 15% HCL ACID

33. * ALEXIS C. SWOBODA PETROLEUM ENGINEER

DATE FIRST PRODUCTION

5/30/03

PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)

PUMPING

WELL STATUS (Producing or shut-in)

PROD

DATE OF TEST

5/31/03

HOURS TESTED

24

CHOKE SIZE

PROD'N FOR TEST PERIOD

OIL--BBL.

104

GAS--MCF.

58

WATER--BBL.

550

GAS-OIL RATIO

FLOW. TUBING PRESS.

CASING PRESSURE

CALCULATED 24-HOUR RATE

OIL--BBL.

GAS--MCF.

WATER--BBL.

OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD

TEST WITNESSED BY

TITO AGUIRRE

35. LIST OF ATTACHMENTS

LOGS, DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED

TITLE PRODUCTION ANALYST

DATE 7/2/03

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

8

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
NAME	TOP		NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH		MEAS. DEPTH	TRUE VERT. DEPTH
RUSTLER	395'				
YATES	1042'				
QUEEN	1928'				
SAN ANDRES	2638'				
GLORIETA	4080'				
YESO	4150'				

MAY 20 2003

WELL NAME AND NUMBER Burch Keely No. 334
 LOCATION 2485' FNL & 843' FEL, Section 24, T17S, R29E, Eddy County NM
 OPERATOR Marbob Energy Corporation
 DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>
<u>1/4° 518'</u>	<u>3/4° 4525'</u>	<u> </u>
<u>1/4° 1008'</u>	<u> </u>	<u> </u>
<u>3/4° 1537'</u>	<u> </u>	<u> </u>
<u>3/4° 1974'</u>	<u> </u>	<u> </u>
<u>3/4° 2495'</u>	<u> </u>	<u> </u>
<u>1/2° 3084'</u>	<u> </u>	<u> </u>
<u>1/2° 3528'</u>	<u> </u>	<u> </u>
<u>3/4° 3998'</u>	<u> </u>	<u> </u>

Drilling Contractor United Drilling, Inc.

By: George A. Aho
 George A. Aho

Title: Business Manager

Subscribed and sworn to before me this 16th day of May,
2003.

Kasma Tarabeusky
 Notary Public

My Commission Expires: 09-25-03

Chaves NM
 County State