

DEC 01 2014

OCD Artesia
RECEIVED

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

High

1a. Type of Well Oil Well Gas Well Dry Other

b. Type of Completion New Well Work Over Deepen Plug Back Diff. Resvr.
Other _____

2. Name of Operator APACHE CORPORATION Contact: PAIGE FUTRELL
E-Mail: paige.futrell@apachecorp.com

3. Address 303 VETERANS AIRPARK LN MIDLAND, TX 79705 3a. Phone No. (include area code) Ph: 432-818-1893

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
At surface NWNE 1130FNL 2408FEL 32.780180 N Lat, 104.231428 W Lon
At top prod interval reported below NWNE 1130FNL 2408FEL 32.780180 N Lat, 104.231428 W Lon
At total depth NWNE 1130FNL 2408FEL 32.780180 N Lat, 104.231428 W Lon

14. Date Spudded 03/15/2014 15. Date T.D. Reached 03/19/2014 16. Date Completed D & A Ready to Prod. 09/16/2014

18. Total Depth: MD 4584 TVD 19. Plug Back T.D.: MD 4540 TVD 20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each) BCS, HOS, NGR, HIGH RES LA, COMP. NL, CALIPER

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit analysis)
Directional Survey? No Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 H-40	48.0		370		530		0	
7.875	5.500 J-55	17.0		4584		910		0	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	4392							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) GLORIETA/YESO	3376	4350	3376 TO 4350	1.000	32	PRODUCING
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
3376 TO 4350	300,037# SAND, 3192 GAL GEL, 239,022 GAL 20#

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
09/16/2014	09/21/2014	24	→	73.0	104.0	322.0	38.0		ELECTRIC PUMPING UNIT
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
SI			→				1425	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
SI			→						

ACCEPTED FOR RECORD

NOV 14 2014

[Signature]

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

(See Instructions and spaces for additional data on reverse side)
ELECTRONIC SUBMISSION #265710 VERIFIED BY THE BLM WELL INFORMATION SYSTEM
RECLAMATION ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

DUE 3/21/14

[Handwritten initials]

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
YATES	260	504	SHALE,SS*,ANHYDRITE/WATER	YATES	260
SEVEN RIVERS	504	1073	SHALE,SS*,ANHYDRITE,DOL*/O,G,W	SEVEN RIVERS	504
GRAYBURG	1534	1877	DOL*,SS*,SANDSTONE/O,G,W*	GRAYBURG	1534
SAN ANDRES	1877	3353	DOLOMITE,CHERT/O,G,W*	SAN ANDRES	1877
GLORIETA	3353	3378	DOLOMITE, SANDSTONE/O,G,W*	GLORIETA	3353
YESO	3378	3447	DOLOMITE/O,G,W*	YESO	3378
PADDOCK	3447	3893	DOLOMITE/O,G,W*	PADDOCK	3447
BLINEBRY	3893		DOL*,SS*,SANDSTONE/O,G,W*	BLINEBRY	3893

32. Additional remarks (include plugging procedure):
Formation tops continued:

Water table-water formation above Yates-Not logged.
There is not a base salt.
Queen T-1073' B-1534' Siltstone, sandstone, anhydrite/Water
Blinbery-Didn't drill deep enough for a bottom depth.

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7 Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #265710 Verified by the BLM Well Information System.
For APACHE CORPORATION, sent to the Carlsbad
Committed to AFMSS for processing by DEBORAH HAM on 11/05/2014 ()

Name (please print) PAIGE FUTRELL Title REGULATORY ANALYST

Signature (Electronic Submission) Date 09/24/2014

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

Additional data for transaction #265710 that would not fit on the form

32. Additional remarks, continued

SS*: Siltstone
Dol*: Dolomite
O,G,W*: Oil, Gas, Water

Attachments- Frac Disclosure, OCD Forms C-102 & C-104. Logs mailed 09/15/2014.