

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**NM OIL CONSERVATION**  
ARTESIA DISTRICT  
**OCD-ARTESIA**  
NOV 22 2016  
**RECEIVED**

FORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
NMNM54184

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
DUNN B FEDERAL 13

9. API Well No.  
30-015-01809-00-S1

10. Field and Pool, or Exploratory  
ARTESIA

11. County or Parish, and State  
EDDY COUNTY, NM

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well  
 Oil Well  Gas Well  Other: INJECTION

2. Name of Operator  
BREITBURN OPERATING LP Contact: JEANIE MCMILLAN

3a. Address  
300 TRAVIS STREET SUITE 4800  
HOUSTON, TX 77002

3b. Phone No. (include area code)  
Ph: 713.634.4696

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Sec 10 T18S R28E NENE 660FNL 660FEL

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION                                    | TYPE OF ACTION                                |   |  |   |
|---|---|---|--|---|
| <input type="checkbox"/> Notice of Intent             | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen           | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat   | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Final Abandonment Notice     | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete                | <input type="checkbox"/> Other          |
|   | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon       |   |
|   | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back        | <input checked="" type="checkbox"/> Water Disposal |   |


13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Conditions of Approval Operator Change required that we submit some additional information for each lease. Breitburn Operating LP respectfully submits the following regarding these conditions of approval.

Attached hereto is a facility Diagram as per Onshore Order #3  
Attached is a water analysis along with Water Production and Disposal information.

Accepted for Record Purposes.  
Approval Subject to Onsite Inspection.  
Date: 11.10.16  
Such

SEE ATTACHED FOR  
CONDITIONS OF APPROVAL



14. I hereby certify that the foregoing is true and correct.

Electronic Submission #344151 verified by the BLM Well Information System  
For BREITBURN OPERATING LP, sent to the Carlsbad  
Committed to AFMSS for processing by PRISCILLA PEREZ on 07/19/2016 (16PP1744SE)

Name (Printed/Typed) JEANIE MCMILLAN Title REGULATORY MANAGER

Signature (Electronic Submission) Date 07/08/2016

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office \_\_\_\_\_

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

Accepted For Record  
NMOCD

# Dunn "B" Battery

Back

Field Artesia Current Status Active

Elevation: 3626'


Location: 18S 28E Sec. 11

State: New Mexico Lease Dunn B

Coordinates: N32.76597

County Eddy Diagram Revised: Jimika Reed-Terry (09-07-10)

W104.15469




### History

5/2003: Haul caliche from Turkey Track Ranch pit build berm around oil tanks. 30 loads.

6/2003: On 5/31/03 cattle had tore down part of berm at the oil tanks repair berm install fence. # 9 sign hung up., # 21 replacement sign delivery date 6/10/03, # 30 installed, # 33 replacement sign delivery date 6/10/03. # 5 sign hung up:

### Remarks



### Tank Information

**1** Salt Water  
 Diameter = 15.5 ft  
 Height = 16 ft  
 Capacity = 538 bbls  
 Total Diked Area =  
 Capacity 788 bbls  
 Direction of Flow = W  
 Foundation = Gravel  
 Secondary Containment = Earth & Gravel  
 Min. Recommend Berm Height = 28 in.  
 Lowest point of berm at time of inspection = 24 in.

### Tank Information

**2, 3** Salt Water  
 Diameter = 10 ft  
 Height = 20 ft  
 Capacity = 280 bbls  
 Total Diked Area =  
 Capacity 788 bbls  
 Direction of Flow = W  
 Foundation = Gravel  
 Secondary Containment = Earth & Gravel  
 Min. Recommend Berm Height = 28 in.  
 Lowest point of berm at time of inspection = 24 in.

### Tank Information

**4, 5** Oil  
 Diameter = 15.5 ft  
 Height = 16 ft  
 Capacity = 538 bbls  
 Total Diked Area =  
 Capacity 571 bbls  
 Direction of Flow = W  
 Foundation = Gravel  
 Secondary Containment = Earth & Gravel  
 Min. Recommend Berm Height = 24 in.  
 Lowest point of berm at time of inspection = 24 in.

### Tank Information

**6, 7** Not In Use  
 Diameter = 15.5 ft  
 Height = 16 ft  
 Capacity = 538 bbls  
 Total Diked Area =  
 Capacity 571 bbls  
 Direction of Flow = W  
 Foundation = Gravel  
 Secondary Containment = Earth & Gravel  
 Min. Recommend Berm Height = 24 in.  
 Lowest point of berm at time of inspection = 24 in.

### Heater Treater Information

**17**  
 Diameter = 8 ft  
 Height = 20 ft  
 Capacity = 179 bbls  
 Foundation = Cement  
 Total Diked Area =  
 Capacity 463 bbls  
 Direction of Flow = W  
 Berm Construction = Earth & Gravel  
 Min. Recommend Berm Height = 28 in.  
 Lowest point of berm at time of inspection = 26 in.



Catalyst Oilfield Services  
 11999 E Hwy 158  
 Gardendale, TX 79758  
 (432) 563-0727  
 Fax: (432) 224-1038

### Water Analysis Report

Customer: Breitburn Operating      Sample #: 35847  
 Area: Permian Basin      Analysis ID #: 34103  
 Lease: Dunn B Federal  
 Location: Battery 0  
 Sample Point: Heater Treater

|                            |           |   |         |         |                                      |                   |         |    |
|----------------------------|-----------|---|---------|---------|--------------------------------------|-------------------|---------|----|
| <b>Sampling Date:</b>      | 6/23/2016 | <b>Anions</b>   | mg/l    | meq/l   | <b>Cations</b>                       | mg/l              | meq/l   |    |
| <b>Analysis Date:</b>      | 6/27/2016 | <b>Chloride:</b>  | 83778.7 | 2363.09 | <b>Sodium:</b>                       | 46410.0           | 2018.72 |    |
| <b>Analyst:</b>            | Catalyst  | <b>Bicarbonate:</b>   | 366.0   | 6.      | <b>Magnesium:</b>                    | 1637.0            | 134.67  |    |
| <b>TDS (mg/l or g/m3):</b> | 139488.8  | <b>Carbonate:</b>   |         |         | <b>Calcium:</b>                      | 4626.0            | 230.84  |    |
| <b>Density (g/cm3):</b>    | 1.096     | <b>Sulfate:</b>   | 1600.0  | 33.31   | <b>Potassium:</b>                    | 741.2             | 18.96   |    |
|                            |           | <b>Borate*:</b>   | 228.4   | 1.44    | <b>Strontium:</b>                    | 101.5             | 2.32    |    |
|                            |           | <b>Phosphate*:</b>  |         |         | <b>Barium:</b>                       | 0.0               | 0.      |    |
| <b>Hydrogen Sulfide:</b>   | 85        | *Calculated based on measured elemental boron and phosphorus. |         |         |                                      | <b>Iron:</b>      | 0.0     | 0. |
| <b>Carbon Dioxide:</b>     | 120       |   |         |         |                                      | <b>Manganese:</b> | 0.000   | 0. |
| <b>Comments:</b>           |           | <b>pH at time of sampling:</b>                                |         | 7.5     | <b>Conductivity (micro-ohms/cm):</b> | 156200            |         |    |
|                            |           | <b>pH at time of analysis:</b>                                |         |         | <b>Resistivity (ohm meter):</b>      | .0640             |         |    |
|                            |           | <b>pH used in Calculation:</b>                                |         | 7.5     |                                      |                   |         |    |
|                            |           | <b>Temperature @ lab conditions (F):</b>                      |         | 75      |                                      |                   |         |    |

#### Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl

| Temp | Calcite<br>CaCO <sub>3</sub> |        | Gypsum<br>CaSO <sub>4</sub> *2H <sub>2</sub> O |        | Anhydrite<br>CaSO <sub>4</sub> |        | Celestite<br>SrSO <sub>4</sub> |        | Barite<br>BaSO <sub>4</sub> |        |
|------|------------------------------|--------|--|--------|--------------------------------|--------|--------------------------------|--------|-----------------------------|--------|
|      | Index                        | Amount | Index  | Amount | Index                          | Amount | Index                          | Amount | Index                       | Amount |
| 80   | 1.36                         | 39.15  | -0.16  | 0.00   | -0.16                          | 0.00   | -0.08                          | 0.00   | 0.00                        | 0.00   |
| 100  | 1.33                         | 42.83  | -0.22  | 0.00   | -0.16                          | 0.00   | -0.10                          | 0.00   | 0.00                        | 0.00   |
| 120  | 1.30                         | 46.80  | -0.27  | 0.00   | -0.12                          | 0.00   | -0.11                          | 0.00   | 0.00                        | 0.00   |
| 140  | 1.29                         | 51.08  | -0.30  | 0.00   | -0.07                          | 0.00   | -0.11                          | 0.00   | 0.00                        | 0.00   |
| 160  | 1.29                         | 55.37  | -0.33  | 0.00   | 0.00                           | 3.06   | -0.10                          | 0.00   | 0.00                        | 0.00   |
| 180  | 1.31                         | 59.65  | -0.36  | 0.00   | 0.09                           | 123.58 | -0.09                          | 0.00   | 0.00                        | 0.00   |
| 200  | 1.34                         | 63.93  | -0.38  | 0.00   | 0.19                           | 239.21 | -0.07                          | 0.00   | 0.00                        | 0.00   |
| 220  | 1.38                         | 68.22  | -0.39  | 0.00   | 0.30                           | 342.61 | -0.05                          | 0.00   | 0.00                        | 0.00   |

Donn B Federal Btry  
Eddy County No. 54184

### WATER PRODUCTION & DISPOSAL INFORMATION

In order to process your disposal request, the following information must be completed.

1. Name(s) of formation(s) producing water on the lease.  
Artesian, Queen - Grayburg - San Andres
2. Amount of water produced from all formations in barrels per day.  
150 bPD
3. Attach a current water analysis of produced water from all zones showing at least the total dissolved solids, ph, and the concentrations of chlorides and sulfates. (One sample will suffice if water is commingled).  
See Attached
4. How water is stored on lease.  
\_\_\_\_\_
5. How water is moved to the disposal facility.  
N/A water is Re injected
6. Identify the Disposal Facility by:
  - A. Facility Operators name. \_\_\_\_\_
  - B. Name of facility or well name and number. \_\_\_\_\_
  - C. Type of facility or well (WDW) (WIW) etc. \_\_\_\_\_
  - D. Location by  $\frac{1}{4}$ - $\frac{1}{4}$  \_\_\_\_\_ Section \_\_\_\_\_ Township \_\_\_\_\_ Range \_\_\_\_\_
7. Attach a copy of the State issued permit for the Disposal Facility.

Submit to this office, 620 EAST GREENE ST, CARLSBAD NM, 88220, the above required information on a Sundry Notice 3160-5. Submit 1 original and 3 copies, within abatement period. (This form may be used as an attachment to the Sundry Notice).

BUREAU OF LAND MANAGEMENT  
Carlsbad Field Office  
620 East Greene Street  
Carlsbad, New Mexico 88220  
575-234-5972

Disposal of Produced Water From Federal Wells  
Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

1. This agency shall be notified of any change in your method or location of disposal.
2. Compliance with all provisions of Onshore Order No. 7.
3. This agency shall be notified of any spill or discharge as required by NTL-3A.
4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
8. Disposal at any other site will require prior approval.
9. Subject to like approval by NMOCD.

7/10/14