

Submit to Appropriate District Office  
State Lease - 6 copies  
Fee Lease - 5 copies  
District I  
1625 N. French, Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-1056  
Revised June 10, 2003

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.

30-015-34156

5. Indicate Type Of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.  
34884

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:  
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER \_\_\_\_\_  
b. Type of Completion:  
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER \_\_\_\_\_

RECEIVED

MAR 27 2006

OCD-ARTESIA

7. Lease Name or Unit Agreement Name  
1625 WERENER

8. Well No.  
231

9. Pool name or Wildcat  
COTTONWOOD CREEK - WOLFCAMP

2. Name of Operator  
LCX Energy, LLC  
3. Address of Operator  
110 N. Marienfeld St. Suite 200, Midland, TX 79701

4. Well Location

Unit Letter A : 760' Feet From The NORTH Line and 660' Feet From The EAST Line

Section 23 Township 16S Range 25E NMPM EDDY County

10. Date Spudded 08/28/05 11. Date T.D. Reached 10/04/05 12. Date Compl. (Ready to Prod.) 1/24/06 13. Elevations (DF & RKB, RT, GR, etc.) 3436' GR 14. Elev. Casinghead

15. Total Depth 8808' 16. Plug Back T.D. 8768' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By 19. Producing Interval(s), of this completion - Top, Bottom, Name 5470' - 8753' 20. Was Directional Survey Made YES

21. Type Electric and Other Logs Run 22. Was Well Cored

23. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT LB./FT. | DEPTH SET | HOLE SIZE | CEMENTING RECORD | AMOUNT PULLED |
|-------------|----------------|-----------|-----------|------------------|---------------|
| 13 3/8"     | 48#            | 391'      | 17 1/2"   | 405 SC POZ/C     |               |
| 9 5/8"      | 36#            | 1300'     | 12 1/4"   | 650 SX POZ/A     |               |
| 5 1/2"      | 17#            | 8808'     | 8 3/4"    | 1031 SX CL C     |               |
|             |                |           |           |                  |               |
|             |                |           |           |                  |               |

| 24. LINER RECORD |     |        |              | 25. TUBING RECORD |           |            |
|------------------|-----|--------|--------------|-------------------|-----------|------------|
| SIZE             | TOP | BOTTOM | SACKS CEMENT | SIZE              | DEPTH SET | PACKER SET |
|                  |     |        |              | 2 3/8"            | 4670'     | 4670'      |
|                  |     |        |              |                   |           |            |

| 26. Perforation record (interval, size, and number) |           |             |          | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. |                                    |
|-----------------------------------------------------|-----------|-------------|----------|-------------------------------------------------|------------------------------------|
| 5470' - 6070'                                       | 50 SHOTS. | 6256 - 7022 | 50 SHOTS | DEPTH INTERVAL                                  | AMOUNT AND KIND MATERIAL USED      |
| 7230 - 7750                                         | 50 SHOTS. | 7970 - 8753 | 50 SHOTS | 5470' - 8753'                                   | 16380 GAL 15% HCL, 17406 GAL C02   |
|                                                     |           |             |          |                                                 | FOAMED SLICK WATER W/ 218000# 100  |
|                                                     |           |             |          |                                                 | MESH WT SAND 276200# 20/40 BRN SND |

28. PRODUCTION

Date First Production 1/24/06 Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING Well Status (Prod. or Shut-in) PRODUCING

Date of Test 3/19/06 Hours Tested 24 Choke Size 48/64 Prod'n For Test Period Oil - Bbl. Gas - MCF 735 Water - Bbl. 3 Gas - Oil Ratio

Flow Tubing Press. 468 Casing Pressure N/A Calculated 24-Hour Rate Oil - Bbl. Gas - MCF 735 Water - Bbl. 3 Oil Gravity - API -(Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD Test Witnessed By BILLY WALKER

30. List Attachments

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief  
Signature KANICIA DAVID Printed Name KANICIA DAVID Title REGULATORY ANALYST Date 03/23/06  
E-mail address KANICIA@EERONLINE.COM

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

| Southeastern New Mexico |                  | Northeastern New Mexico |                  |
|-------------------------|------------------|-------------------------|------------------|
| T. Anhy                 | T. Canyon        | T. Ojo Alamo            | T. Penn. "B"     |
| T. Salt                 | T. Strawn        | T. Kirtland-Fruitland   | T. Penn. "C"     |
| B. Salt                 | T. Atoka         | T. Pictured Cliffs      | T. Penn. "D"     |
| T. Yates                | T. Miss          | T. Cliff House          | T. Leadville     |
| T. 7 Rivers             | T. Devonian      | T. Menefee              | T. Madison       |
| T. Queen                | T. Silurian      | T. Point Lookout        | T. Elbert        |
| T. Grayburg             | T. Montoya       | T. Mancos               | T. McCracken     |
| T. San Andres 718       | T. Simpson       | T. Gallup               | T. Ignacio Otzte |
| T. Glorieta 1780        | T. McKee         | Base Greenhorn          | T. Granite       |
| T. Paddock              | T. Ellenburger   | T. Dakota               | T.               |
| T. Blinebry             | T. Gr. Wash      | T. Morrison             | T.               |
| T. Tubb 3292            | T. Delaware Sand | T. Todilto              | T.               |
| T. Drinkard             | T. Bone Springs  | T. Entrada              | T.               |
| T. Abo 3996             | T.               | T. Wingate              | T.               |
| T. Wolfcamp 5068        |                  | T. Chinle               | T.               |
| T. Penn                 | T.               | T. Permian              | T.               |
| T. Cisco (Bough C)      | T.               | T. Penn "A"             | T.               |

## OIL OR GAS SANDS OR ZONES

No. 1, from ..... to .....  
 No. 2, from ..... to .....

No. 3, from ..... to .....  
 No. 4, from ..... to .....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ..... to ..... feet .....  
 No. 2, from ..... to ..... feet .....  
 No. 3, from ..... to ..... feet .....

## LITHOLOGY RECORD ( Attach additional sheet if necessary)

| From | To | Thickness<br>in Feet | Lithology      | From | To | Thickness<br>in Feet | Lithology |
|------|----|----------------------|----------------|------|----|----------------------|-----------|
|      |    |                      | SEE ATTACHMENT |      |    |                      |           |

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources  
  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised June 10, 2003

Submit to Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 3 Copies

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                         |  |                                               |  |                                                       |                                    |
|-----------------------------------------|--|-----------------------------------------------|--|-------------------------------------------------------|------------------------------------|
| <sup>1</sup> API Number<br>30-015-34156 |  | <sup>2</sup> Pool Code<br>75255               |  | <sup>3</sup> Pool Name<br>Cottonwood Creek - Wolfcamp |                                    |
| <sup>4</sup> Property Code              |  | <sup>5</sup> Property Name<br>1625 Werner     |  |                                                       | <sup>6</sup> Well Number<br>231    |
| <sup>7</sup> OGRID No.                  |  | <sup>8</sup> Operator Name<br>LCX Energy, LLC |  |                                                       | <sup>9</sup> Elevation<br>3436' GR |

<sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot. Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|----------|---------------|------------------|---------------|----------------|--------|
| A             | 23      | 16S      | 25E   |          | 760'          | North            | 660'          | East           | Eddy   |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot. Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|----------|---------------|------------------|---------------|----------------|--------|
| D             | 23      | 16S      | 25E   |          | 729'          | North            | 660'          | West           | Eddy   |

|                                      |                               |                                  |                         |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>320 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

|                   |                                                                                                                                                                                                                                                                                                                             |  |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <sup>16</sup><br> | <sup>17</sup> OPERATOR CERTIFICATION<br>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.<br><br>Signature<br>Kanicia David<br>Printed Name<br>Regulatory, kanicia@eeronlin.com<br>Title and E-mail Address<br>3/31/06<br>Date                            |  |
|                   | <sup>18</sup> SURVEYOR CERTIFICATION<br>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.<br><br>Date of Survey<br>Signature and Seal of Professional Surveyer: |  |
|                   | RECEIVED<br>APR 03 2006<br>UUU-ARTESIA                                                                                                                                                                                                                                                                                      |  |
|                   | Certificate Number                                                                                                                                                                                                                                                                                                          |  |

## 1625 WERNER #231 LITHOLOGY RECORD

| <u>FROM</u> | <u>TO</u> | <u>THICKNESS</u><br><u>IN FEET</u> | <u>LITHOLOGY</u>                        |
|-------------|-----------|------------------------------------|-----------------------------------------|
| 1200        | 1470      | 270                                | ANHYDRITE/DOLOMITE                      |
| 1470        | 1800      | 330                                | DOLOMITE/LIMESTONE                      |
| 1800        | 1840      | 40                                 | DOLOMITE/LIMESTONE/SAND                 |
| 1840        | 2120      | 280                                | ANHYDRITE/DOLOMITE                      |
| 2120        | 2140      | 20                                 | DOLOMITE                                |
| 2140        | 2210      | 70                                 | ANHYDRITE/DOLOMITE                      |
| 2210        | 2280      | 70                                 | ANHYDRITE/DOLOMITE/LIMESTONE            |
| 2280        | 2420      | 140                                | DOLOMITE/SAND/LIMESTONE                 |
| 2420        | 2680      | 240                                | DOLOMITE/ANHYDRITE/SAND/LIMESTONE       |
| 2680        | 2830      | 150                                | DOLOMITE/SAND/SHALE/SILT                |
| 2380        | 2880      | 500                                | ANHYDRITE/DOLOMITE/LIMESTONE            |
| 2880        | 3000      | 120                                | ANHYDRITE/DOLOMITE                      |
| 3000        | 3160      | 160                                | DOLOMITE/LIMESTONE/SHALE                |
| 3160        | 4500      | 1340                               | ANHYDRITE/DOLOMITE/LIMESTONE/SAND/SHALE |
| 4500        | 4600      | 100                                | DOLOMITE/LIMESTONE/SHALE                |
| 4600        | 5020      | 420                                | DOLOMITE/SHALE                          |
| 5020        | 5120      | 100                                | DOLOMITE/SHALE/CHERT                    |
| 5120        | 5460      | 340                                | DOLOMITE                                |
| 5460        | 5550      | 90                                 | DOLOMITE/SHALE                          |
| 5550        | 7150      | 1600                               | DOLOMITE                                |
| 7150        | 7180      | 1630                               | DOLOMITE/LIMESTONE                      |
| 7180        | 7460      | 280                                | DOLOMITE                                |
| 7460        | 7700      | 520                                | DOLOMITE/LIMESTONE                      |
| 7700        | 7780      | 80                                 | DOLOMITE                                |
| 7780        | 8420      | 640                                | DOLOMITE/LIMESTONE                      |
| 8420        | 8810      | 390                                | DOLOMITE                                |

# Survey Report

|                                                                              |                                                               |
|------------------------------------------------------------------------------|---------------------------------------------------------------|
| Report Date: January 19, 2006                                                | Survey / DLS Computation Method: Minimum Curvature / Lubinski |
| Client: LCX Energy LLC.                                                      | Vertical Section Azimuth: 270.450°                            |
| Field: Eddy County, NM Nad 83                                                | Vertical Section Origin: N 0.000 ft, E 0.000 ft               |
| Structure / Slot: 1625 Werner #231 / 1625 Werner #231                        | TVD Reference Datum: RKB                                      |
| Well: 1625 Werner #231                                                       | TVD Reference Elevation: 0.0 ft relative to                   |
| Borehole: 1625 Werner #231                                                   | Sea Bed / Ground Level Elevation: 0.000 ft relative to        |
| UWI/API#:                                                                    | Magnetic Declination: 8.712°                                  |
| Survey Name / Date: 1625 Werner #231_surveys / September 20, 2005            | Total Field Strength: 49544.243 nT                            |
| Tort / AHD / DDI / ERD ratio: 174.942° / 3914.54 ft / 6.075 / 0.777          | Magnetic Dip: 60.809°                                         |
| Grid Coordinate System: NAD83 New Mexico State Planes, Eastern Zone, US Feet | Declination Date: September 20, 2005                          |
| Location Lat/Long: N 32 54 48.002, W 104 26 56.993                           | Magnetic Declination Model: IGRF 2005                         |
| Location Grid N/E Y/X: N 696024.800 RUS, E 505791.600 RUS                    | North Reference: Grid North                                   |
| Grid Convergence Angle: -0.06293939°                                         | Total Corr Mag North -> Grid North: +8.775°                   |
| Grid Scale Factor: 0.99991054                                                | Local Coordinates Referenced To: Well Head                    |

| Comments | Measured Depth<br>(ft) | Inclination<br>(deg) | Azimuth<br>(deg) | TVD<br>(ft) | Vertical Section<br>(ft) | NS<br>(ft) | EW<br>(ft) | Closure<br>(ft) | Closure Azimuth<br>(deg) | DLS<br>(deg/100 ft) | Tool Face<br>(deg) |
|----------|------------------------|----------------------|------------------|-------------|--------------------------|------------|------------|-----------------|--------------------------|---------------------|--------------------|
| Tie-In   | 4505.60                | 3.98                 | 106.05           | 4504.40     | 17.73                    | -63.46     | -18.23     | 66.03           | 196.02                   | 0.00                | 112.30M            |
|          | 4515.00                | 3.10                 | 112.30           | 4513.78     | 17.18                    | -63.65     | -17.68     | 66.06           | 195.52                   | 10.21               | 168.60M            |
|          | 4547.00                | 1.20                 | 168.60           | 4545.76     | 16.30                    | -64.31     | -16.81     | 66.47           | 194.65                   | 8.22                | -106.60M           |
|          | 4579.00                | 4.30                 | 253.40           | 4577.73     | 17.38                    | -64.98     | -17.89     | 67.40           | 195.40                   | 13.62               | -95.50M            |
|          | 4611.00                | 8.60                 | 264.50           | 4609.52     | 20.91                    | -65.55     | -21.43     | 68.96           | 198.10                   | 13.93               | 12.57G             |
|          | 4657.00                | 14.50                | 269.70           | 4654.57     | 30.10                    | -65.91     | -30.62     | 72.67           | 204.92                   | 13.01               | 0.00G              |
|          | 4689.00                | 18.00                | 269.70           | 4685.29     | 39.05                    | -65.96     | -39.57     | 76.92           | 210.96                   | 10.94               | 0.63G              |
|          | 4721.00                | 21.30                | 269.80           | 4715.42     | 49.81                    | -66.00     | -50.33     | 83.00           | 217.33                   | 10.31               | 4.22G              |
|          | 4752.00                | 24.70                | 270.40           | 4743.95     | 61.92                    | -65.98     | -62.44     | 90.84           | 223.42                   | 10.99               | 0.74G              |
|          | 4784.00                | 28.40                | 270.50           | 4772.57     | 76.22                    | -65.86     | -76.74     | 101.13          | 229.36                   | 11.56               | -0.82G             |
|          | 4816.00                | 32.10                | 270.40           | 4800.21     | 92.34                    | -65.74     | -92.86     | 113.77          | 234.70                   | 11.56               | -0.93G             |
|          | 4849.00                | 35.70                | 270.30           | 4827.59     | 110.74                   | -65.63     | -111.26    | 129.17          | 239.47                   | 10.91               | 1.87G              |
|          | 4880.00                | 39.60                | 270.50           | 4852.13     | 129.67                   | -65.49     | -130.19    | 145.74          | 243.30                   | 12.59               | -3.03G             |
|          | 4912.00                | 43.50                | 270.20           | 4876.08     | 150.89                   | -65.37     | -151.41    | 164.92          | 246.65                   | 12.20               | 0.00G              |
|          | 4944.00                | 47.60                | 270.20           | 4898.48     | 173.73                   | -65.29     | -174.25    | 186.08          | 249.46                   | 12.81               | 0.00G              |
|          | 4976.00                | 51.70                | 270.20           | 4919.19     | 198.11                   | -65.20     | -198.63    | 209.06          | 251.83                   | 12.81               | 2.55G              |
|          | 5008.00                | 55.40                | 270.40           | 4938.20     | 223.85                   | -65.07     | -224.37    | 233.61          | 253.83                   | 11.57               | 1.30G              |
|          | 5040.00                | 59.20                | 270.50           | 4955.49     | 250.77                   | -64.85     | -251.29    | 259.52          | 255.53                   | 11.88               | 2.91G              |
|          | 5072.00                | 62.70                | 270.70           | 4971.02     | 278.74                   | -64.56     | -279.26    | 286.62          | 256.98                   | 10.95               | -6.06G             |
|          | 5104.00                | 64.40                | 270.50           | 4985.28     | 307.39                   | -64.26     | -307.91    | 314.54          | 258.21                   | 5.34                | -3.21G             |
|          | 5136.00                | 67.70                | 270.30           | 4998.27     | 336.63                   | -64.06     | -337.15    | 343.18          | 259.24                   | 10.33               | -2.72G             |
|          | 5167.00                | 71.70                | 270.10           | 5009.02     | 365.70                   | -63.96     | -366.22    | 371.76          | 260.09                   | 12.92               | 1.50G              |
|          | 5198.00                | 75.40                | 270.20           | 5017.79     | 395.43                   | -63.88     | -395.94    | 401.06          | 260.84                   | 11.94               | 2.79G              |
|          | 5231.00                | 77.40                | 270.30           | 5025.55     | 427.50                   | -63.74     | -428.01    | 432.73          | 261.53                   | 6.07                | -3.53G             |
|          | 5263.00                | 80.60                | 270.10           | 5031.66     | 458.91                   | -63.63     | -459.42    | 463.81          | 262.11                   | 10.02               | 1.58G              |
|          | 5295.00                | 84.20                | 270.20           | 5035.89     | 490.62                   | -63.55     | -491.14    | 495.23          | 262.63                   | 11.25               | 0.00G              |
|          | 5327.00                | 88.60                | 270.20           | 5037.90     | 522.55                   | -63.43     | -523.06    | 526.90          | 263.09                   | 13.75               | 2.73G              |
|          | 5359.00                | 90.70                | 270.30           | 5038.10     | 554.55                   | -63.29     | -555.06    | 558.66          | 263.49                   | 6.57                | -9.46G             |
|          | 5391.00                | 91.90                | 270.10           | 5037.37     | 586.54                   | -63.18     | -587.05    | 590.44          | 263.86                   | 3.80                | -3.36G             |
|          | 5422.00                | 93.60                | 270.00           | 5035.88     | 617.50                   | -63.16     | -618.02    | 621.23          | 264.17                   | 5.49                | 180.00G            |
|          | 5454.00                | 93.50                | 270.00           | 5033.90     | 649.44                   | -63.16     | -649.95    | 653.02          | 264.45                   | 0.31                | 176.82G            |
|          | 5486.00                | 91.70                | 270.10           | 5032.45     | 681.40                   | -63.13     | -681.92    | 684.84          | 264.71                   | 5.63                | 102.24G            |
|          | 5517.00                | 91.20                | 272.40           | 5031.66     | 712.39                   | -62.45     | -712.90    | 715.63          | 264.99                   | 7.59                | 26.56G             |
|          | 5549.00                | 91.40                | 272.50           | 5030.94     | 744.36                   | -61.08     | -744.86    | 747.36          | 265.31                   | 0.70                | 146.31G            |
|          | 5581.00                | 91.10                | 272.70           | 5030.24     | 776.33                   | -59.63     | -776.82    | 779.11          | 265.61                   | 1.13                | 0.00G              |
|          | 5612.00                | 91.10                | 272.70           | 5029.65     | 807.30                   | -58.17     | -807.78    | 809.87          | 265.88                   | 0.00                | -146.31G           |
|          | 5644.00                | 90.80                | 272.50           | 5029.11     | 839.27                   | -56.72     | -839.74    | 841.66          | 266.14                   | 1.13                | -164.05G           |
|          | 5676.00                | 90.10                | 272.30           | 5028.86     | 871.25                   | -55.38     | -871.72    | 873.47          | 266.36                   | 2.28                | -135.00G           |

| Comments     | Measured Depth<br>(ft) | Inclination<br>(deg) | Azimuth<br>(deg) | TVD<br>(ft) | Vertical Section<br>(ft) | NS<br>(ft) | EW<br>(ft) | Closure<br>(ft) | Closure Azimuth<br>(deg) | DLS<br>(deg/100 ft) | Tool Face<br>(deg) |
|--------------|------------------------|----------------------|------------------|-------------|--------------------------|------------|------------|-----------------|--------------------------|---------------------|--------------------|
|              | 5708.00                | 89.70                | 271.90           | 5028.92     | 903.24                   | -54.21     | -903.69    | 905.32          | 266.57                   | 1.77                | -15.94G            |
|              | 5771.00                | 91.10                | 271.50           | 5028.48     | 966.22                   | -52.34     | -966.66    | 968.08          | 266.90                   | 2.31                | 4.08G              |
|              | 5835.00                | 92.50                | 271.60           | 5026.47     | 1030.18                  | -50.61     | -1030.61   | 1031.85         | 267.19                   | 2.19                | 9.44G              |
|              | 5898.00                | 94.30                | 271.90           | 5022.73     | 1093.05                  | -48.69     | -1093.46   | 1094.55         | 267.45                   | 2.90                | -173.66G           |
|              | 5962.00                | 90.70                | 271.50           | 5019.94     | 1156.96                  | -46.79     | -1157.36   | 1158.31         | 267.68                   | 5.66                | -162.65G           |
|              | 6025.00                | 89.10                | 271.00           | 5020.05     | 1219.95                  | -45.42     | -1220.35   | 1221.19         | 267.87                   | 2.66                | -12.26G            |
|              | 6089.00                | 91.40                | 270.50           | 5019.77     | 1283.95                  | -44.58     | -1284.34   | 1285.11         | 268.01                   | 3.68                | 176.63G            |
|              | 6153.00                | 89.70                | 270.60           | 5019.16     | 1347.94                  | -43.97     | -1348.33   | 1349.04         | 268.13                   | 2.66                | 116.57G            |
|              | 6217.00                | 89.50                | 271.00           | 5019.60     | 1411.94                  | -43.07     | -1412.32   | 1412.98         | 268.25                   | 0.70                | -158.20G           |
|              | 6280.00                | 89.00                | 270.80           | 5020.43     | 1474.93                  | -42.08     | -1475.31   | 1475.91         | 268.37                   | 0.85                | 33.69G             |
|              | 6344.00                | 89.30                | 271.00           | 5021.38     | 1538.92                  | -41.08     | -1539.29   | 1539.84         | 268.47                   | 0.56                | 5.35G              |
|              | 6408.00                | 92.50                | 271.30           | 5020.37     | 1602.90                  | -39.79     | -1603.26   | 1603.76         | 268.58                   | 5.02                | -165.96G           |
|              | 6471.00                | 90.50                | 270.80           | 5018.72     | 1665.87                  | -38.64     | -1666.23   | 1666.67         | 268.67                   | 3.27                | -68.20G            |
|              | 6535.00                | 90.70                | 270.30           | 5018.05     | 1729.87                  | -38.03     | -1730.22   | 1730.64         | 268.74                   | 0.84                | -119.05G           |
|              | 6599.00                | 90.20                | 269.40           | 5017.55     | 1793.86                  | -38.19     | -1794.22   | 1794.62         | 268.78                   | 1.61                | 127.41G            |
|              | 6663.00                | 88.90                | 271.10           | 5018.05     | 1857.86                  | -37.91     | -1858.21   | 1858.60         | 268.83                   | 3.34                | 14.93G             |
|              | 6726.00                | 90.40                | 271.50           | 5018.44     | 1920.85                  | -36.49     | -1921.19   | 1921.54         | 268.91                   | 2.46                | 39.76G             |
|              | 6790.00                | 93.40                | 274.00           | 5016.32     | 1984.75                  | -33.42     | -1985.07   | 1985.35         | 269.04                   | 6.10                | 176.19G            |
|              | 6854.00                | 91.90                | 274.10           | 5013.36     | 2048.55                  | -28.90     | -2048.84   | 2049.04         | 269.19                   | 2.35                | 153.44G            |
|              | 6918.00                | 91.50                | 274.30           | 5011.46     | 2112.38                  | -24.22     | -2112.64   | 2112.78         | 269.34                   | 0.70                | -153.43G           |
|              | 6981.00                | 89.90                | 273.50           | 5010.69     | 2175.26                  | -19.93     | -2175.49   | 2175.58         | 269.48                   | 2.84                | 167.20G            |
|              | 7045.00                | 87.70                | 274.00           | 5012.03     | 2239.14                  | -15.75     | -2239.33   | 2239.39         | 269.60                   | 3.53                | -2.60G             |
|              | 7109.00                | 89.90                | 273.90           | 5013.37     | 2303.00                  | -11.34     | -2303.16   | 2303.19         | 269.72                   | 3.44                | 18.43G             |
|              | 7172.00                | 92.00                | 274.60           | 5012.33     | 2365.85                  | -6.67      | -2365.98   | 2365.99         | 269.84                   | 3.51                | -158.20G           |
|              | 7236.00                | 91.50                | 274.40           | 5010.37     | 2429.66                  | -1.65      | -2429.75   | 2429.75         | 269.96                   | 0.84                | -110.55G           |
|              | 7300.00                | 91.20                | 273.60           | 5008.86     | 2493.52                  | 2.81       | -2493.57   | 2493.58         | 270.06                   | 1.33                | -22.60G            |
|              | 7364.00                | 92.40                | 273.10           | 5006.85     | 2557.40                  | 6.55       | -2557.43   | 2557.44         | 270.15                   | 2.03                | -149.33G           |
|              | 7427.00                | 89.70                | 271.50           | 5005.70     | 2620.35                  | 9.07       | -2620.36   | 2620.38         | 270.20                   | 4.98                | -8.13G             |
|              | 7491.00                | 91.10                | 271.30           | 5005.25     | 2684.34                  | 10.64      | -2684.34   | 2684.36         | 270.23                   | 2.21                | 23.95G             |
|              | 7555.00                | 92.00                | 271.70           | 5003.52     | 2748.31                  | 12.31      | -2748.29   | 2748.32         | 270.26                   | 1.54                | -18.42G            |
|              | 7617.00                | 92.60                | 271.50           | 5001.03     | 2810.24                  | 14.04      | -2810.22   | 2810.26         | 270.29                   | 1.02                | -172.23G           |
|              | 7681.00                | 90.40                | 271.20           | 4999.36     | 2874.21                  | 15.55      | -2874.18   | 2874.22         | 270.31                   | 3.47                | -90.00G            |
|              | 7745.00                | 90.40                | 271.00           | 4998.91     | 2938.20                  | 16.78      | -2938.16   | 2938.21         | 270.33                   | 0.31                | -168.70G           |
|              | 7808.00                | 86.90                | 270.30           | 5000.39     | 3001.18                  | 17.49      | -3001.13   | 3001.18         | 270.33                   | 5.67                | 22.61G             |
|              | 7936.00                | 88.10                | 270.80           | 5005.98     | 3129.05                  | 18.72      | -3129.00   | 3129.06         | 270.34                   | 1.02                | 29.74G             |
|              | 8000.00                | 88.80                | 271.20           | 5007.71     | 3193.02                  | 19.84      | -3192.97   | 3193.03         | 270.36                   | 1.26                | 4.09G              |
|              | 8063.00                | 90.20                | 271.30           | 5008.26     | 3256.01                  | 21.21      | -3255.95   | 3256.02         | 270.37                   | 2.23                | -12.99G            |
|              | 8127.00                | 91.50                | 271.00           | 5007.31     | 3320.00                  | 22.49      | -3319.93   | 3320.00         | 270.39                   | 2.08                | 0.00G              |
|              | 8191.00                | 91.90                | 271.00           | 5005.41     | 3383.97                  | 23.61      | -3383.89   | 3383.97         | 270.40                   | 0.63                | -20.19G            |
|              | 8258.00                | 93.80                | 270.30           | 5002.08     | 3450.88                  | 24.37      | -3450.80   | 3450.88         | 270.40                   | 3.02                | 17.04G             |
|              | 8321.00                | 95.10                | 270.70           | 4997.19     | 3513.69                  | 24.92      | -3513.60   | 3513.69         | 270.41                   | 2.16                | 174.82G            |
|              | 8385.00                | 94.00                | 270.80           | 4992.11     | 3577.49                  | 25.75      | -3577.40   | 3577.49         | 270.41                   | 1.73                | 180.00G            |
|              | 8449.00                | 92.60                | 270.80           | 4988.43     | 3641.38                  | 26.65      | -3641.28   | 3641.38         | 270.42                   | 2.19                | 180.00G            |
|              | 8513.00                | 90.70                | 270.80           | 4986.59     | 3705.35                  | 27.54      | -3705.25   | 3705.35         | 270.43                   | 2.97                | 123.69G            |
|              | 8576.00                | 90.50                | 271.10           | 4985.93     | 3768.34                  | 28.58      | -3768.23   | 3768.34         | 270.43                   | 0.57                | -14.03G            |
|              | 8640.00                | 91.70                | 270.80           | 4984.70     | 3832.33                  | 29.64      | -3832.21   | 3832.33         | 270.44                   | 1.93                | 168.69G            |
|              | 8704.00                | 90.70                | 271.00           | 4983.36     | 3896.31                  | 30.65      | -3896.19   | 3896.31         | 270.45                   | 1.59                | 135.00G            |
| Final Survey | 8735.00                | 90.60                | 271.10           | 4983.01     | 3927.31                  | 31.22      | -3927.18   | 3927.31         | 270.46                   | 0.46                | 0.00G              |