

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NMOCD
Artesia

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other		5. Lease Serial No. NMNM115410
2. Name of Operator MATADOR PRODUCTION COMPANYE-Mail: tlink@matadorresources.com		6. If Indian, Allottee or Tribe Name
3a. Address 5400 LBJ FREEWAY, SUITE 1500 DALLAS, TX 75240		7. If Unit or CA/Agreement, Name and/or No.
3b. Phone No. (include area code) Ph: 575-627-2465		8. Well Name and No. DR. SCRIVNER FEDERAL 124H
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 1 T24S R28E Mer NMP SESE 661FSL 661FEL		9. API Well No. 30-015-43820
		10. Field and Pool or Exploratory Area GULEBRA BLUFF; BS SOUTH
		11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM BOND NO. NMB001079
SURETY BOND NO. RLB0015172

SEE ATTACHED DIRECTIONAL SURVEY.

NM OIL CONSERVATION
ARTESIA DISTRICT

NOV 29 2017

RECEIVED

SC 11-29-17
Accepted for record NMOCD

14. I hereby certify that the foregoing is true and correct. Electronic Submission #393826 verified by the BLM Well Information System For MATADOR PRODUCTION COMPANY, sent to the Carlsbad Committed to AFMSS for processing by JENNIFER SANCHEZ on 11/02/2017 ()	
Name (Printed/Typed) TAMMY R LINK	Title PRODUCTION ANALYST
Signature (Electronic Submission)	Date 11/02/2017
THIS SPACE FOR FEDERAL OR STATE OFFICE USE	
Approved By _____	Title _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	
Office _____	

ACCEPTED FOR RECORD
NOV 3 2017
BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****



Survey Report

Service Company: Premier Directional Drilling

Location: Malaga

Well: Dr Scrivner Fed Com 124H

Rig: Patterson 282

API or UWI: 3001543820

Job Number: M17253

State: NM

Operating Company: Matador Resource Company

County: Eddy

Magnetic Declination: 7.22

Country: USA

Proposed Azimuth: 269.74

Comment Datum: NAD 1927
Projection: New Mexico East 3001
Total Correction: 7.06°
Grid Convergence: 0.16

North Reference: GRID

Latitude: 32.24135556

Longitude: -104.0339611

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
192.00	0.80	201.91	191.99	-1.24	-0.50	201.91	1.34	0.51	0.42
284.00	1.64	196.27	283.97	-3.10	-1.11	199.66	3.30	1.12	0.92
400.00	1.75	208.41	399.92	-6.25	-2.42	201.12	6.71	2.44	0.32
495.00	1.54	210.42	494.88	-8.63	-3.75	203.50	9.41	3.79	0.23
587.00	1.58	131.98	586.86	-10.55	-3.44	198.05	11.09	3.48	2.14
679.00	4.07	89.92	678.75	-11.39	0.77	176.12	11.42	-0.72	3.35
771.00	7.02	89.02	770.31	-11.29	9.66	139.45	14.86	-9.61	3.21
863.00	8.57	88.03	861.45	-10.96	22.13	116.34	24.70	-22.08	1.69
957.00	8.41	89.43	954.42	-10.65	36.01	106.47	37.55	-35.96	0.28
1052.00	8.12	90.38	1048.44	-10.62	49.66	102.07	50.79	-49.61	0.34
1148.00	7.54	90.50	1143.54	-10.72	62.74	99.70	63.65	-62.69	0.60
1242.00	6.92	89.25	1236.79	-10.70	74.57	98.17	75.33	-74.52	0.68
1336.00	6.63	90.98	1330.14	-10.72	85.66	97.13	86.33	-85.61	0.38
1431.00	6.10	89.95	1424.55	-10.81	96.19	96.41	96.79	-96.14	0.57
1526.00	5.82	88.80	1519.04	-10.71	106.05	95.76	106.59	-106.00	0.32
1620.00	5.12	89.09	1612.61	-10.54	115.01	95.24	115.49	-114.96	0.75
1715.00	4.28	90.60	1707.29	-10.51	122.79	94.89	123.24	-122.75	0.89
1809.00	3.72	90.97	1801.06	-10.60	129.35	94.68	129.78	-129.30	0.60
1904.00	4.07	77.84	1895.84	-9.94	135.73	94.19	136.09	-135.68	1.01
1999.00	4.89	80.49	1990.55	-8.56	143.02	93.43	143.27	-142.98	0.89

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
2094.00	4.75	87.84	2085.21	-7.74	150.94	92.94	151.14	-150.90	0.67
2189.00	4.52	93.24	2179.90	-7.81	158.61	92.82	158.80	-158.57	0.52
2283.00	3.90	100.11	2273.65	-8.58	165.45	92.97	165.68	-165.41	0.85
2379.00	4.57	100.05	2369.39	-9.82	172.43	93.26	172.71	-172.39	0.70
2474.00	5.52	102.74	2464.02	-11.49	180.62	93.64	180.98	-180.56	1.03
2569.00	5.26	101.89	2558.60	-13.39	189.34	94.05	189.81	-189.27	0.29
2640.00	4.44	100.48	2629.34	-14.56	195.22	94.27	195.77	-195.15	1.17
2760.00	3.59	101.89	2749.05	-16.18	203.47	94.55	204.11	-203.39	0.71
2854.00	5.11	98.05	2842.78	-17.37	210.49	94.72	211.21	-210.41	1.65
2948.00	5.69	97.16	2936.36	-18.54	219.26	94.83	220.04	-219.17	0.62
3044.00	6.48	86.00	3031.82	-18.76	229.39	94.67	230.15	-229.30	1.48
3140.00	6.82	85.09	3127.17	-17.89	240.47	94.25	241.13	-240.39	0.37
3236.00	6.90	84.69	3222.49	-16.87	251.89	93.83	252.46	-251.81	0.10
3332.00	6.91	82.80	3317.79	-15.61	263.36	93.39	263.82	-263.29	0.24
3428.00	6.71	81.88	3413.11	-14.09	274.64	92.94	275.01	-274.58	0.24
3524.00	6.66	81.79	3508.46	-12.51	285.71	92.51	285.98	-285.65	0.05
3619.00	6.00	80.46	3602.88	-10.90	296.06	92.11	296.26	-296.00	0.71
3714.00	5.67	80.57	3697.39	-9.31	305.58	91.74	305.72	-305.54	0.35
3809.00	5.68	78.46	3791.92	-7.60	314.82	91.38	314.91	-314.78	0.22
3904.00	6.59	76.28	3886.38	-5.36	324.72	90.95	324.76	-324.69	0.99
3999.00	6.98	75.23	3980.71	-2.60	335.60	90.44	335.61	-335.58	0.43
4094.00	7.17	74.90	4074.99	0.42	346.90	89.93	346.90	-346.90	0.20
4189.00	6.77	72.88	4169.29	3.61	357.98	89.42	358.00	-357.99	0.49
4283.00	6.34	73.62	4262.67	6.71	368.25	88.96	368.31	-368.28	0.47
4378.00	6.01	73.49	4357.12	9.60	378.05	88.55	378.17	-378.09	0.35
4472.00	6.00	71.45	4450.61	12.56	387.43	88.14	387.63	-387.48	0.23
4567.00	6.04	73.01	4545.08	15.60	396.92	87.75	397.22	-396.98	0.18
4661.00	6.30	73.51	4638.54	18.51	406.59	87.39	407.01	-406.67	0.28
4756.00	6.26	73.64	4732.97	21.45	416.56	87.05	417.11	-416.65	0.04
4851.00	6.45	73.14	4827.38	24.45	426.63	86.72	427.33	-426.74	0.21
4946.00	5.95	75.12	4921.83	27.27	436.50	86.43	437.35	-436.62	0.57
5041.00	5.51	77.02	5016.35	29.55	445.70	86.21	446.68	-445.83	0.50
5135.00	4.60	75.99	5109.99	31.48	453.76	86.03	454.85	-453.90	0.97
5229.00	4.70	82.04	5203.68	32.93	461.23	85.92	462.40	-461.37	0.53
5324.00	4.32	81.47	5298.38	34.00	468.62	85.85	469.85	-468.77	0.40
5419.00	4.06	81.07	5393.13	35.05	475.48	85.78	476.77	-475.64	0.28
5513.00	5.00	94.16	5486.84	35.27	482.86	85.82	484.14	-483.01	1.48
5607.00	6.13	103.26	5580.39	33.82	491.83	86.07	492.99	-491.98	1.52
5701.00	6.42	106.17	5673.83	31.20	501.76	86.44	502.73	-501.90	0.46
5794.00	5.86	107.42	5766.30	28.34	511.28	86.83	512.07	-511.41	0.62
5888.00	5.98	109.35	5859.80	25.28	520.48	87.22	521.10	-520.59	0.25

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5982.00	5.70	110.63	5953.31	22.01	529.47	87.62	529.93	-529.57	0.33
6076.00	5.04	115.27	6046.89	18.60	537.57	88.02	537.90	-537.65	0.84
6171.00	4.57	117.88	6141.56	15.05	544.69	88.42	544.90	-544.76	0.55
6265.00	4.32	119.23	6235.28	11.57	551.09	88.80	551.21	-551.14	0.29
6359.00	3.37	110.28	6329.07	8.88	556.77	89.09	556.84	-556.81	1.19
6453.00	2.64	100.37	6422.94	7.54	561.49	89.23	561.55	-561.52	0.95
6548.00	1.93	101.11	6517.86	6.83	565.22	89.31	565.26	-565.24	0.75
6642.00	1.23	88.86	6611.82	6.55	567.78	89.34	567.82	-567.80	0.82
6737.00	0.59	98.46	6706.81	6.50	569.28	89.35	569.32	-569.31	0.69
6831.00	0.30	233.35	6800.81	6.28	569.56	89.37	569.60	-569.59	0.88
6926.00	1.28	247.24	6895.80	5.72	568.38	89.42	568.41	-568.40	1.04
7022.00	1.69	235.65	6991.77	4.51	566.23	89.54	566.25	-566.24	0.53
7118.00	0.81	273.93	7087.75	3.76	564.38	89.62	564.39	-564.39	1.22
7213.00	0.95	327.77	7182.74	4.47	563.29	89.55	563.31	-563.31	0.85
7310.00	2.42	42.45	7279.70	6.66	564.25	89.32	564.28	-564.27	2.43
7405.00	1.81	52.84	7374.64	9.05	566.79	89.09	566.87	-566.83	0.76
7501.00	2.02	84.07	7470.58	10.14	569.69	88.98	569.78	-569.73	1.09
7598.00	1.89	97.86	7567.53	10.09	572.97	88.99	573.06	-573.01	0.50
7694.00	1.72	98.95	7663.48	9.65	575.96	89.04	576.04	-576.00	0.18
7782.00	1.36	96.17	7751.45	9.34	578.30	89.08	578.38	-578.34	0.42
7865.00	3.87	245.87	7834.40	8.08	576.73	89.20	576.78	-576.76	6.13
7960.00	15.71	272.06	7927.88	7.23	560.89	89.26	560.93	-560.91	13.00
8055.00	24.92	280.20	8016.89	11.25	528.26	88.78	528.38	-528.30	10.12
8150.00	34.60	274.13	8099.28	16.75	481.54	88.01	481.83	-481.61	10.66
8244.00	44.13	269.71	8171.88	18.51	422.04	87.49	422.45	-422.12	10.56
8338.00	54.12	269.00	8233.32	17.68	351.06	87.12	351.51	-351.14	10.64
8433.00	59.48	265.59	8285.33	13.86	271.71	87.08	272.06	-271.77	6.39
8528.00	64.24	263.20	8330.13	5.64	188.38	88.29	188.46	-188.40	5.48
8623.00	71.29	265.58	8366.06	-2.91	100.92	91.65	100.96	-100.91	7.77
8717.00	77.65	267.89	8391.22	-8.03	10.55	127.28	13.26	-10.51	7.17
8810.00	79.48	270.26	8409.66	-9.50	-80.58	263.28	81.14	80.62	3.18
8906.00	85.22	271.98	8422.43	-7.63	-175.66	267.51	175.83	175.70	6.24
9000.00	86.94	272.67	8428.86	-3.82	-269.36	269.19	269.39	269.38	1.97
9095.00	86.35	273.41	8434.42	1.20	-364.07	270.19	364.07	364.06	1.00
9190.00	85.84	273.64	8440.89	7.03	-458.67	270.88	458.72	458.63	0.59
9283.00	85.90	275.01	8447.59	14.03	-551.16	271.46	551.34	551.09	1.47
9378.00	90.23	272.31	8450.79	20.08	-645.88	271.78	646.19	645.78	5.37
9471.00	90.79	271.48	8449.96	23.16	-738.82	271.80	739.19	738.71	1.08
9566.00	90.84	272.17	8448.61	26.18	-833.77	271.80	834.18	833.64	0.73
9660.00	90.90	273.01	8447.19	30.43	-927.66	271.88	928.16	927.51	0.90
9754.00	89.17	271.52	8447.13	34.15	-1021.58	271.91	1022.15	1021.41	2.43

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
9848.00	87.13	266.81	8450.16	32.78	-1115.49	271.68	1115.97	1115.33	5.46
9943.00	86.58	267.21	8455.38	27.83	-1210.21	271.32	1210.53	1210.08	0.72
10037.00	89.02	265.63	8458.99	21.97	-1303.95	270.97	1304.14	1303.84	3.09
10131.00	89.56	266.04	8460.15	15.14	-1397.70	270.62	1397.78	1397.61	0.72
10225.00	90.87	266.20	8459.80	8.78	-1491.48	270.34	1491.50	1491.42	1.40
10319.00	90.76	266.69	8458.46	2.95	-1585.29	270.11	1585.29	1585.26	0.53
10411.00	91.20	267.54	8456.89	-1.68	-1677.16	269.94	1677.16	1677.15	1.04
10505.00	93.79	267.70	8452.80	-5.58	-1770.98	269.82	1770.99	1770.98	2.76
10599.00	93.66	267.85	8446.69	-9.22	-1864.71	269.72	1864.73	1864.73	0.21
10694.00	93.38	267.52	8440.86	-13.05	-1959.45	269.62	1959.49	1959.49	0.46
10788.00	92.86	267.40	8435.74	-17.21	-2053.22	269.52	2053.29	2053.28	0.57
10883.00	92.36	267.02	8431.41	-21.83	-2148.01	269.42	2148.12	2148.09	0.66
10976.00	91.62	267.15	8428.18	-26.56	-2240.83	269.32	2240.99	2240.93	0.81
11070.00	92.93	267.05	8424.45	-31.31	-2334.63	269.23	2334.84	2334.75	1.40
11165.00	92.70	266.83	8419.79	-36.37	-2429.38	269.14	2429.66	2429.52	0.33
11259.00	93.59	269.27	8414.63	-39.57	-2523.18	269.10	2523.49	2523.33	2.76
11353.00	94.18	271.14	8408.26	-39.23	-2616.96	269.14	2617.25	2617.11	2.08
11448.00	93.93	270.87	8401.54	-37.57	-2711.71	269.21	2711.97	2711.85	0.39
11542.00	91.86	270.84	8396.79	-36.17	-2805.57	269.26	2805.80	2805.71	2.20
11637.00	90.94	271.28	8394.47	-34.41	-2900.53	269.32	2900.73	2900.65	1.07
11731.00	90.99	271.00	8392.89	-32.54	-2994.49	269.38	2994.67	2994.61	0.30
11826.00	90.71	270.83	8391.48	-31.03	-3089.47	269.42	3089.63	3089.58	0.34
11920.00	90.45	271.09	8390.53	-29.45	-3183.45	269.47	3183.59	3183.55	0.39
12015.00	90.54	271.30	8389.71	-27.47	-3278.43	269.52	3278.54	3278.52	0.24
12110.00	90.09	271.56	8389.19	-25.10	-3373.40	269.57	3373.49	3373.48	0.55
12205.00	89.67	271.10	8389.39	-22.89	-3468.37	269.62	3468.45	3468.44	0.66
12300.00	89.09	271.16	8390.41	-21.02	-3563.35	269.66	3563.41	3563.40	0.61
12395.00	90.74	271.17	8390.55	-19.09	-3658.32	269.70	3658.37	3658.37	1.74
12490.00	91.85	271.15	8388.41	-17.17	-3753.28	269.74	3753.32	3753.32	1.17
12584.00	91.37	271.39	8385.77	-15.08	-3847.22	269.78	3847.25	3847.25	0.57
12678.00	90.93	271.27	8383.88	-12.90	-3941.17	269.81	3941.19	3941.19	0.49
12773.00	90.58	271.44	8382.63	-10.66	-4036.14	269.85	4036.15	4036.14	0.41
12868.00	90.62	270.64	8381.63	-8.93	-4131.12	269.88	4131.13	4131.11	0.84
12962.00	90.39	270.70	8380.80	-7.83	-4225.11	269.89	4225.11	4225.10	0.25
13057.00	90.07	270.41	8380.42	-6.91	-4320.10	269.91	4320.11	4320.09	0.45
13090.00	90.02	270.43	8380.40	-6.67	-4353.10	269.91	4353.10	4353.09	0.16

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
13165.00	90.02	270.43	8380.37	-6.11	-4428.10	269.92	4428.10	4428.08	0.00