NM OIL CONSERVATION

ARTESIA DISTRICT

DEC 06 2017

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fo. NM 875

State of New Mexico Energy, Minerals and Natural Resources Department VED

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

	Strict IV 20 S. St. Francis Dr., Santa Fe, N		Santa Fe, NM 87505					
Da	te:12-6-2017		GAS CA	APTURE PL	AN			
	Original Amended - Reason for A	ginal Operator & OGRID No.: Mewbourne Oil Company - 14744 ended - Reason for Amendment:						
nev	w completion (new drill,	recomplete t	o new zone, re-fra	ac) activity.		-	n facility flaring/venting fo	
<u>W</u>	e: Form C-129 must be sub	ty – Name of	facility	- ,	·	`	4 of 19.15.18.12 NMAC).	
ın	e well(s) that will be located Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments	
	DELAWARE RANCH II WINC FEE 21		N-11-26S-28E	85 FSL & 1650 FW1	0	NA	ONLINE AFTER FRAC	
	30-	015-445	584					
We pla 180 (per be con	ce. The gas produced nergy Transfer low/hi o ' of pipeline to co riodically) to Energy Trans drilled in the foreseeabl	o a production from production pressure igh pressure the factor are future. In a changes to Processing I	on facility after flation facility is de gathering system acility to low/high drilling, completic addition, Mewber drilling and complete and located in Se	edicated to not located in pressure gas on and estimal courne Oil Completion scheme.	thering syst ted first prod ompany and dules. Gas n. 245, Rn	County, New em. Mewbo uction date fo Energy Trans from these E. 37E, Le	w Mexico. It will require ourne Oil Company provides or wells that are scheduled to have periodic wells will be processed a County, New Mexico	
Aft							uction tanks and gas will be duced fluids contain minima	

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on _________ system at that time. Based on current information, it is <u>Operator's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines