

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department 8 2018

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr.

RECEIVED

122	20 30	սш Տւ.	Francis.	DI.
	Santa	Fe, NI	M 87505	

Date: 03-08-18		GAS CA	PTURE PL	AN				
✓ Original Operator & OGRID No.: Mewbourne Oil Company - 14744 Amended - Reason for Amendment:								
new completion (new	w drill, recomplete to	o new zone, re-fra	ac) activity.		-	facility flaring/venting for		
Well(s)/Production The well(s) that will	Facility - Name of	facility		·		4 of 19.15.18.12 NMAC).		
Well Name	API		Footages	Expected MCF/D	Flared or Vented	Comments		
Yardbirds 2 W2 Fee #2H YARDBIRDS 2 WOCN FEE	44800	C 2-24S-28E C 2-24S-28E	205' FNL 1980' FWL 205' FNL & 1940' FWL	T	NA NA	Online after frac		
Gathering System a	44801		100 1112 11141	<u> </u>	l Ma	ORDINE AI TEXTING		
Well(s) will be conneplace. The gas pro Crestwood 300 ' of pipelir (periodically) to Cre	ected to a production oduced from production low/high pressure to connect the farestwood at the context of the	n facility after fl tion facility is de gathering system cility to low/high drilling, completion	edicated to _ n located in n pressure ga on and estimat	Crestw Eddy (thering syst ted first prod	cood County, New em. Mewbo uction date for	gas transporter system is in and will be connected to Mexico. It will require ourne Oil Company provides or wells that are scheduled to have periodical.		
	discuss changes to Processing P	drilling and contain located in Se	npletion sche	dules. Gas n. 245, Rn	from these 2. 28E, Ed	have periodic wells will be processed a dy County, New Mexico pressures.		
Flowback Strategy	<u>.</u>							

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on Crestwood system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines