Porm 3160-3 (August 1999)

**UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

RECEIVED APR 1 8 2006 QCU-MITERIA

OMB No. 1004-0136 Expires November 30, 2000

5. Lease Serial No.

Ĺ	C	-0	28	39	9	0-	В

APPLICATION FOR PERMIT TO	) DRILL	. OR REENTER
---------------------------	---------	--------------

	APPLICATIO	N FOR	PERM	IIT TO D	RILL OI	R REE	NTER		o. It motall, renotice	01 11100 1	
1a. Type of Work:	R DRILL			☐ RE	ENTER	S	ECRETA	ARY'S PC		2575	ime and No.
b. Type of Well:	Oil Well	Gas Well		Other			ingle	Multiple Zone	8. Lease Name and Well No.  Creek AL Federal Com #17		
2. Name of Operato	or								9. API Well No.		
	um Corporation		<u>5</u>		T				30-015-( )	179	C
	5 South Fourth S				3b. Phon	e No. (in	clude area cod	(e) 91.14<	10. Field and Pool, o		-
	tesia, New Mex			1.7	<u> </u>	(50	)5) 748-1 <u>4</u>	7194185	Undes. Hackbe		
	(Report location clea	•		-	-		•		11. Sec., T., R., M.,	or BIK, and	Survey or Area
At surface		-	700' FS	SL and 8		., Unit	Р		0 - 4: - 04 - 40		
At proposed prod. Z					ame				Section 24, T18		<del></del>
	es and direction from		-						12. County or Parish	13. State	
Approximatel 15. Distance from pr	y 8 miles South	west o	1 Loco	Hills, N			:- 1	T17 C:11	Eddy County		NM
location to neare	est		700	•	10. NO.	6. No. of Acres in lease 17. Spacing Ui			nit dedicated to this well S/2		
18. Distance from p to nearest well, applied for, on the	drilling, completed,		200'					Bond No. on file NM-2811			
21 Elevations (Cho	w whether DF, KDB,	DT CL a	ta )		22 4 mm		data morte mil	L atout#	23. Estimated durati		
21. Elevations (Sho			ic.)		22. Approximate date work will start*						
	3635' GI		<del></del>			ASAP  4. Attachments Casha C			30 days		
	·							<b>_</b>	entrolled Water	resen	
The following, com	pleted in accordance v	vith the re	quiremen	ts of Onshor	e Oil and	Gas Orde	er No. 1, shall I	oe attached to this	form:		
1. Well plat certifie	ed by a registered surve	eyor.				4.	Bond to cov	er the operations	unless covered by an e	xisting bor	ıd on file (see
2. A Drilling Plan.							Item 20 abo	ve).	•	_	•
3. A Surface Use P	lan (if the location is o	on Nationa	ıl Forest S	System Land	s, the	5.	Operator cer	tification.			
SUPO shall be filed with the appropriate Forest Service Office.							<ol> <li>Such other site specific information and/or plans as may be required by the authorized office.</li> </ol>				
25. Signature	A ( #				Name (Printed/Typed)				Date		
					Cy Cowan				2/2	25/2006	
Title:											
Regulatory A	gent										
Approved by (Signature) /s/ Linda S. C. Rundell						Name (Printed/Typed) /s/ Linda S. C. Rund			e11	Date APR	2 1 2 2006
STATE DIRECTOR							N	M STATE	OFFICE		
Application approve	al does not warrant or	certify tha	t the app	licant holds	legal or eq	uitable ti	tle to those rig	hts in the subject	lease which would entit	le the appli	cant to conduct
operations thereon.								APP	AOVAL FOI	<b>₹1</b> Y	EAR
Conditions of appro	val, if any, are attache	ed.						* ** * 1	*/ (_   0		0iid 71 1

\*(Instructions on reverse) C-144 attached

**Previously Approved** 

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United

If earthen pits are used in association with the drilling of this well, an OCD pit permit must be obtained prior to pit construction.

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED 

TH	eti	net.	ı	
17	SI.	74.7		

. 1625 : French Dr., Hobbs, NM 88240

#### State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

Form C-102

Revised August 15, 2000

, District II

811 South First, Artesia, NM 88210

Submit to Appropriate District Office

State Lease - 4 Copies

1000 Rio Brazos Rd., Aztec, NM 87410

1220 South St. Francis Dr. Santa Fe, NM 87505

Fee Lease - 3 Copies

District IV

District III

1220 S. St. Francis	Dr., Santa I	e, INIVI 6/303						ഥ	AMENDED REPORT	
		W	ELL LO	OCATIO:	N AND ACR	EAGE DEDIC	CATION PLA	Τ		
1	API Numbe	•	(	2 Pool Code		11 1 1	3 Pool Na		111	
30-	015-322	208		1678	7.5	Hack 1	) <del>€                                   </del>	CR NOW 1	Menth	
<sup>4</sup> Property	Code				<sup>5</sup> Property	Name		7	Well Number	
Creek AL Federal Com 17										
OGRID	No.				<sup>8</sup> Operator	Name			' Elevation	
02557	5			Yate	es Petroleum		3635			
					<sup>10</sup> Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West li	ne County	
P	24	185	30E		700	South	038	East	Eddy	
			11 B	ottom Ho	ole Location	f Different Fro	m Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West li	ne County	
12 Dedicated Acres	<sup>15</sup> Dedicated Agres <sup>15</sup> Joint or Infill <sup>14</sup> Consolidation Code <sup>15</sup> Order No.									
320										

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 17 OPERATOR CERTIFICATION hereby certify that the information contained herein is rue and complete to the best of ny Phowledge and <u>Cy Cowan</u> Regulatory Agent 01/07/2004 SURVEYOR CERTIFICATION NM-93771 LCl hereby certify that the well location shown on this plat 02899-B was plotted from field notes of actual surveys made by ne or under my supervision, and that the same is true nd correct to the best of my belief. REFER TO ORIGINAL PLAT Date of Survey Signature and Seal of Professional Surveyor. 860' ertificate Number

DISTRICT II
311 South First, Artesia, NM 88210
DISTRICT III

1000 Rio Brazos Rd., Azteo, NM 87410

DISTRICT IV 2040 South Pacheco, Santa Fe, NM 87505 Energy, Minerals and Natural Resources Departmen

Revised March 17, 1999 Instruction on back Submit to Appropriate District Office

State Lease - 4 Copies
Fee Lease - 3 Copies

# OIL CONSERVATION DIVISION P.O. Box 2088

Santa Fe, New Mexico 87504-2088

AMENDED REPORT

		,	WELL LO	CATION	AND ACREA	GE DEDICATION	ON PLAT	•	
API	Number	:		Pool Code		mi 1 a	Pool Name		
Panariy (	\- d=	<del></del>	<u> </u>		Property Nan		at Morrow	Well No	ımber
Property C	,oge			CRE	EK "AL" FEDERA			17	
OGRID No	·				Operator Nan			Eleva	lion
025575		<u> L</u>		YATES	PETROLEUM CO			3635	
			<del></del>	<del></del>	Surface Loc				
UL or lot No.	Section 24	Township 18S	Range 30E	Lot ldn	Feet from the 700	North/South line SOUTH	Feet from the 860	Rast/West line EAST	EDDY
		1 103		Wale In		erent From Sur		<i>-</i>	12001
UL or lot No.	Section	Township	Range	Lot Idn	Peet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill Co	onsolidation (	Code Or	der No.	<del></del>			<del> </del>
320	<u> </u>			L_		<del></del>			
NO ALLO	WABLE V					UNTIL ALL INTER APPROVED BY		EN CONSOLIDA	ATED
							OPERATO	R CERTIFICAT	MON
1					ļ			y certify the the in	
1								n is true and compl viedge and belief.	ete so the
					Ì				
							11 (14	( Iway	
<b></b>		<del></del>		<b>}</b>			Signature	<del></del>	<del></del>
	ſ						Printed Nam	Cowan	
į							11	gulatory Ag	ent
	]						Title		
1				1			Date Apr	ril 18, 200	2
				Ì				D ODDERTO	
							SURVEIC	OR CERTIFICAT	TON
LC-028	99-B	Um-	9377					, that the well local as plotted from fiel	
		1011	, , , ,					made by me or id that the same to	
		i						e best of my bets	
		i						. / /	
		l						4/11/2002	
H	—— <b>ų</b>					N.32°43'39.2"	Signature &	PLET OF YOU	
					9	W.103°55'10.9" 837 3641	14/3	MEN WEXICONES	\
					3				<b>[</b>
						<del>9- 86</del> 0' -	HI 43X	(3640)	
111				1	3	632 2 3634	Cortinger	Horschol 2	9 81 S 3840
						7	ance.	Herschel Won	- NCJ 3040
		المراز المساوح			يم بين بين بين المنظم		GENERAL	SUPUDINS COMPA	NY .

# YATES PETROLEUM CORPORATION Creek "AL" Federal Com. #17

700' FSL and 860' FEL Section 24-T18S-R30E Eddy County, New Mexico

1. The estimated tops of geologic markers are as follows:

Rustler	485'	Dolomite	8200'
Tansill	1800'	Wolfcamp	9500'
Yates	1910'	Strawn	10,750'
Seven Rivers	2350'	Atoka	11,075
Queen	3075'	Morrow	11,450'
Grayburg	3560'	Chester	12,120'
Delaware	4600'	TD	12,200'
Bone Spring	5820'		•

2. The estimated depths at which anticipated water, oil or gas formations are expected to be encountered:

Water: 2

250'-350'

Oil or Gas: All potential zones.

3. Pressure Control Equipment: BOPE will be installed on the 9 5/8" casing and rated for 5000 BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout Preventor controls will be installed prior to drilling the surface plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. See Exhibit B.

## **Auxiliary Equipment:**

- A. Auxiliary Equipment: Kelly cock, pit level indicators, flow sensor equipment and a sub with full opening valve to fit the drill pipe and collars will be available on the rig floor in the open position at all times for use when kelly is not in use.
- 4. THE PROPOSED CASING AND CEMENTING PROGRAM:
  - A. Casing Program: (All New)

<u>Hole Size</u>	Casing Size	Wt./Ft	<u>Grade</u>	Coupling	<u>Interval</u>	<b>Length</b>
17 ½"	13 3/8"	48#	H-40	ST&C	0-700'	700'
12 1/4"	9 5/8"	36#	J-55	ST&C	0-4000'	4000'
8 3/4"	7"	29#	P-110	LT&C	0-100'	100'
8 3/4"	7"	26#	L-80	LT&C	100'-8600'	8500'
8 3/4"	7"	26#	HCP-110	LT&C	8600'-11000'	2400'
8 3/4"	7"	29#	P-110	LT&C	11000'-12200	' 1200'

Minimum Casing Design Factors: Collapse 1.125, Burst 1.0, Joint Strength 1.8

#### B. CEMENTING PROGRAM:

Surface casing: 400 sx Lite(Yld 2 Wt. 12.5) Tail in w/250 sx Class "C" + 2% CaCL2 (YLD 1.32 WT 14.8).

Intermediate Casing: Lead w/1100 sx Lite (Yld 2 Wt 12.5). Tail in w/250 sx Class "C" + 2% CACL2 (Yld 1.32 Wt. 14.8).

Production Casing: TOC-3500'; 600 sx Lite (Yld 2 Wt. 12.5). Tail in w/500 sx Super "C" (Yld 1.62 Wt. 1.32).

#### 5. MUD PROGRAM AND AUXILIARY EQUIPMENT:

<u>Interval</u>	Type	<u>Weight</u>	<u>Viscosity</u>	Fluid Loss
0-700'	FW Gel/Paper	8.6-9.0	32-36	N/C
700'-4000'	Brine	10.0-10.2	28	N/C
4000'-11000'	Cut Brine	8.8-9.5	28	N/C
11000-12200'	SGEL/Starch/Drispac/KCL	9.5-10.0	32-40	<10 cc

Sufficient mud material(s) to maintain mud properties, control lost circulation and contain a blow out will be available at the well site during drilling operations. Mud will be checked hourly by rig personnel.

#### 6. EVALUATION PROGRAM:

Samples: 30' samples to 5000'. 10' samples to 5000' to TD.

Logging: Platform HALS.

Coring: Sidewall cores as warranted.

DST's: As warranted.

# 7. ABNORMAL CONDITIONS, BOTTOM HOLE PRESSURE, AND POTENTIAL HAZARDS:

Anticipated BHP:

From: 0 TO: 700' Anticipated Max. BHP: 300 PSI From: 700' TO: 4000' Anticipated Max. BHP: 1700 PSI From: 4000' TO: TD Anticipated Max. BHP: 6100 PSI

No abnormal pressures or temperatures are anticipated.

Lost Circulation Zones Anticipated: None

H2S Zones Anticipated: None Anticipated

#### 8. ANTICIPATED STARTING DATE:

Plans are to drill this well as soon as possible after receiving approval. It should take approximately 30 days to drill the well with completion taking another 15 days.

# MULTI-POINT SURFACE USE AND OPERATIONS PLAN YATES PETROLEUM CORPORATION

Creek "AL" Federal Com. #17 700' FSL and 860' FEL Section 24-T18S-R30E Eddy County, New Mexico

This plan is submitted with Form 3160-3, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface disturbance involved and the procedures to be followed in rehabilitating the surface after completion of the operations, so that a complete appraisal can be made of the environmental effect associated with the operations.

#### 1. EXISTING ROADS:

Exhibit A is a portion of the BLM map showing the well and roads in the vicinity of the proposed location. The proposed well site is located approximately 8 miles Southeast of Loco Hills, New Mexico and the access route to the location is indicated in red and green on Exhibit A.

#### DIRECTIONS:

Go East of Artesia on Highway 82 to Highway 360. Turn Right on 360 and go to Duval Shaft Road (CR 251). Turn left on Duval Shaft Road and to Grubbs Rd (CR 250). Turn right on Grubbs Rd. and go approx. 4.8 miles. Turn north here and go approx. 0.7 of a mile. Turn left and go 0.7 of a mile to the Creek AL Battery on the right. On the west side of the Creek Battery follow road to the north for approx. 0.3 of a mile to the Creek AL Fee #2 well. The Creek AL Federal Com. #17 well location will be located 300 feet to the west.

# 2. PLANNED ACCESS ROAD:

- A. The proposed new access will go west for approximately 300' to the Southeast corner of the drilling pad. The road will lie in a east to west direction.
- B. The new road will be 14 feet in width (driving surface) and will be adequately drained to control runoff and soil erosion.
- C. The new road will be bladed with drainage on one side. Some traffic turnouts will be built.
- D The route of the road is visible.
- E Existing roads will be maintained in the same or better condition.

# 3. LOCATION OF EXISTING WELL:

- A. There is no drilling activity within a one-mile radius of the well site.
- B. Exhibit D shows existing wells within a one-mile radius of the proposed well site.

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:

- A. There are no production facilities on this lease at the present time.
- B. In the event that the well is productive, the necessary production facilities will be installed on the drilling pad. If the well is productive oil, a gas or diesel self-contained unit will be used to provide the necessary power. No power will be required if the well is productive of gas.

# 5. LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from commercial sources and will be hauled to the location by truck over the existing and proposed roads shown in Exhibit A.

# 6. SOURCE OF CONSTRUCTION MATERIALS:

Dirt contractor will locate nearest pit and obtain any permits and materials needed for construction.

# 7. METHODS OF HANDLING WASTE DISPOSAL:

- A. Drill cuttings will be disposed of in the reserve pits.
- B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.
- C. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted.
- D. Oil produced during operations will be stored in tanks until sold.
- E. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- F. All trash, junk, and other waste materials will be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not approved.

#### 8. ANCILLARY FACILITIES:

None

#### 9. WELLSITE LAYOUT:

- A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, the location of the drilling equipment, rig orientation and access road approach.
- B. The reserve pits will be plastic lined.
- C. A 400' x 400' area has been staked and flagged.

#### 10. PLANS FOR RESTORATION:

- A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the well site in as aesthetically pleasing a condition as possible.
- B. Unguarded pits, if any, containing fluids will be fenced until they have dried and been leveled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible. All pits will be filled level after they have evaporated and dried.
- 11. SURFACE OWNERSHIP: Federal Surface, Administered by Bureau of Land Management, Carlsbad, New Mexico.

# Creek "AL" Federal Com. #17 Page 3

#### 12. OTHER INFORMATION:

- A. Topography: Refer to the existing archaeological report for a description of the topography, flora, fauna, soil characteristics, dwellings, historical and cultural sites.
- B. The primary surface use is for grazing.

## 13. OPERATOR'S REPRESENTATIVE:

A. Through A.P.D. Approval:

Cy Cowan, Regulatory Agent Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471 B. Through Drilling Operations, Completions and Production: Pinson McWhorter, Operations Manager Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

#### 14. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Yates Petroleum Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


2/25/2006

Regulatory Agent




# Yates Petroleum Corporation

Typical 5.000 psi Pressure System
Schematic
Annular with Double Ram Preventer Stack



Typical 5,000 psi choke manifold assembly with at least these minimun features



#### CONDITIONS OF APPROVAL - DRILLING

Operator's Name: Yates Petroleum Corporation Well Name & No: Creek AL Federal Com No. # 017

Location: Surface 700' FSL & 860' FEL Sec. 24, T. 18 S. R. 30 E.

Lease: NMLC-028990B Eddy County, NM

.....

#### I. DRILLING OPERATIONS REQUIREMENTS:

1. The Bureau of Land Management (BLM) is to be notified at the Roswell Field Office, 2909 West Second St., Roswell, NM 88201, (505) 627-0272 for wells in Chaves and Roosevelt Counties; the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220, (505) 361-2822 for wells in Eddy County; and the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (505) 393-3612 for wells in Lea County, in sufficient time for a representative to witness:

A. Spudding

B. Cementing casing: 13 % inch 9 % inch 5 ½ inch

C. BOP Tests

- 2. A Hydrogen Sulfide (H2S) Drilling Plan shall not be required on this wellbore. The operator shall verify that all hands and rig personnel has had sufficient training in H2S Safety Awareness and uses caution at the return flow line and stays aware of its dangers and the signs thereof.
- 3. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
- 4. Submit a Sundry Notice (Form 3160-5, one original and five copies) for each casing string, describing the casing and cementing operations. Include pertinent information such as; spud date, hole size, casing (size, weight, grade and thread type), cement (type, quantity and top), water zones and problems or hazards encountered. The Sundry shall be submitted within 15 days of completion of each casing string. The reports may be combined into the same Sundry if they fall within the same 15 day time frame.
- 5. The API No. assigned to the well by NMOCD shall be included on the subsequent report of setting the first casing string.
- 6. A Communitization Agreement shall be filed and approved by this office prior to any sales from this well.

#### II. CASING:

- 1. The 13% inch shall be set at 700 Feet OR at least 10 feet minimum above the Top of the Salt if encountered at this depth, with cement circulated to the surface. If cement does not circulate to the surface the appropriate BLM office shall be notified and a temperature survey or cement bond log shall be run to verify the top of the cement. Remedial cementing shall be completed prior to drilling out that string.
- 2. The minimum required fill of cement behind the 9 % inch Intermediate casing is to circulate to surface.
- 3. The <u>minimum required fill of cement</u> behind the <u>5 ½</u> inch Production casing is to <u>place TOC at approximately 3500 which may cover the Grayburg formation.</u>

#### **III. PRESSURE CONTROL:**

- 1. All BOP systems and related equipment shall comply with well control requirements as described in Onshore Oil and Gas Order No.
- 2. The BOP and related equipment shall be installed and operational before drilling below the <u>13 %</u> inch casing shoe and shall be tested as described in Onshore Order No. 2. Any equipment failing to test satisfactorily shall be repaired or replaced.
- 2. Minimum working pressure of the blowout preventer and related equipment (BOPE) shall be 5 M psi.

# III. Pressure Control (continued):

- 3. The appropriate BLM office shall be notified in sufficient time for a representative to witness the test.
- -The test shall be done by an independent service company
- -The results of the test shall be reported to the appropriate BLM office.
- -Testing fluid must be water or an appropriate clear liquid suitable for sub-freezing temperatures.
- -Use of drilling mud for testing is not permitted since it can mask small leaks.
- -Testing must be done in safe workman-like manner. Hard line connections shall be required.

**Ggourley 02/10/06**