*	Form 3160-5 (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT   SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.   SUBMIT IN TRIPLICATE - Other instructions on page 2   1. Type of Well   Image: Other of Operator   XTO ENERGY INCORPORATED   Submit in triplicate 100   Middress   500 W ILLINOIS STREET SUITE 100   MIDLAND, TX 79701   4. Location of Well (Footage, Sec., T., R., M., or Survey Description)   Sec 4 T25S R29E SWSW 180FSL 196FWL 32.152393 N Lat, 103.997406 W Lon				rtesia	FORM APPROVED   OMB NO. 1004-0137   Expires: January 31, 2018   5. Lease Serial No.   NMNM15302   6. If Indian, Allottee or Tribe Name   7. If Unit or CA/Agreement, Name and/or No.   8. Well Name and No.   CORRAL CANYON FEDERAL COM 29H   9. API Well No.   30-015-44641-00-X1   10. Field and Pool or Exploratory Area   WILLOW LAKE-BONE SPRING   11. County or Parish, State   EDDY COUNTY, NM	
	12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
	TYPE OF SUBMISSION		TYPE OF ACTION				
	□ Notice of Intent □ Acidize □ Deepen □ Production (Start/Resume) □ Water Shut-Off   □ Notice of Intent □ Alter Casing □ Hydraulic Fracturing □ Reclamation □ Well Integrity   □ Subsequent Report □ Casing Repair □ New Construction □ Recomplete ☑ Other   □ Final Abandonment Notice □ Change Plans □ Plug and Abandon □ Temporarily Abandon ☑ Other   13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleted. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.   XTO Energy, Inc. respectfully submits this sundry notice to report the drilling operations on the referenced well. 1/31/2018 ? 2/1/2018: Sunda 200. Run 17 jts .13 3/8" casing 54.50#, J55 surface casing to .630. Cement with 972 sxs class C cmt. Bump plug. Circ 295 sxs to surf. Pressure test annular: 250 low, 3000 RECEIVED   2/2/2018: 2/2/2018: 2/2/2018:						□ Well Integrity ☑ Other Well Spud wimate duration thereof. tent markers and zones. filed within 30 days 0-4 must be filed once and the operator has
	14. 1 hereby certify that the foregoing is true and correct. Electronic Submission #406947 verified by the BLM Well Information System For XTO ENERGY INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 03/07/2018 (18PP1247SE)   Name (Printed/Typed) TESSA FITZHUGH						A 0.0.D.
	Signature (Electronic Submission)			Date 03/07/2			
	THIS SPACE FOR FEDERAL OR STATE OFFICE USE						
	Approved By Conditions of approval, if any, are attac certify that the applicant holds legal or which would entitle the applicant to co Title 18 U.S.C. Section 1001 and Title States any false, fictitious or fraudule	the subject lease	Office Of				
(Instructions on page 2) ** BLM REVISED **							ED **

Ż

## Additional data for EC transaction #406947 that would not fit on the form

## 32. Additional remarks, continued

TD hole at 2753. Run 67 jts, 9 5/8", 40#, HCL-80 csg to 2743'. Lead cmt: 792 sxs class C cmt. Tail cmt: 286 sxs class C cmt. TOC 540 per temp log. Test casing to 1500 psi (ok). Drill 8 ? hole. TD at 7845, circulate bottoms up.

cmt: 286 sxs class C cmt. 100 0.00 7845, circulate bottoms up. 02/09/2018 ? 02/21/2018: Drill 8 ?" hole. TD @ 18843'. Run 433 jts, 5 ?, 17#, P110 casing to 18843'. Lead Cmt: 1066 sxs class C cmt. Tail Cmt: 2254 sxs class C cmt, Bump plug. Calculated TOC @ 1643 Supply CBL top with completion Supply CBL top with Sindy