

# State of New Mexico

## Energy, Minerals and Natural Resources Department

**Susana Martinez**  
Governor

**Ken McQueen**  
Cabinet Secretary

**Matthias Sayer**  
Deputy Cabinet Secretary

**Heather Riley**  
Division Director



**\*Response Required - Deadline Enclosed\***

*Field Inspection Program*  
"Preserving the Integrity of Our Environment"

07-May-18

**LONGFELLOW ENERGY, LP**  
16803 NORTH DALLAS PARKWAY  
ADDISON TX 75001

**LETTER OF VIOLATION - Inspection**

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

### INSPECTION DETAIL SECTION

PHILLIPS 19 FEDERAL No.006				G-19-17S-29E	30-015-31227-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812743469	
<b>Violations</b> General Housekeeping (Rule 114)							
<b>Comments on Inspection:</b> OK. All Equipment and Location in Good Shape. PJO+ STAINING AROUND WELLHEAD 19.15.10.8							
PHILLIPS 19 FEDERAL No.003				A-19-17S-29E	30-015-31445-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812743010	
<b>Violations</b> General Housekeeping (Rule 114)							
<b>Comments on Inspection:</b> OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD / LOCATION 19.15.10.8 SKID ON LOCATION							

**PHILLIPS 19 FEDERAL No.009**

C-19-17S-29E 30-015-31539-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812741725
<b>Violations</b>						
General Housekeeping (Rule 114)						

**Comments on Inspection:** OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8

**PHILLIPS 19 FEDERAL No.011**

1-19-17S-29E 30-015-31554-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812741368
<b>Violations</b>						
General Housekeeping (Rule 114)						

**Comments on Inspection:** OK. All Equipment and Location in Good Shape. PJO STAINING AROUND WELLHEAD 19.15.10.8

**PHILLIPS 19 FEDERAL No.010**

C-19-17S-29E 30-015-31614-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812741520
<b>Violations</b>						
General Housekeeping (Rule 114)						

**Comments on Inspection:** OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8

**PHILLIPS 19 FEDERAL No.013**

F-19-17S-29E 30-015-31633-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812740962
<b>Violations</b>						
General Housekeeping (Rule 114)						

**Comments on Inspection:** OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8

**PHILLIPS 19 FEDERAL No.004**

H-19-17S-29E 30-015-33502-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812743649
<b>Violations</b>						
General Housekeeping (Rule 114)						

**Comments on Inspection:** OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD CONTAMINATED MATERIAL ON LOCATION 19.15.10.8

**PHILLIPS 19 FEDERAL No.015M**

B-19-17S-29E 30-015-33503-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812742636
<b>Violations</b>						
General Housekeeping (Rule 114)						

**Comments on Inspection:** OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8

**PHILLIPS 19 FEDERAL No.014**

F-19-17S-29E 30-015-33516-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/07/2018	Routine/Periodic	Tony Morales	Yes	No	8/10/2018	iTM1812740760
<b>Violations</b>						
General Housekeeping (Rule 114)						

**Comments on Inspection:** OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD. 19.15.10.8

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,

  
Artesia OCD District Office

**Note:** Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.  
\*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.