RECEIVED

State of New Mexico **Energy Minerals and Natural Resources**

JUN 28 2018

Form C-141 Revised April 3, 2017

Oil Conservation Division DISTRICTSILARTIES A OGP opriate District Office in accordance with 19.15.29 NMAC. 1220 South St. Francis Dr. Santa Fe, NM 87505

Release Notification and Corrective Action							
NAB1818441259		OPERATOR		Initial Report	Final Report		
Name of Company: COG Operating, LLC (OGRID #229137)		Contact:	Robert McNeill				
Address: 600 West Illinois Avenue, Midland, TX 79701		Telephone No.	432-683-7443				
Facility Name: Myox 31 State Com #13H Battery		Facility Type: Flowline					
Surface Owner: State	Mineral Owner: State		API No. 30-015-37497				

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
Р	31	25S	28E					Eddy

Latitude 32.079052 Longitude -104.120589 NAD83

NATURE OF RELEASE							
Type of Release		Volume of Release	Volume Recovered				
Produced Water		36 bbl.	4 bbl.				
Source of Release		Date and Hour of Occurrence	Date and Hour of Discovery				
Flowline		June 27, 2018 12:15pm June 27, 2018 12:15pm					
Was Immediate Notice G	iven?	If YES, To Whom?					
	🛛 Yes 📋 No 📋 Not Required	Mike Bratcher – NMOCD					
		Crystal Weaver – NMOCD					
		Ryan Mann - NMOCD					
By Whom? DeAnn Gran		Date and Hour June 28, 2018 9:31					
Was a Watercourse Reac		If YES, Volume Impacting the Wa	itercourse.				
	🗌 Yes 🖾 No						
If a Watercourse was Imp	pacted, Describe Fully.*						
-							
Describe Cause of Proble	em and Remedial Action Taken.*						
T 1 1			at a tata ta sala sal				
The release was caused by the check valve malfunctioning causing release from the tin horn. Check valve is being replaced.							
Describe Area Affected and Cleanup Action Taken.*							
The release was in the pasture. A vacuum truck was dispatched to remove all freestanding fluids. Concho will have the spill area sampled to delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities							
	nformation given above is true and complete to t						
regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability							
should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health							
or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other							
federal, state, or local laws and/or regulations.							
		OIL CONSER	VATION DIVISION				
	Dollars Crank		A				
Signature:		1.4					
		Approved by Environmental Special	sig Decord on				
Printed Name:	DeAnn Grant V	rippioned by Sinthomananana					
	· · ·	Approval Date: [1]29.18	Expiration Date: NIA				
Title:	HSE Administrative Assistant	Approval Date:	Expiration Date: NIM				
E-mail Address:	agrant aconche com	Conditions of Approval:	,				
E-man Address:	agrant@concho.com	Conditions of Approval:	Attached a loog				
Date: June 28, 2018	Phone: (432) 253-4513	Scerattac	NU XKP-4831				

* Attach Additional Sheets If Necessary

Operator/Responsible Party,

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District <u>2</u> office in <u>ARTESIA</u> on or before <u>7/28/2018</u>. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

• Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

• Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

• Nominal detection limits for field and laboratory analyses must be provided.

• Composite sampling is not generally allowed.

• Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

•Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

• If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

• Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us