

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to reopen an abandoned well. Use form 3160-3 (APD) for such proposals.

Carlsbad Field Office
Artesia

5. Lease Serial No.
NMNM22080

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
TOMB RAIDER 1-12 FED 528H

9. API Well No.
30-015-44810-00-S1

10. Field and Pool or Exploratory Area
LIVINGSTON RIDGE

11. County or Parish, State
EDDY COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
DEVON ENERGY PRODUCTION COMPANY
Contact: JENNIFER HARMS
E-Mail: jennifer.harms@dvn.com

3a. Address
333 WEST SHERIDAN AVENUE
OKLAHOMA, OK 73102

3b. Phone No. (include area code)
Ph: 405-552-6560

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 1 T23S R31E 360FNL 980FEL
32.340710 N Lat, 103.722954 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Hydraulic Fracturing
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Well Integrity
	<input type="checkbox"/> Change Plans
	<input type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Temporarily Abandon
	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Convert to Injection
	<input type="checkbox"/> Plug Back
	<input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

(4/17/18 ? 4/17/18 Spudded. TD 17-1/2" hole @ 767'. RIH w/17 jts 13-3/8" 54.50# J-55 BTC csg, set @ 751'. Lead w/828 sx CIC, yld 1.34 cu ft/sx. Disp w/109 bbl frsh wtr. Circ 95 bbl cmt to surf. PT BOPE 250/5000 psi, held each test for 10 min, OK. PT csg to 1500 psi for 30 min, OK.

(5/9/2018 - 5/12/2018) TD 12-1/4" hole @ 6010', RIH w/99 jts 9-5/8" 40# J-55 BTC csg & 35 jts 9-5/8" 40#P-110EC BTC csg, set 5997". Lead w/940 sx CIC, yld 3.13 cu ft/sk. Tail w/430 sx CIC, yld 1.33 cu ft/sk. Disp w/451 bbl frsh wtr. Circ 55 bbl cmt to surf. PT BOPE 250/5000 PSI, held each test for 10 mins, OK. PT csg to 2765 psi for 30 min, OK.

5/14/2018 - 5/26/2018) TD 8-3/4" hole @ 9547' & 8-1/2" hole @ 18,902'. RIH w/450 jts 5-1/2" 17# P-110RY csg, set @ 18887'. Lead w/370 sx, yld 3.56 cu ft/sk. Tail in w/2035 sx, yld 1.47 cu ft/sx. Disp w/436 bbl frsh wtr. PT BOPE 250/5000 psi, held each test for 10 min, OK. Top of Cement is

GC 6.27-18
Accepted for record - NMOC

NM OIL CONSERVATION
ARTESIA DISTRICT

JUN 27 2018

RECEIVED

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #423489 verified by the BLM Well Information System
For DEVON ENERGY PRODUCTION COMPANY LP, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 06/11/2018 (18PP1442SE)

Name (Printed/Typed) JENNIFER HARMS Title REGULATORY COMPLIANCE ANALYST

Signature (Electronic Submission) Date 06/11/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By **ACCEPTED** JONATHON SHEPARD
Title PETROLEUM ENGINEER Date 06/13/2018

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #423489 that would not fit on the form

32. Additional remarks, continued

2940.

Revisions to Operator-Submitted EC Data for Sundry Notice #423489

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM22080	NMNM22080
Agreement:		
Operator:	DEVON ENERGY PRODUCTION CO., L 333 WEST SHERIDAN AVENUE OKLAHOMA CITY, OK 73102-5015 Ph: 405-552-6560	DEVON ENERGY PRODUCTION COM LP 333 WEST SHERIDAN AVENUE OKLAHOMA, OK 73102 Ph: 405 552 6571
Admin Contact:	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560
Tech Contact:	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560	JENNIFER HARMS REGULATORY COMPLIANCE ANALYST E-Mail: jennifer.harms@dvn.com Ph: 405-552-6560
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	LIVINGSTON RIDGE	LIVINGSTON RIDGE
Well/Facility:	TOMB RAIDER 1 12 FEDERAL NO. 528H Sec 1 T23S R31E NENE 360FNL 980FEL	TOMB RAIDER 1-12 FED 528H Sec 1 T23S R31E 360FNL 980FEL 32.340710 N Lat, 103.722954 W Lon