Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
District 11 - (575) 748-1283	OIL CONSERVATION DIVISION	30-015-25272
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505		LG-2040
	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A CATION FOR PERMIT" (FORM C-101) FOR SUCH	New Mexico ES State
PROPOSALS.)	<u>_</u>	8. Well Number
1. Type of Well: Oil Well 2. Name of Operator	Gas Well Other	9. OGRID Number
EOG Y Resources, Inc.		025575
3. Address of Operator	V2.4. 000.40	10. Pool name or Wildcat
104 South Fourth Street, Artesia, NM 88210 Wildcat; Abo		
4. Well Location Unit Letter O: 660 feet from the South line and 1980 feet from the East line		
Section 7	Township 19S Range 24E	NMPM Eddy County
	11. Elevation (Show whether DR, RKB, RT, GR, et	
	3814'GR	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
	l l	BSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WO	DRK ☐ ALTERING CASING ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
TEMPORARILY ABANDON ☐ PULL OR ALTER CASING ☐	MULTIPLE COMPL CASING/CEME	
DOWNHOLE COMMINGLE	MOETH EE COMM E	
CLOSED-LOOP SYSTEM	_	_
OTHER:	OTHER:	and sive portinent dates, including estimated date
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recompletion.		
EOG Y Resources, Inc. plans to temporarily abandon this well as follows:		
1. MIRU all safety equipment as needed. ND wellhead and NU BOP. POOH with production equipment.		
2. RIH with GR/JB to 3820'.	sil 25' Class "C" coment on ton	
3. Set a CIBP at 3800' and dump be4. Tag TOC and load the hole with	nlugging mud.	RECEIVED
5. Conduct MIT and chart for the N	MOCD. TA status may be granned.	
6. NU wellhead and shut well in.	Successful MIT test is period Contact the OCD to schedule the	test JUN 2 8 2018
Wellbore schematics attached	so it may be witnessed.	JON 2 6 2010
NOTE: Recompletion to Abo was u		DISTRICT II-ARTESIA O.C.D.
· · · · · · · · · · · · · · · · · · ·		
	Last Prod 10-1-1	·
Spud Date:	Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNATURE (Number 1 TITLE Regulatory Specialist DATE June 25, 2018		
The Hards and Provided Alice Construction of the Pr		
Type or print name Tina Huerta E-mail address: tina_huerta@eogresources.com PHONE: 575-748-4168 For State Use Only		
APPROVED BY: DATE <u>\(\lambda - 28 \cdot \)</u> Conditions of Approval (if any):		

WELL NAME: New Mexico ES State Com #1 FIELD: **CASING PROGRAM** LOCATION: 660' FSL & 1980' FEL Sec.7-19S-24E GL: 3,814' ZERO: KB: 13 3/8" 54.5# K-55 302' **COMMENTS**: API No.: 30-015-25272 8 5/8" 24# K-55 1,718' 5.5" 14#, 15.5#, 17# K-55 8,552' 17 1/2" Hole **Before** 13 3/8" Csg @ 302' Cmt'd w/ 765sx (1" to Surface) **TOPS** 12 1/4"Hole San Andres 302' Glorieta 1,690' Yeso 1,722' Tubb 3,038' Est. TOC @ 1,518' Abo 3,690' Wolfcamp 5,083 Canyon 7,025 8 5/8" Csg @ 1,718 Cmt'd w/ 1,000sx (Circ) 7,634 Strawn Atoka 7,963 Abo Perfs: 3,850' - 3,892' Morrow 8,356' CIBP w/ sand @ 4,087'-4,124' Abo Perfs: 4,166' - 4,194' TOC @ 3,940' by TS CIBP w/ sand @ 4,685'-4,720' Abo Perfs: 4,770' - 4,800' CIBP w/ 17.5' cmt @ 4,832'-4,850' Abo Perfs: 4,880' - 4,900' Squeezed Perfs @ 3,852' 7 7/8" Hole 25sx cmt plug @ 4,906'-5,203' CIBP w/ 25sx cmt @ 5,854'-6,094' WC Perfs: 6,144' - 6,390' CIBP w/ 35' cmt @ 7,616' Penn Perfs: 7,686' - 8,432' Not to Scale 5.5" Csg @ 8,552' Cmt'd w/ 1,350sx 5/14/18 PBTD: 8,552"

JΕ

WELL NAME: New Mexico ES State Com #1 FIELD: CASING PROGRAM **LOCATION**: 660' FSL & 1980' FEL Sec.7-19S-24E GL: 3,814' ZERO: KB: 13 3/8" 54.5# K-55 302' **COMMENTS**: API No.: 30-015-25272 8 5/8" 24# K-55 1.718' 5.5" 14#, 15.5#, 17# K-55 8,552' 17 1/2" Hole **After** 13 3/8" Csg @ 302' Cmt'd w/ 765sx (1" to Surface) **TOPS** 12 1/4"Hole San Andres 302' Glorieta 1,690' Yeso 1,722' Tubb 3,038' Est. TOC @ 1,518' Abo 3,690' Wolfcamp 5,083 Canyon 7,025 8 5/8" Csg @ 1,718 Cmt'd w/ 1,000sx (Circ) 7,634 Strawn CIBP w/ 35' cmt @ 3,800'-3,765' Atoka 7,963 Abo Perfs: 3,850' - 3,892' Morrow 8,356' CIBP w/ sand @ 4,087'-4,124' Abo Perfs: 4,166' - 4,194' TOC @ 3,940' by TS CIBP w/ sand @ 4,685'-4,720' Abo Perfs: 4,770' - 4,800' CIBP w/ 17.5' cmt @ 4,832'-4,850' Abo Perfs: 4,880' - 4,900' Squeezed Perfs @ 3,852' 7 7/8" Hole 25sx cmt plug @ 4,906'-5,203' CIBP w/ 25sx cmt @ 5,854'-6,094' WC Perfs: 6,144' - 6,390' CIBP w/ 35' cmt @ 7,616' Penn Perfs: 7.686' - 8.432' Not to Scale 5.5" Csg @ 8,552' Cmt'd w/ 1,350sx

PBTD: 8,552"

5/14/18

JΕ