District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submappropriate NMOCD District Office.
For downstream facilities, submit to Santa I office

Form C

March 12.

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank of Type of action: Registration of a pit or be	covered by a "general plan"? Yes [_] No below-grade tank XX Closure of a pit or below-grade	<u>M</u> e tank □
Operator: Pogo Producing Company 432-68 Telephone: P. O. Box 10340, Midland, TX 79702	e-mail address: wrightc@poc	goproducing.com
Facility or well name: McGwire 11 Fed #1API #. 30-05	· 3281 U/L or Qtr/Qtr L Sec 11 T	26 _R 29
County: Eddy Latitude 32:03:13.4N Longitude 103	:57:41.5W NAD: 1927XX 1983 Surface C	owner Federal 🔼 State 🗌 Private 🔲 India:
	1	
Pit	Below-grade tank	RECEIVED
Type: Drilling XX Production Disposal D	Volume:bbl Type of fluid:	neceived :
Workover Emergency	Construction material: DEC 1 5 2004	
Lined XX Unlined [Double-walled, with leak detection? Yes I If not, explain why not personal state of the state of	
Liner type: Synthetic Thickness 12 mil Clay Volume 16000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet X	(10 points) 10
	100 feet or more	(0 points)
, 	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic		(0 points)
water source, or less than 1000 feet from all other water sources.)	No X	(o points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 0
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's		
onsite offsite from If offsite, name of facility	. (3) Attach a general description of remedial a	ction taken including remediation start date
end date. (4) Groundwater encountered: No 🗌 Yes 🗍 If yes, show depth	below ground surfaceft. and attach	sample results. (5) Attach soil sample results
and a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines (A) Date: 12/10/04 Printed Name/Title Cathy Wright, Sr Eng Tech	a general permit [], or an (attached) alternative	OCD-approved plan □.
Your certification and NMOCD approval of this application/closure does no		
otherwise endanger public health or the environment. Nor does it relieve the regulations.		
Approvat C 16 2004		
Printed Name/Title	Signature	
		*

. Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

site_no list = • 320154103562301

Save file of selected sites to local disk for future upload

USGS 320154103562301 26S.29E.22.23341

Available data for this site

Ground-water: Levels

60

Eddy County, New Mexico
Hydrologic Unit Code
Latitude 32°01'54", Longitude 103°56'23" NAD27
Gage datum 2,885.60 feet above sea level NGVD29
The depth of the well is 200 feet below land surface.
This well is completed in RUSTLER FORMATION (312RSLR)


Output formats

Table of data

Tab-separated data

Graph of data

Reselect period



Breaks in the plot represent a gap of at least one calendar year between two consecutive points. Download a presentation-quality graph


Questions about data New Mexico NWISWeb Data Inquiries
Feedback on this websiteNew Mexico NWISWeb Maintainer
Ground water for New Mexico: Water Levels
http://waterdata.usgs.gov/nm/nwis/gwlevels?

<u>Top</u> Explanation of terms

Retrieved on 2004-12-09 12:38:29 EST
Department of the Interior, U.S. Geological Survey
USGS Water Resources of New Mexico
Privacy Statement || Disclaimer || Accessibility || FOIA
1.98 1.51 nadww01



Water Resources



This server(nwis.waterdata.usgs.gov) is currently experiencing network and database connectivity problems which prevent Real-Time data from being updated. We are actively working on resolving this issue.

All real-time data continues to be available at http://waterdata.usgs.gov/nwis/rt.

Site Map for New Mexico

USGS 320154103562301 26S.29E.22.23341

Available data for this site

site map GO

Eddy County, New Mexico
Hydrologic Unit Code
Latitude 32°01'54", Longitude 103°56'23" NAD27
Gage datum 2,885.60 feet above sea level NGVD29

Location of the site in New Mexico.

Site map.

Outside 103°56'23" NAD27
Gage datum 2,885.60 feet above sea level NGVD29

Location of the site in New Mexico.

Site map.

Outside 103°56'23" NAD27
Gage datum 2,885.60 feet above sea level NGVD29

Location of the site in New Mexico.

Site map.

Great Circle Calculator.


By Ed Williams


You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.





Distance Units: nm Earth model: Spherical (1'=1nm)

Compute Reset

Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Input data

