

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: V-F PETROLEUM INC. Telephone: (432) 683-3344 e-mail address: skl@vfpetroleum.com

Address: P.O. BOX 1889, MIDLAND, TEXAS 79702

Facility or well name: BUDGE FEDERAL COM #1 API #: 30-015-33437 U/L or Qtr/Qtr J Sec 21 T 20-S R 30-E

County: EDDY Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD: 1927 ☐ 1983 ☐

Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

**Pit**

Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness 12 mil Clay ☐

Pit Volume 5,000 bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_

Construction material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

50 feet or more, but less than 100 feet

100 feet or more

(20 points)

(10 points)

( 0 points) X

**RECEIVED**

**APR 28 2006**

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

No

(20 points)

( 0 points) X

**OOD-ARTESIA**

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

200 feet or more, but less than 1000 feet

1000 feet or more

(20 points)

(10 points)

( 0 points) X

**Ranking Score (Total Points)**

**0 POINTS**

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: The pits will be dewatered. The remaining contents will be thickened with soil. Encapsulation trenches will be excavated and lined with 12 mil.

synthetic material. Pit contents will be placed in the trenches. A 20 mil synthetic liner will be placed over the pit contents with a minimum of 3' overlap on all sides of trenches.

The trenches will be backfilled and covered with a minimum of 3' of clean soil. The pit area will be returned to ground level. A one call and 48 hr service notice will be made to the Oil Conservation Division before pit clean up begins. The pit area will be reseeded using seed mixture recommended by the BLM.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 04/26/06

Printed Name/Title S.K. LAWLIS

Signature S. K. Lawlis

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title \_\_\_\_\_

Signature [Signature]

Date MAY 02 2006

**New Mexico Office of the State Engineer**  
**POD Reports and Downloads**

Township:  Range:  Sections: NAD27 X:  Y:  Zone:  Search Radius: County:  Basin:  Number:  Suffix: Owner Name: (First)  (Last)  ☐ Non-Domestic ☐ Domestic ☒ All

WATER COLUMN REPORT 04/26/2006

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are biggest to smallest)

POD Number	Tws	Rng	Sec	q	q	q	Zone	X	Y	Depth Well	Depth Water	Water (in feet) Column
CP 00532	20S	30E	21	4	3	4				335	150	185

Record Count: 1

**New Mexico Office of the State Engineer**  
**POD Reports and Downloads**

Township:  Range:  Sections:

NAD27 X:  Y:  Zone:  Search Radius:

County:  Basin:  Number:  Suffix:

Owner Name: (First)  (Last)  ☐ Non-Domestic ☐ Domestic ☒ All

**POD / Surface Data Report**

**Avg Depth to Water Report**

**Water Column Report**

**Clear Form**

**iWATERS Menu**

**Help**

**AVERAGE DEPTH OF WATER REPORT 04/26/2006**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
CP	20S	30E	21				1	150	150	150

Record Count: 1

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 20S Range: 30E Sections: 15,16,17,20,21,22,27,28,29

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☒ Domestic ☐ All

POD / SURFACE DATA REPORT 04/26/2006

(acre ft per annum)		(quarters are 1=NW 2=NE 3=SW 4=SE)	
DB File Nbr	Use Diversion Owner	(quarters are biggest to smallest	X Y are ir
CP 00532	PRO 0 AMOCO PRODUCTION COMPANY	Source Tws Rng Sec q q q	Zone
		Shallow 20S 30E 21 4 3 4	

Record Count: 1

