Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMLC068905

SUNDRY NOTICES AND REPORTS ON WELLS

abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No. 891000303X	
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other				8. Well Name and No. POKER LAKE UNIT 23 DTD 907H	
2. Name of Operator Contact: TRACIE J CHERRY BOPCO LP E-Mail: tracie_cherry@xtoenergy.com				9. API Well No. 30-015-42592-00-X1	
3a. Address 6401 HOLIDAY HILL RD BLD MIDLAND, TX 79707	ne No. (include area code) 2-221-7379		10. Field and Pool or Exploratory Area WILDCAT		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State	
Sec 23 T24S R30E NENE 550FNL 1020FEL 32.209000 N Lat, 103.103846 W Lon				EDDY COUNTY, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES) TO IND	ICATE NATURE OI	F NOTICE,	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	☐ Acidize ☐	Deepen	☐ Producti	ion (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing ☐	Hydraulic Fracturing	Reclama	ation	■ Well Integrity
☐ Subsequent Report	☐ Casing Repair ☐	New Construction	☐ Recomp	lete	Other
☐ Final Abandonment Notice	☐ Change Plans ☐	Plug and Abandon	□ Tempor	arily Abandon	Onshore Order Varian ce
	Convert to Injection	Plug Back	■ Water Disposal		
following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. BOPCO, LP respectfully submits this sundry notice of intent to utilize a temporary LACT unit to sell oil from the referenced location. Request is to utilize a skid mounted Coriolis Meter to sell oil production from the flowback storage tanks located on the well pad. This custody transfer meter is designed, installed and operated in accordance will all applicable API standards Meter will meet all applicable provisions of CFR 3174. Meter will be proven with the first sale of oil; BLM will be notified 24 hrs prior to sale/proving to witness. Accepted For Record NMOCD ALC-11-18					
14. I hereby certify that the foregoing is true and correct. Electronic Submission #448799 verified by the BLM Well Information System					
For BOPCO LP, sent to the Carlsbad Committed to AFMSS for processing by CHRISTOPHER WALLS on 01/02/2019 (19CRW0006SE)					
Name (Printed/Typed) TRACIE J CHERRY Title REGULATORY ANALYST					
Signature (Electronic Submission) Date 12/21/2018					
	THIS SPACE FOR FED	ERAL OR STATE (OFFICE US	SE	
Approved By CHRISTOPHER WA	nt or	UM ENGINEER		Date 01/02/2018	
certify that the applicant holds legal or equivalent would entitle the applicant to condu-	Office Carlsbac	Office Carlsbad			
Fitle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a crime for a statements or representations as to any ma	iny person knowingly and iter within its jurisdiction.	willfully to ma	ike to any department or ag	gency of the United

Additional data for EC transaction #448799 that would not fit on the form

32. Additional remarks, continued

•

Meter type: Coriolis
Meter Serial #: 14844280
Meter model # CFM300M355NRAUEZZZ
Transmitter serial #: Pressure 290930
Transmitter model #: Rosemont 2051TG3A2B21AE5M5
Location of meter & tanks: 32.209169, -103.84564

Temporary Portable Coriolis Meter Conditions of Approval

- 1. Approval is for meter number, <u>Model: CFM300M355NRAUEZZZ- Serial No. 14844280</u> and Transmitter number Model: <u>Rosemont 2051TG3A2B21AE5M5- Serial No. 290930</u>. Provide beginning totalizer reading prior to first load of oil being sold through meter.
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven during the first load of oil measured from the Severus 31 Federal Com 4H and in conformance with Onshore Oil and Gas Order No. 4.III.D. or 43 CFR3174 as appropriate. The meter proving is to be witnessed by BLM, contact 575-361-2822; a minimum of 24 hours prior to meter proving. Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and beginning & ending totalizer readings. Such records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 8. A copy of run ticket shall be submitted to the appropriate BLM office within 30 days of ticket generation and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of Federal Regulations to include Onshore Oil and Gas Orders, 43 CFR 3173 & 3174, as appropriate to the production.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.