\_Approved By\_

## **UNITED STATES** DEPARTMENT OF THE INTERIOR B

FORM APPROVED

		0. 1004-0137 nuary 31, 201
5. Lease S	erial No.	


or the hiteland	UOD MILES
UREAU OF LAND MANAGEMENT	OOD THEE.

Submit in Triplicate - Other instructions on page 2 Ant Esta District	Do not use this form for proposals to drill or to re-enter an				NMLC06/136		
Type of Well   Gas Well   Other	abandoned well. Use form 3160-3 (APD) for such proposals NITIOL CONSERVA				6. If Indian, Allottee or Tribe Name		
SCOUTENTED	SUBMIT IN TRIPLICATE - Other instructions on page 2 ARTESIA DISTRIC			DISTRIC	7. If Unit or CA/Agreement, Name and/or No.		
EGG Y RESOURCES INC  E-Mail: tine_huerta@eogresources.com  30. O15-228499-00-S1  30. Address  31. Phone No. (include area code) PIC: 575-748-4108  PIC: 575-748-4108  PIC: 575-748-4108  PIC: SUBMISSION  11. County of Parisk State  EDDY COUNTY, NM  12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent	••	<del>  1 2019  </del>					
10. S at h Street ARTESIA, NM 88210  4. Location of Well (Footage, Sec., T., R. M., or Survey Description)  Sec 34 T18S R25E SWNE 1980FNL 1980FEL  11. County of Parisification  12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent				EIVED		00-S1	
4. Location of Well (Pootage, Sec., T., R. M., or Survey Description)  Sec 34 T18S R25E SWNE 1980FNL 1980FEL  12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  Notice of Intent  Acidize  Deepen  Hydraulic Fracturing Reclamation  Reclamation  Well Integrity  Subsequent Report  Casing Repair  New Construction  Recomplete  Other  Change Plans  Plug and Abandon  Temporarily Abandon  Temporarily Abandon  Plug Back  Water Disposal  13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen diversionally or recomplete horizonality, give subsurface locations and neasured and row evertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/81A. Required subsequent reports must be filed within 30 days following completion or tenural, a Form 316-04 must be filed once testing has been completed. First Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined but the site is ready for final inspection.  1/22/19 - MIRU and NU BOP. POOH with production equipment. Set a 5-1/2 inch CIBP at 5618 ft and 1200ed.  1/23/19 - Circulated casing with 133 bits plugging mud. Full returns to surface. Pressure tested to 500 psit or 15 min, held good Europed 25 sx Class C.cement plug from 3202 ft - 205 ft.  Pumped a 25 sx Class C cement plug from 2009 ft - 1762 ft. Pumped a 25 sx Class C cement plug from 3202 ft - 205 ft.  1/23/19 - Circulated Casing with 133 bits plugging mud. Full returns to surface. Pressure tested to 500 psit or 15 min, held good Europed 25 sx Class C.cement plug from 3202 ft - 205 ft.  1/23/19 - Circulated casing with 133 bits plugging mud. Full returns to surface. Pressure tested  1/23/19 - Circulated Casing with cement. Verified cement level	104 S 4TH STREET			PENASÇO DRAW			
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent	4. Location of Well (Footage, Sec., T	., R., M., or Survey Description	)		11. County or Parish,	State	
TYPE OF SUBMISSION    Notice of Intent	Sec 34 T18S R25E SWNE 19		EDDY COUNTY, NM				
Notice of Intent	12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, F	EPORT, OR OT	HER DATA	
Notice of Intent	TYPE OF SUBMISSION	TYPE OF ACTION					
Subsequent Report    Casing Repair   New Construction   Recomplete   Other	□ Notice of Intent	☐ Acidize	☐ Deepen	☐ Productio	n (Start/Resume)	☐ Water Shut-Off	
Final Abandonment Notice   Change Plans   New Construction   Temporarily Abandon   Convert to Injection   Plug Back   Water Disposal		☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamat	ion	■ Well Integrity	
Convert to Injection   Plug Back   Water Disposal	☑ Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomple	ete	□ Other	
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLMBIA. Required subsequent reports must be filled within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filled only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  1/22/19 - MIRU and NU BOP. POOH with production equipment. Set a 5-1/2 inch CIBP at 5618 ft and tagged.  1/23/19 - Circulated casing with 133 bbls plugging mud. Full returns to surface. Pressure tested to 500 psi for 15 min, held good. Pumped 25 sx Class C.cement on top of CIBP to 5371 ft calc TOC.  WOC to lag. Tagged TOC at 5362 ft. Pumped a 25 sx Class C.cement on top of CIBP to 5371 ft calc TOC.  1/24/19) Tagged TOC at 5362 ft. Pumped a 25 sx Class C.cement plug from 4302 ft -4055 ft. Pumped a 25 sx Class C.cement plug from 4302 ft -4055 ft. Pumped a 25 sx Class C.cement plug from 470 ft up to surface. Topped off casing with cement. Verified cement. Electronic Submission #455306 verified by the BLM Well Information System For EOG Y RESOURCES INC, sent to the Carlsbad Committed to AFMSS for processing by DEBO RAH MCKINNEY on 02/20/2019 (TPP0317SE)  Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECIALIST  Signature (Electronic Submission)  Date 02/20/2019 ACCEPTED FOR RECORD	☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	☐ Temporar	rily Abandon		
If the proposal is to deepen directionally or recomplete honzontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  1/22/19 - MIRU and NU BOP. POOH with production equipment. Set a 5-1/2 inch CIBP at 5618 ft and tagged.  1/23/19 - Circulated casing with 133 bbls plugging mud. Full returns to surface. Pressure tested to 500 psi for 15 min, held good. Pumped 25 sx Class C.cement on top of CIBP to 5371 ft calc TOC.  WOC to tag. Tagged TOC at 5362 ft. Pumped a 25 sx Class C.cement plug from 4302 ft - 4055 ft.  Pumped a 25 sx Class C.cement plug from 2009 ft - 1762 ft. Pumped a 25 sx Class C.cement plug from 4707 ft up to surface. Topped off casing with cement. Verified cement.level.at.surface.  2/19/19 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location.  WELL IS PLUGGED AND ABANDONED.  14. I hereby certify that the foregoing is true and correct.  Electronic Submission #455306 verified by the BLM Well Information System For EOG Y RESOURCES NC, sent to the Carlsbad Committed to AFMSS for processing by DEBQ RAH MCKINNEY on 02/20/2019 (17PP0317SE)  Name (Printed/Typed) TINA HUERTA  Title REGULATORY SPECIALIST  Signature (Electronic Submission)  Date 02/20/2019  ACCEPTED FOR RECORD		☐ Convert to Injection	□ Plug Back	☐ Water Dis	sposal		
14. I hereby certify that the foregoing is true and correct.  Electronic Submission #455306 verified by the BLM Well Information System For EOG Y RESOURCES NC, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 02/20/2019 (17PP0317SE)  Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECIALIST  Signature (Electronic Submission) Date 02/20/2019 ACCEPTED FOR RECOR	Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  1/22/19 - MIRU and NU BOP. POOH with production equipment. Set a 5-1/2 inch CIBP at 5618 ft and tagged.  1/23/19 - Circulated casing with 133 bbls plugging mud. Full returns to surface. Pressure tested to 500 psi for 15 min, held good. Pumped 25 sx Class C cement on top of CIBP to 5371 ft calc TOC.  WOC to tag. Tagged TOC at 5362 ft. Pumped a 25 sx Class C cement plug from 4302 ft 4055 ft.  Pumped a 25 sx Class C cement plug from 2009 ft - 1762 ft. Pumped a 25 sx Class C cement plug from 470 ft up to surface. Topped off casing with cement. Verified cement level at surface.  2/19/19 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location.						
Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECIALIST  Signature (Electronic Submission)  For EOG Y RESOURCES NC, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 02/20/2019 (17PP0317SE)  Title REGULATORY SPECIALIST  Date 02/20/2019  ACCEPTED FOR RECOR	14. I hereby certify that the foregoing is				<del></del>	-m	
Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECIALIST  Signature (Electronic Submission) Date 02/20/2019 ACCEPTED FOR RECOR	For EOG Y RESOURCES INC. sent to the Carlsbad						
Signature (Electronic Submission) Date 02/20/2019 ACCEPTED FOR RECOR							
	Manie (17 miew/1ypeu) TINA HUE	INIA	Title REGUL	ATURY SPEC	CIALIS I		
	Signature (Electronic S	Submission)	Date 02/20/20	)19	ACCEPTED	FOR RECORD	
		THIS SDACE EC				- ALL INPARTE	

BUREAU OF LAND MANAGEMENT CARL SRAD EIELD OFFICE Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Office



FEB 20

2019 Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.



## United States Department of the Interior

## **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

## Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of
  Operations must include adequate measures for stabilization and reclamation of disturbed lands.
  Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD
  process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612