Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR

		FORM APPR	OVED
		OMB NO. 10	04-0137
160Each	4.	Expires: January	<u>/ 31, 201</u>
4 4 6 6 7			

B	UREAU OF LAND MANA	GEMENT	1121100	Deal !	Expires: Janu	ary 31, 2018
SUNDRY	NOTICES AND REPO	RTS ON W	ELLS	A 4	5- Lease Serial No.1 (1) NMNM45236	<u>.</u>
Do not use the	NOTICES AND REPO is form for proposals to II. Use form 3160-3 (AP	drill or to re	Rentenen CON	SERVAN	6. If Indian, Allottee or	Tribe Name
abandones we	m. Ose form 5700-5 (AF)	D) IOI SUCII	ARTESIA I	DISTRICT	,	
SUBMIT IN	TRIPLICATE - Other ins	tructions on	page 2 JAN 3	1 2019	7. If Unit or CA/Agreem	ent, Name and/or No.
1. Type of Well					8. Well Name and No.	od
☑ Oil Well ☐ Gas Well ☐ Otl 2. Name of Operator		CADALL OLL	RECE	IVED	Multiple-See Attach	eo .
OXY USÁ INCORPORATED	E-Mail: SARAH_C		XY.COM		9. API Well No. MultipleSee Atta	ched
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	E 110	3b. Phone No. (include area code) Ph: 713-350-4997			10. Field and Pool or Exploratory Area INGLE WELLS	
4. Location of Well (Footage, Sec., 7	., R., M., or Survey Description)			11. County or Parish, State	
MultipleSee Attached				EDDY COUNTY, NM		NM
				Į		•
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE OI	F NOTICE,	REPORT, OR OTHE	R DATA
TYPE OF SUBMISSION			TYPE OF	ACTION		
Notice of Intent	Acidize	Dec	•			☐ Water Shut-Off
☐ Subsequent Report	Alter Casing		draulic Fracturing	☐ Reclama		☐ Well Integrity
☐ Final Abandonment Notice	Casing Repair	_	v Construction	☐ Recomp		Other Change to Original A
I mai Abandonnient Notice	Change Plans		g and Abandon	-	arily Abalidoli	PD
13. Describe Proposed or Completed Ope	Convert to Injection		g Back	☐ Water D	-	
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation resonandonment Notices must be file	give subsurface the Bond No. o sults in a multin	locations and measur n file with BLM/BIA le completion or reco	red and true ver . Required sub mpletion in a n	rtical depths of all pertinent sequent reports must be file	markers and zones. ed within 30 days
Oxy respectfully requests app	•	nges from th	e approved perm	it:		
This is a bulk sundry request f control equipment pressure ra	or 7 wells in Sand Dunes tings. The wells related to	to change the this sundry	e wellhead desig request are as fol	n and to cha	inge	
	1 Com 2H (30-015-45390) 1 Com 3H (30-015-45391) 1 Com 4H (30-015-45392) 1 Com 5H (30-015-45393) 1 Com 6H (30-015-45386) 1 Com 7H (30-015-45389)			Ac	cepted For F NMOCD	Record 2-4-19
14. I hereby certify that the foregoing is	Electronic Submission #4 For OXY USA	INCORPORA	ITED. sent to the (Carlsbad	•	
Name (Printed/Typed) DAVID ST	imitted to AFMSS for proce FWART	ssing by MU) 01/18/2019 \ATORY AD	•	
- JF-W DAVID CI	LWAN		Tide REGOL	TIONI AUT	risor	
Signature (Electronic S	Submission)		Date 01/16/20)19		
	THIS SPACE FO	R FEDERA	L OR STATE O	OFFICE US	BE	
_Approved By_MUSTAFA_HAQUE_			TitlePETROLEU	JM ENGINE	ER	Date 01/22/2019
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to condu	itable title to those rights in the	not warrant or subject lease	Office Carlsbad			
Title 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a	crime for any pe	erson knowingly and		ke to any department or ago	ncy of the United
States any false, fictitious or fraudulent s	datements or representations as	to any matter w	ithin its jurisdiction.			

Additional data for EC transaction #450778 that would not fit on the form

Wells/Facilities, continued

Agreement NMNM45236	Lease NMNM45236	Well/Fac Name, Number API Number STERLING SILVER MDP1 33-4 FD30-2045-45390-00-X1
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-045-45335-00-X1
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-8415-45391-00-X1
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-0H5-45392-00-X1
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-6H5-45393-00-X1
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-6H5-45386-00-X1
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-6/45-45389-00-X1

Location Sec 33 T23S R31E NWNW 90FNL 939FWL 32.267933 N Lat, 103.788254 W Lon Sec 33 T23S R31E NWNW 90FNL 834FWL 32.267933 N Lat, 103.788589 W Lon Sec 33 T23S R31E NENW 69FNL 2369FWL 32.267994 N Lat, 103.783623 W Lon Sec 33 T23S R31E NENW 69FNL 2474FWL 32.267994 N Lat, 103.783287 W Lon Sec 33 T23S R31E NENE 96FNL 634FEL 32.267918 N Lat, 103.776260 W Lon Sec 33 T23S R31E NENW 69FNL 2439FWL 32.267994 N Lat, 103.783401 W Lon Sec 33 T23S R31E NENW 69FNL 564FEL 32.267918 N Lat, 103.776031 W Lon

32. Additional remarks, continued

Please see attached updated Drill Plan for further information.

OXY USA Inc. - Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H, 4H, 5H, 6H, 7H

This is a bulk sundry request for 7 wells on 3 pads. The wells related to this sundry request are:

API#	Well Name	Lease Serial #
30-015-45335	Sterling Silver MDP1 33-4 Fed Com 1H	NMNM045236
30-015-45390	Sterling Silver MDP1 33-4 Fed Com 2H	NMNM045236
30-015-45391	Sterling Silver MDP1 33-4 Fed Com 3H	NMNM045236
30-015-45392	Sterling Silver MDP1 33-4 Fed Com 4H	NMNM045236
30-015-45393	Sterling Silver MDP1 33-4 Fed Com 5H	NMNM045236
30-015-45386	Sterling Silver MDP1 33-4 Fed Com 6H	NMNM045236
30-015-45389	Sterling Silver MDP1 33-4 Fed Com 7H	NMNM045236

Oxy respectfully requests approval for the following changes from the approved permit:

1. Change to the wellhead design

Due to the casing design change and adding another casing string to the well, a 13-3/8" 3M sacrificial wellhead will be used to drill the 12-1/4" Intermediate Hole. Upon completion of drilling and cementing operations on the 12-1/4" Intermediate Hole section (along with proper WOC time), the wellhead will be cut off. At this point, the 13" 5x10 MNDS, be welded onto the 9-5/8" casing for the remainder of drilling operations on the pad.

2. Change Control Equipment Pressure Rating

BOP installed and tested before drilling which hole?	Size?	Min. Required WP	Туре	1	Tested to:
12.25" Hole	13-5/8"	3M	Annular	·	70% of working pressure
		3M	Blind Ram	*	
			Pipe Ram		250/3000psi
			Double Ram	1	
			Other*		
8.5" Hole	13-5/8"	5M	Annular	1	70% of working pressure
		5M	Blind Ram	1	250/5000psi
			Pipe Ram		
			Double Ram	V	
			Other*		1

OXY USA Inc. - Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H, 4H, 5H, 6H, 7H

13-5/8 3M SACR + 13-5/8 MNDS 5x10 Slips (9.625 x 7.625 x 5.5)

