


Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>			<b>Form C-105</b> Revised April 3, 2017		
		1. WELL API NO. 30-015-44866					
		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN					
		3. State Oil & Gas Lease No.					
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>							
4. Reason for filing:  <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9. #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name JOHELEN SWD			
				6. Well Number: 1			
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER    SWD -1720							
8. Name of Operator DELAWARE ENERGY, LLC				9. OGRID 371195			
10. Address of Operator 405 N. MARIENFELD, SUITE 200 MIDLAND, TX 79701				11. Pool name or Wildcat SWD; DEVONIAN			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	
Surface:	N	12	26S	26E		975	
BH:							
13. Date Spudded 4/21/2018		14. Date T.D. Reached 5/22/2018		15. Date Rig Released 5/23/2018		16. Date Completed (Ready to Produce) 10/1/2018	
17. Elevations (DF and RKB, RT, GR, etc.) 3,245'							
18. Total Measured Depth of Well 14,300'		19. Plug Back Measured Depth 14,300'		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run	
22. Producing Interval(s), of this completion - Top, Bottom, Name 13,310 – 14,300'; OPEN HOLE							
<b>23. CASING RECORD (Report all strings set in well)</b>							
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
13.375"	54.5# / J55 BTC	405'	17.5"	C 500 SAKCS			
9.625"	47# / L80HC BTC	9,125'	12.25"	C 1980 SACKS			
7.625"	39# / P110	13,310'	8.5"	200 SACKS	<b>22</b>		
<b>24. LINER RECORD</b>							
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN			
7.625"	8,891'	13,310'	200				
<b>25. TUBING RECORD</b>							
SIZE	DEPTH SET	PACKER SET					
5.5" X 5"	13,275'	13,275'					
26. Perforation record (interval, size, and number) 13,310 – 14,300'; OPEN HOLE							
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL    AMOUNT AND KIND MATERIAL USED 13,310 – 14,300'    STIMULATE WITH 60,000 BBLS ACID 20,000 LBS ROCK SALT							
<b>28. PRODUCTION</b>							
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)			Well Status (Prod. or Shut-in)		
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	
						Gas - Oil Ratio	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						30. Test Witnessed By	
31. List Attachments							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:	
34. If an on-site burial was used at the well, report the exact location of the on-site burial:							
Latitude			Longitude			NAD83	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature 		Printed Name Sarah Presley		Title Operations Manager		Date 3-22-19	
E-mail Address S.presley@delawareenergy.com							

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure: When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A "
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

**Johelen SWD No 1****Location: Sec. 12, T-26S, R-26E, UL N**

Lamar	2,000'
Delaware Sand	2,100'
Bone Springs	5,130'
Wolfcamp	8,620'
Strawn	10,430'
Atoka	10,660'
Morrow	11,320'
Barnett/Upper Miss	12,000'
Mississippian Lime	12,300'
Woodford Shale	12,800'
Devonian	12,900'