Form 3160-5 (June 2015)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED

OMBINO	J. IUU	4-0	13/	
Expires: Ja	nuary	31,	20	1
se Serial Ma				

	OOD MILL
SUNDRY NOTICES AND REPORTS ON WELLS	
Do not use this form for proposals to drill or to re-enter ar	1
	•

5. Lease Serial No. NMNM067896

SUBMIT IN	TRIPLICATE - Other insti	ructions on <sub>l</sub>	page 2		7. If Unit or CA/Agree	eement, Name and/or No.
Type of Well     Oil Well	her				8. Well Name and No W SHUGART 19	
Name of Operator     MARATHON OIL PERMIAN I	Contact:	MELISSA SZ gmarathonoil.co			9. API Well No. 30-015-30501-6	00-S1
3a. Address 5555 SAN FELIPE ST HOUSTON, TX 77056		3b. Phone No. Ph: 713-29	(include area code) 6-3179		10. Field and Pool or N SHUGART	Exploratory Area
4. Location of Well (Footage, Sec., 7	T., R., M., or Survey Description)	<del>.</del>			11. County or Parish,	State
Sec 19 T18S R31E SWSE 660FSL 1930FEL					EDDY COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICAT	TE NATURE O	F NOTICE, 1	REPORT, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OI	FACTION		
☐ Notice of Intent	☐ Acidize	☐ Deep	pen	☐ Production	on (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing	☐ Hydi	raulic Fracturing	☐ Reclamat	tion	■ Well Integrity
Subsequent Report     ∴	☐ Casing Repair	□ New	Construction	☐ Recompl	ete	□ Other
☐ Final Abandonment Notice	☐ Change Plans	🛛 Plug	and Abandon	☐ Tempora	rily Abandon	
	☐ Convert to Injection	Plug	Back	■ Water Di	isposal	
13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the	ally or recomplete horizontally, a rk will be performed or provide to disperations. If the operation res bandonment Notices must be file	give subsurface l the Bond No. on sults in a multiple	locations and measu file with BLM/BIA completion or reco	red and true vers  A. Required subsempletion in a ne	tical depths of all perting sequent reports must be sew interval, a Form 316	nent markers and zones. e filed within 30 days 60-4 must be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A	ally or recomplete horizontally, girk will be performed or provide to operations. If the operation restandament Notices must be file final inspection.  OH laying down tbg. RIH wild of the control of th	give subsurface I the Bond No. on ults in a multiple ad only after all r  //wireline to 3  cmt. POOH to to 1986'. Pur and perf @ 10	locations and measurile with BLM/BIA e completion or recomments, included a series of tagged up. 2855'. PUmp 2 mp 30sx cmt. W	red and true vert. Required subsempletion in a neing reclamation,  Set CIBP @  Sex cmt. POO  C. TIH and  p 25sx cmt de	tical depths of all perting the perting th	nent markers and zones. e filed within 30 days 60-4 must be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 4/1/2019 - MIRU. 4/5/2019 - Release PKR. POOPOOH. 4/8/2019 - Tag up CIBP @ 38 4/9/2019 - Till tag up plug @ 1690'. Pull up to 582'. Pump 2	ally or recomplete horizontally, girk will be performed or provide to operations. If the operation restandament Notices must be file final inspection.  OH laying down tbg. RIH wild of the control of th	give subsurface I the Bond No. on ults in a multiple ad only after all r  //wireline to 3  cmt. POOH to to 1986'. Pur and perf @ 10	locations and measurile with BLM/BIA comments, included a completion or reconstruction of the completion of the completi	red and true vert. Required subsempletion in a neing reclamation,  Set CIBP @  Sex cmt. POO  C. TIH and  p 25sx cmt de	tical depths of all perting the perting th	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has  AMATION PROCEDURE ATTACHED  ECLAMATIO
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvet testing has been completed. Final A determined that the site is ready for 1 4/1/2019 - MIRU. 4/5/2019 - Release PKR. POOPOOH. 4/8/2019 - Tag up CIBP @ 38 4/9/2019 - TIH tag up plug @ 1690'. Pull up to 582'. Pump 4 csg up to surface. RDMO.	ally or recomplete horizontally, grk will be performed or provided to operations. If the operation restandonment Notices must be file final inspection.  OH laying down tbg. RIH w. 150'. Pump 35sx, class C. (2590'. POOH and pull up 15sx cmt. Rig up wireline a strue and correct.  Electronic Submission #4 For MARATHON itted to AFMSS for processi	give subsurface in the Bond No. on ults in a multiple and only after all rules in a multiple and only after all rules in a multiple and only after all rules in 1986'. Pur and perf @ 10	locations and measurile with BLM/BIA comments in clud 863' tagged up. 2855'. PUmp 2 mp 30sx cmt. Wolf POOH. Pum	red and true vert. Required subsimpletion in a neing reclamation,  Set CIBP @  25sx cmt. POO  CC. TIH and p 25sx cmt de  CD	sequent reports must be weighted the reports must be weighted a Form 316, have been completed  3850' RECLA OH. tag @ own RI DI	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has  AMATION PROCEDURE ATTACHED  ECLAMATIO UE 10-9-19  RECEIVED  APR 2 5 2019
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvet testing has been completed. Final A determined that the site is ready for 1 4/1/2019 - MIRU. 4/5/2019 - Release PKR. POOPOOH. 4/8/2019 - Tag up CIBP @ 38 4/9/2019 - TIH tag up plug @ 1690'. Pull up to 582'. Pump 4 csg up to surface. RDMO.	ally or recomplete horizontally, grk will be performed or provide to peration. If the operation restandonment Notices must be file final inspection.  OH laying down tbg. RIH w. 150'. Pump 35sx, class C. 2590'. POOH and pull up 15sx cmt. Rig up wireline a strue and correct.  Electronic Submission #4 For MARATHON	give subsurface in the Bond No. on ults in a multiple and only after all rules in a multiple and only after all rules in a multiple and only after all rules in 1986'. Pur and perf @ 10	locations and measurile with BLM/BIA comments in clud 863' tagged up. 2855'. PUmp 2 mp 30sx cmt. Wolf POOH. Pum	red and true vert. Required subsimpletion in a neing reclamation,  Set CIBP @  55xx cmt. POO  CT  Il Information ne Carlsbad on 04/12/2019  ATORY CON	system (19DLM0348SE) MPLIANCE RESTIRATED	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has  AMATION PROCEDURE ATTACHED  ECLAMATIO UE 10 - 9 - 19  RECEIVED  APR 2 5 2019  RICT II-ARTESIA O.C.D.
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvet testing has been completed. Final A determined that the site is ready for 1 4/1/2019 - MIRU. 4/5/2019 - Release PKR. POOPOOH. 4/8/2019 - Tag up CIBP @ 38 4/9/2019 - TIH tag up plug @ 1690'. Pull up to 582'. Pump 4 csg up to surface. RDMO.	ally or recomplete horizontally, grk will be performed or provide to operations. If the operation restandonment Notices must be file final inspection.  OH laying down tbg. RIH wilder and the structure of the content	give subsurface in the Bond No. on ults in a multiple and only after all rules in a multiple and only after all rules in a multiple and only after all rules in 1986'. Pur and perf @ 10	locations and measurile with BLM/BIA comments in clud 863' tagged up. 2855'. PUmp 2 mp 30sx cmt. Wolf POOH. Pum	set CIBP @  Sex cmt. POO  CITH and  p 25sx cmt de  CID  Il Information  ne Carlsbad  on 04/12/2019  ATORY CON	system (19DLM0348SE) MPLIANCE RESTIRATED	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has  AMATION PROCEDURE ATTACHED  ECLAMATIO UE 10-9-19  RECEIVED  APR 2 5 2019
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvet testing has been completed. Final A determined that the site is ready for following the strength of the involvent testing has been completed. Final A determined that the site is ready for following the strength of the strength of the site is ready for following the strength of the site is ready for following the strength of the site is ready for following the strength of the site is ready for following the strength of the site is ready for following the strength of the site is ready for following the site is ready for following the strength of the site is ready for following the site	ally or recomplete horizontally, grk will be performed or provide to operations. If the operation restandonment Notices must be file final inspection.  OH laying down tbg. RIH wilder and the structure of the content	give subsurface I the Bond No. on ults in a multiple donly after all r  //wireline to 3 cmt. POOH to to 1986'. Pur and perf @ 10  C C C ccepted for	locations and measurable file with BLM/BIA comments included a completion or recovered and the second secon	red and true vert. Required subsimpletion in a neing reclamation,  Set CIBP @  25xx cmt. POO  OC. TIH and p 25xx cmt de  CD  Il Information ne Carlsbad on 04/12/2019  ATORY COM	System (19DLM0348SE)  MPLIANCE RESTE	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has  AMATION PROCEDURE ATTACHED  ECLAMATIO  UE 10-9-19  RECEIVED  APR 2 5 2019  RICTII-ARTESIA O.C.D  FOR RECORD
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvet testing has been completed. Final A determined that the site is ready for following the strength of the involvent testing has been completed. Final A determined that the site is ready for following the strength of the strength of the site is ready for following the strength of the site is ready for following the strength of the site is ready for following the site is ready for following the strength of the site is ready for following the site is ready for fol	ally or recomplete horizontally, grix will be performed or provide to operations. If the operation restandonment Notices must be file final inspection.  OH laying down tbg. RIH w. 150'. Pump 35sx, class C. (2590'. POOH and pull up 15sx cmt. Rig up wireline a strue and correct.  Electronic Submission #4 For MARATHON itted to AFMSS for processi SZUDERA  Submission)	give subsurface I the Bond No. on ults in a multiple donly after all r  //wireline to 3 cmt. POOH to to 1986'. Pur and perf @ 10  C C C ccepted for	locations and measurable file with BLM/BIA comments included a completion or recovered and the second secon	red and true vert. Required subsimpletion in a neing reclamation,  Set CIBP @  25xx cmt. POO  OC. TIH and p 25xx cmt de  CD  Il Information ne Carlsbad on 04/12/2019  ATORY COM	System (19DLM0348SE)  MPLIANCE RESTE	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has  AMATION PROCEDURE ATTACHED  ECLAMATIO UE 10 - 9 - 19  RECEIVED  APR 2 5 2019  RICT II-ARTESIA O.C.D.



annea praces meharement or the interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

## Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist · 575-234-5943

Melissa Hom Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-5996

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612