

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Serial No. NMNM54398

	Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No.	
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit or CA/Agre		
Type of Well	ner		8. Well Name and No HOWITZER FED	DERAL COM 606H	
2. Name of Operator Contact: MAYTE REYES COG OPERATING LLC E-Mail: mreyes1@concho.com			9. API Well No. 30-015-45834-	00-S1	
3a. Address 600 W ILLINOIS AVENUE MIDLAND, TX 79701		3b. Phone No. (include area code) Ph: 575-748-6945	10. Field and Pool or PURPLE SAGE	Exploratory Area E-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description))	11. County or Parish,	11. County or Parish, State	
Sec 12 T24S R28E SENE 215 32.233738 N Lat, 104.033257			EDDY COUNT	Y, NM	
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICATE NATURE OF	NOTICE, REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Matica of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
☑ Notice of Intent	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomplete	Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	□ Temporarily Abandon	Change to Original A PD	
	☐ Convert to Injection	Plug Back	■ Water Disposal		
determined that the site is ready for f	inal inspection.				
The Operator respectfully requesting, and cement will not choperations. Description of operations 1. Spudder rig will move in to a. After drilling the surface hole	uests to preset the surfaction ange from the previous solution of the surface hole and e section, the spudder rice	undry. Below is a description pre-set surface casing on the version of the version casing and cement for	of the preset RECE well.	NED 7 2019	
The Operator respectfully requesting, and cement will not choperations. Description of operations 1. Spudder rig will move in to a. After drilling the surface holall of the applicable rules and b. The spudder rig will utilize frontrol will be handled entirely	uests to preset the surface ange from the previous some drill the surface hole and e section, the spudder rigregulations (OnShore Or resh water-based mud to on a closed loop basis.	undry. Below is a description pre-set surface casing on the v i will run casing and cement for the common terms of the common terms. See the common terms of the comm	well. Illowing agulations) olids	7 2019	
The Operator respectfully requesting, and cement will not choperations. Description of operations 1. Spudder rig will move in to a. After drilling the surface hol all of the applicable rules and b. The spudder rig will utilize f control will be handled entirely 2. The wellhead will be installed time has been reached. 14. Thereby certify that the foregoing is	drill the surface hole and e section, the spudder rigregulations (OnShore Orresh water-based mud to or on a closed loop basis ed and tested as soon as	undry. Below is a description pre-set surface casing on the v will run casing and cement for the control of th	well. Illowing JUN 2 egulations) olids old the WOC Information System rlsbad 04/17/2019 (19PP1715SE)	7 2019	
The Operator respectfully requesting, and cement will not choperations. Description of operations 1. Spudder rig will move in to a. After drilling the surface hol all of the applicable rules and b. The spudder rig will utilize foontrol will be handled entirely 2. The wellhead will be installed time has been reached.	drill the surface hole and e section, the spudder rigregulations (OnShore Orresh water-based mud to or on a closed loop basis ed and tested as soon as	undry. Below is a description pre-set surface casing on the v will run casing and cement for the control of th	well. Illowing JUN 2 and the WOC DISTRICTIL-ART	7 2019	
The Operator respectfully requesting, and cement will not choperations. Description of operations 1. Spudder rig will move in to a. After drilling the surface hol all of the applicable rules and b. The spudder rig will utilize f control will be handled entirely 2. The wellhead will be installed time has been reached. 14. Thereby certify that the foregoing is	drill the surface hole and e section, the spudder rig regulations (OnShore Or resh water-based mud to or on a closed loop basis ed and tested as soon as true and correct. Electronic Submission # For COG Committed to AFMSS for proc	undry. Below is a description pre-set surface casing on the v will run casing and cement for the control of th	well. Illowing JUN 2 and the WOC Information System risbad 104/17/2019 (19PP1715SE)	7 2019	
The Operator respectfully requesting, and cement will not choperations. Description of operations 1. Spudder rig will move in to a After drilling the surface hol all of the applicable rules and b. The spudder rig will utilize frontrol will be handled entirely 2. The wellhead will be installed time has been reached. 14. Thereby certify that the foregoing is Con Name (Printed/Typed) MAYTE F	drill the surface hole and e section, the spudder rig regulations (OnShore Or resh water-based mud to yon a closed loop basis ed and tested as soon as true and correct. Electronic Submission # For COG Comitted to AFMSS for processors.	undry. Below is a description pre-set surface casing on the v will run casing and cement for der 2, all COAs and NMOCD ru drill the surface hole to TD. S No earth pits will be used, the surface casing is cut off ar 461960 verified by the BLM Well PPERATING LLC, sent to the Calessing by PRISCILLA PEREZ on Title REGUL	well. Illowing JUN 2 egulations) olids od the WOC Information System rlsbad 04/17/2019 (19PP1715SE) ATORY ANALYST	7 2019	
The Operator respectfully requesting, and cement will not choperations. Description of operations 1. Spudder rig will move in to a After drilling the surface hol all of the applicable rules and b. The spudder rig will utilize frontrol will be handled entirely 2. The wellhead will be installed time has been reached. 14. Thereby certify that the foregoing is Con Name (Printed/Typed) MAYTE F	drill the surface hole and e section, the spudder ric regulations (OnShore Oriersh water-based mud to yon a closed loop basis, ed and tested as soon as true and correct. Electronic Submission # For COG Comitted to AFMSS for proc REYES Submission) THIS SPACE FO	pre-set surface casing on the value of the pre-set surface casing on the value of the pre-set surface casing and cement for the pre-set surface casing and cement for the pre-set surface hole to TD. So no earth pits will be used. The surface casing is cut off an are surface casing is cut off and the pre-set of the pre-se	well. Illowing JUN 2 egulations) olids od the WOC Information System rlsbad 04/17/2019 (19PP1715SE) ATORY ANALYST	7 2019	

Additional data for EC transaction #461960 that would not fit on the form

32. Additional remarks, continued

3. A blind flange at the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with needle valves installed on the wing valve.

wempore. Pressure will be monitored with needle valves installed on the wing valve.

4. Spudder rig operations are expected to take 2-3 days per well on the pad.

5. The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.

6. Drilling operations will begin with a larger rig and a BOP stack equal to or greater than the pressure rating that was permitted will be nippled up and tested on the wellhead before drilling operations resume on each well.

The larger rig will make back onto the leasting with 00 days for the second to the least the least the second to the least the least the least the second to the least the second to the least the lea

a. The larger rig will move back onto the location with 90 days from the point at which the wells

are secured and spudder rig is moved off location.

b. The BLM will be contacted / notified 24 hours before the larger rig moves back on the pre-set

7. Operator will have supervision on the rig to ensure compliance with all BLM and NMOCD regulations and to oversee operations.

8. Once the rig is removed, Operator will secure the wellhead area by placing a 1 inch steel plate over the cellar and wellhead.

Revisions to Operator-Submitted EC Data for Sundry Notice #461960

Operator Submitted

APDCH

NOI

Lease:

NMNM54398

.Agreement:

Sundry Type:

Operator:

COG OPERATING LLC 2208 W MAIN STREET ARTESIA, NM 88210 Ph: 575-748-6940

Admin Contact:

MAYTE REYES SENIOR REGULATORY ANALYST E-Mail: mreyes1@concho.com

Ph: 575-748-6945

Tech Contact:

MAYTE REYES

SENIOR REGULATORY ANALYST E-Mail: mreyes1@concho.com

Ph: 575-748-6945

Location:

State: County: NM EDDY

Field/Pool:

PURPLE SAGE; WOLFCAMP GAS

Well/Facility:

HOWITZER FED COM 606H Sec 12 T24S R28E SENE 2155FNL 300FEL

BLM Revised (AFMSS)

APDCH NOI

NMNM54398

COG OPERATING LLC 600 W ILLINOIS AVENUE MIDLAND, TX 79701 Ph: 432.685.4385

MAYTE REYES REGULATORY ANALYST E-Mail: mreyes1@concho.com

Ph: 575-748-6945

MAYTE REYES REGULATORY ANALYST E-Mail: mreyes1@concho.com

Ph: 575-748-6945

EDDY

PURPLE SAGE-WOLFCAMP (GAS)

HOWITZER FEDERAL COM 606H Sec 12 T24S R28E SENE 2155FNL 300FEL 32.233738 N Lat, 104.033257 W Lon