Form 3160-5 (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS				FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM54398 6. If Indian, Allottee or Tribe Name		
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						
SUBM	IIT IN TRIPLICATE - Other in	structions on	page 2		7. If Unit or CA/Agre	ement, Name and/or No.
 Type of Well Gas Well Other 					8. Well Name and No. HOWITZER FEDERAL COM 606H	
2. Name of Operator COG OPERATING LLC	ame of Operator Contact: MAYTE REYES COG OPERATING LLC E-Mail: mreyes1@concho.com			9. API Well No. 30-015-45834-00-S1		
3a. Address 600 W ILLINOIS AVEN MIDLAND, TX 79701	600 W ILLINOIS AVENUE Ph: 575-748-			e) 10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)		
4. Location of Well (Footage,	, Sec., T., R., M., or Survey Descriptio	on)			11. County or Parish,	State
Sec 12 T24S R28E SEN 32.233738 N Lat, 104.0			EDDY COUNTY, NM			
12. CHECK T	HE APPROPRIATE BOX(ES	5) TO INDICA	TE NATURE OI	F NOTICE,	REPORT, OR OTH	HER DATA
TYPE OF SUBMISSION	N		TYPE OF	ACTION		
Notice of Intent	🗖 Acidize	🗖 Dee	epen	Product	tion (Start/Resume) 🔲 Water Shut-Off	
-	Alter Casing	🗖 Hyd	draulic Fracturing	🗖 Reclama	ation	Well Integrity
Subsequent Report	Casing Repair	🗆 Nev	w Construction	🗖 Recomp	porarily Abandon Change to Orig	
Final Abandonment No			g and Abandon			
	Convert to Injection	n 🗖 Plu	g Back	U Water D	Disposal	
following completion of the i	the work will be performed or provident of the operation	ie the Bond No. o	locations and measure n file with BLM/BIA le completion or reco	Required sub	psequent reports must be	filed within 30 days
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD.	nvolved operations. If the operation Final Abandonment Notices must be t	te the Bond No. o results in a multip filed only after all	n file with BLM/BIA le completion or reco requirements, includi	. Required sub mpletion in a r ing reclamation	osequent reports must be new interval, a Form 316	filed within 30 days
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to	nvolved operations. If the operation of Final Abandonment Notices must be f dy for final inspection. spectfully requests approval for casing @ 300? surface:	de the Bond No. o results in a multip filed only after all or the following	n file with BLM/BIA le completion or reco requirements, includi	. Required sub mpletion in a r ing reclamation	beequent reports must be lew interval, a Form 316 n, have been completed a	filed within 30 days
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to Tail: 450 sx of Class C - Intermediate 1 2M BOP System	nvolved operations. If the operation of Final Abandonment Notices must be f dy for final inspection. spectfully requests approval for casing @ 300?	de the Bond No. o results in a multip filed only after all or the following	n file with BLM/BIA le completion or reco requirements, includi	. Required sub mpletion in a r ing reclamation	prequent reports must be new interval, a Form 316 n, have been completed a RECE JUN 2	filed within 30 days 0-4 must be filed once and the operator has
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to Tail: 450 sx of Class C - Intermediate 1 2M BOP System Drill 17.5? hole to 2700'	nvolved operations. If the operation of Final Abandonment Notices must be f dy for final inspection. spectfully requests approval for casing @ 300? surface: + 2% CaCl2 (14.8 ppg/ 1.36 cu ?, below the base of the salt going is true and correct. Electronic Submission For COG Committed to AFMSS for pr	de the Bond No. o results in a multip filed only after all or the following uft/sx) #461695 verifie OPERATING L	n file with BLM/BIA le completion or reco requirements, includi g changes to the c d by the BLM Wel C, sent to the Ca TA STEVENS on	Required sub mpletion in a r ing-reclamation originally l Information urlsbad 04/17/2019 (1	osequent reports must be tew interval, a Form 316 n, have been completed a JUN 2 DISTRICT/I-A DISTRICT/I-A	filed within 30 days 0-4 must be filed once and the operator has
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to Tail: 450 sx of Class C - Intermediate 1 2M BOP System Drill 17.5? hole to 2700'	nvolved operations. If the operation of Final Abandonment Notices must be f dy for final inspection. spectfully requests approval for casing @ 300? surface: + 2% CaCl2 (14.8 ppg/ 1.36 cu ?, below the base of the salt going is true and correct. Electronic Submission For COG	de the Bond No. o results in a multip filed only after all or the following uft/sx) #461695 verifie OPERATING L	n file with BLM/BIA le completion or reco requirements, includi g changes to the c d by the BLM Wel C, sent to the Ca TA STEVENS on	Required sub mpletion in a r ing-reclamation priginally	osequent reports must be tew interval, a Form 316 n, have been completed a JUN 2 DISTRICT/I-A DISTRICT/I-A	filed within 30 days 0-4 must be filed once and the operator has
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to Tail: 450 sx of Class C - Intermediate 1 2M BOP System Drill 17.5? hole to 2700' 14. Thereby certify that the fore Name (Printed/Typed) MAY	nvolved operations. If the operation of Final Abandonment Notices must be f dy for final inspection. spectfully requests approval for casing @ 300? surface: + 2% CaCl2 (14.8 ppg/ 1.36 cu ?, below the base of the salt going is true and correct. Electronic Submission For COG Committed to AFMSS for pr YTE REYES	de the Bond No. o results in a multip filed only after all or the following uft/sx) #461695 verifie OPERATING L rocessing by Zo	n file with BLM/BIA le completion or reco requirements, includi changes to the c d by the BLM Well C, sent to the Ca TA STEVENS on Title REGUL/ Date 04/16/20	Required sub mpletion in a r ing-reclamation originally Information rlsbad 04/17/2019 (ATORY AN/	osequent reports must be tew interval, a Form 316 n, have been completed a DISTRICT //-A DISTRICT //-A DISTRICT //-A	filed within 30 days 0-4 must be filed once and the operator has
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to Tail: 450 sx of Class C - Intermediate 1 2M BOP System Drill 17.5? hole to 2700' 14. I hereby certify that the fore Name (Printed/Typed) MAY	nvolved operations. If the operation of Final Abandonment Notices must be f dy for final inspection. spectfully requests approval for casing @ 300? surface: + 2% CaCl2 (14.8 ppg/ 1.36 cu ?, below the base of the salt going is true and correct. Electronic Submission For COG Committed to AFMSS for pr YTE REYES	de the Bond No. o results in a multip filed only after all or the following uft/sx) #461695 verifie OPERATING L rocessing by Zo	n file with BLM/BIA le completion or reco requirements, includi changes to the c changes to the c d by the BLM Well C, sent to the Ca TA STEVENS on Title REGUL/	Required sub mpletion in a r ing-reclamation originally Information rlsbad 04/17/2019 (ATORY AN/	osequent reports must be tew interval, a Form 316 n, have been completed a DISTRICT //-A DISTRICT //-A DISTRICT //-A	filed within 30 days 0-4 must be filed once and the operator has
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to Tail: 450 sx of Class C - Intermediate 1 2M BOP System Drill 17.5? hole to 2700' 14. I hereby certify that the fore Name (Printed/Typed) MAY	nvolved operations. If the operation of Final Abandonment Notices must be in dy for final inspection. spectfully requests approval for casing @ 300? surface: + 2% CaCl2 (14.8 ppg/ 1.36 cu ?, below the base of the salt going is true and correct. Electronic Submission For COG Committed to AFMSS for pr YTE REYES ctronic Submission) THIS SPACE F	de the Bond No. o results in a multip filed only after all or the following uft/sx) #461695 verifie OPERATING L rocessing by Zo	n file with BLM/BIA le completion or reco requirements, includi changes to the c d by the BLM Well C, sent to the Ca TA STEVENS on Title REGUL/ Date 04/16/20	Required sub mpletion in a r ing reclamation originally I Information I'Isbad 04/17/2019 (ATORY AN/ D19 DFFICE U	osequent reports must be lew interval, a Form 316 n, have been completed a DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A	filed within 30 days 0-4 must be filed once and the operator has WED 7 2019 RTESIAO.C.D.
following completion of the i testing has been completed. I determined that the site is rea COG Operating LLC, re approved APD. Surface: Drill 26? hole to 300? Set 20? 94# J-55 BTC of Cement in one stage to Tail: 450 sx of Class C - Intermediate 1 2M BOP System Drill 17.5? hole to 2700' 14. I hereby certify that the fore Name (<i>Printed/Typed</i>) MAN Signature (Elect Approved By_ZQTA STEVE Conditions of approval, if any, are	nvolved operations. If the operation of Final Abandonment Notices must be id dy for final inspection. spectfully requests approval for casing @ 300? surface: + 2% CaCl2 (14.8 ppg/ 1.36 cu ?, below the base of the salt going is true and correct. Electronic Submission For COG Committed to AFMSS for pr YTE REYES ctronic Submission) THIS SPACE F attached. Approval of this notice do al or equitable title to those rights in t	de the Bond No. or results in a multip filed only after all or the following uft/sx) #461695 verifie OPERATING L occessing by Zo OR FEDER/ es not warrant or	n file with BLM/BIA le completion or reco requirements, includi changes to the c changes to the c d by the BLM Well C, sent to the Ca TA STEVENS on Title REGUL/ Date 04/16/20	Required sub mpletion in a r ing-reclamation originally Information rrlsbad 04/17/2019 (* ATORY AN/ D19 DFFICE US	osequent reports must be lew interval, a Form 316 n, have been completed a DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A DISTRICT/I-A	filed within 30 days 0-4 must be filed once and the operator has

RUP 7-5-1.9

Additional data for EC transaction #461695 that would not fit on the form

32. Additional remarks, continued

Set 13.375? 61# J-55 BTC casing @ 2700? Cement in single stage to surface Lead: 1500 sx of Class C+4% Gel (13.5 ppg / 1.75 cuft/ sx) Tail: 250 sx of Class C+2% CaCl2 (14.8 ppg/ 1.36 cuft/sx)

Intermediate 2 9 5/8? as per original APD

ĩ

Revisions to Operator-Submitted EC Data for Sundry Notice #461695

7 . .

	Operator Submitted	BLM Revi
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMNM54398	NMNM54398
Agreement:		
Operator:	COG OPERATING LLC 2208 W MAIN STREET ARTESIA, NM 88210 Ph: 575-748-6940	Cog opera 600 W Illing Midland, T Ph: 432.685
Admin Contact:	MAYTE REYES SENIOR REGULATORY ANALYST E-Mail: mreyes1@concho.com	MAYTE REY REGULATOF E-Mail: mreye
	Ph: 575-748-6945	Ph: 575-748
Tech Contact:	MAYTE REYES SENIOR REGULATORY ANALYST E-Mail: mreyes1@concho.com	MAYTE REY REGULATOF E-Mail: mreye
	Ph: 575-748-6945	Ph: 575-748
Location:		•
State: County:	NM EDDY	NM EDDY
Field/Pool:	PURPLE SAGE; WOLFCAMP GAS	PURPLE SAG
Well/Facility:	HOWITZER FED COM 606H Sec 12 T24S R28E SENE 2155FNL 300FEL	HOWITZER F Sec 12 T24S

vised (AFMSS)

8

RATING LLC NOIS AVENUE TX 79701 5.4385

EYES DRY ANALYST yes1@concho.com

8-6945

YES DRY ANALYST yes1@concho.com

8-6945

AGE-WOLFCAMP (GAS)

HOWITZER FEDERAL COM 606H Sec 12 T24S R28E SENE 2155FNL 300FEL 32.233738 N Lat, 104.033257 W Lon