

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED

JUL 24 2019

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

DISPOSITIVE ARTESIANO.C.D.

<b>SUBMIT IN TRIPLICATE - Other instructions on page 2</b>		5. Lease Serial No. NMNM45236
		6. If Indian, Allottee or Tribe Name
		7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	8. Well Name and No. Multiple--See Attached	
2. Name of Operator OXY USA INCORPORATED	Contact: SARAH E CHAPMAN E-Mail: SARAH_CHAPMAN@OXY.COM	9. API Well No. Multiple--See Attached
3a. Address 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521	3b. Phone No. (include area code) Ph: 713-350-4997	10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Multiple--See Attached		11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Hydraulic Fracturing <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon <input type="checkbox"/> Change to Original PD
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA Inc. respectfully requests to amend the casing weight from 43.5# to 40# on the 12-1/4" intermediate hole and change 2nd Intermediate hole size from 8-1/2" to 8-3/4" for the below mentioned wells:

- 30-015-45336 Sterling Silver MDP1 33-4 Federal Com 171H NMNM045236
- 30-015-45337 Sterling Silver MDP1 33-4 Federal Com 172H NMNM045236
- 30-015-45338 Sterling Silver MDP1 33-4 Federal Com 175H NMNM045236
- 30-015-46047 Sterling Silver MDP1 33-4 Federal Com 177H NMNM045236
- 30-015-46048 Sterling Silver MDP1 33-4 Federal Com 178H NMNM045236

Please find updated casing design attached.

**Carlsbad Field Office  
Operator Copy**

14. I hereby certify that the foregoing is true and correct. <b>Electronic Submission #472952 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 07/11/2019 (19PP2782SE)</b>	
Name (Printed/Typed) SARAH E CHAPMAN	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 07/11/2019

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By <u>NDUNGU KAMAU</u>	Title <u>PETROLEUM ENGINEER</u>	Date <u>07/11/2019</u>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office <u>Carlsbad</u>

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

*rw 10-29-19*

**Additional data for EC transaction #472952 that would not fit on the form**

**Wells/Facilities, continued**

<b>Agreement</b>	<b>Lease</b>	<b>Well/Fac Name, Number</b>	<b>API Number</b>	<b>Location</b>
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-075-#5336-00-X1	30-075-#5336-00-X1	Sec 33 T23S R31E NWNW 90FNL 869FWL 32.267933 N Lat, 103.788475 W Lon
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-075-#5337-00-X1	30-075-#5337-00-X1	Sec 33 T23S R31E NWNW 90FNL 904FWL 32.267933 N Lat, 103.788368 W Lon
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-075-#5388-00-X1	30-075-#5388-00-X1	Sec 33 T23S R31E NENE 96FNL 599FEL 32.267918 N Lat, 103.776146 W Lon
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-075-#6047-00-X1	30-075-#6047-00-X1	Sec 33 T23S R31E NENW 69FNL 2504FWL 32.267994 N Lat, 103.783188 W Lon
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-075-#6048-00-X1	30-075-#6048-00-X1	Sec 33 T23S R31E NENE 96FNL 529FEL 32.267918 N Lat, 103.775917 W Lon

**32. Additional remarks, continued**

Thank you.

**Revisions to Operator-Submitted EC Data for Sundry Notice #472952**

	<b>Operator Submitted</b>	<b>BLM Revised (AFMSS)</b>
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMNM45236	NMNM45236
Agreement:		
Operator:	OXY USA INC. P.O. BOX 4294 HOUSTON, TX 77210 Ph: 713-350-4997	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997
Tech Contact:	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997
Location:		
State:	NM	NM
County:	EDDY COUNTY	EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	STERLING SILVER MDP1 33-4 FED 171H Sec 33 T23S R31E NWNW 90FNL 869FWL 32.267932 N Lat, 103.788478 W Lon	STERLING SILVER MDP1 33-4 FD C 171H Sec 33 T23S R31E NWNW 90FNL 869FWL 32.267933 N Lat, 103.788475 W Lon STERLING SILVER MDP1 33-4 FD C 172H Sec 33 T23S R31E NWNW 90FNL 904FWL 32.267933 N Lat, 103.788368 W Lon STERLING SILVER MDP1 33-4 FD C 175H Sec 33 T23S R31E NENE 96FNL 599FEL 32.267918 N Lat, 103.776146 W Lon STERLING SILVER MDP1 33-4 FD C 177H Sec 33 T23S R31E NENW 69FNL 2504FWL 32.267994 N Lat, 103.783188 W Lon STERLING SILVER MDP1 33-4 FD C 178H Sec 33 T23S R31E NENE 96FNL 529FEL 32.267918 N Lat, 103.775917 W Lon

Oxy USA Inc. – Sterling Silver MDP1 33-4 Federal Com Multi Well - Bulk Sundry

OXY USA Inc. requests to amend the casing weight from 43.5# to 40# on the 12-1/4” intermediate hole and change the hole size from 8-1/2” to 8-3/4” for the below mentioned wells:

API #	Well Name	Lease/Serial #
30-015-45336	Sterling Silver MDP1 33-4 Federal Com 171H	NMNM045236
30-015-45337	Sterling Silver MDP1 33-4 Federal Com 172H	NMNM045236
30-015-45338	Sterling Silver MDP1 33-4 Federal Com 175H	NMNM045236
30-015-46047	Sterling Silver MDP1 33-4 Federal Com 177H	NMNM045236
30-015-46048	Sterling Silver MDP1 33-4 Federal Com 178H	NMNM045236

Casing Design Changes:

Hole Size (in)	Casing Interval		Csg. Size (in)	Weight (lbs)	Grade	Conn.	SF	SF Burst	Body SF Tension	Joint SF Tension
	From (ft)	To (ft)					Collapse			
12.25	0	4400	9.625	40	HCL80	BTC	1.125	1.2	1.4	1.4
8.75	0	11000	7.625	26.4	HCL80	SF (0 ft to 6000 ft) FJ (6000 ft to TD)	1.125	1.2	1.4	1.4
6.75	0	21000	5.5	20	P-110	DQX	1.125	1.2	1.4	1.4
							SF Values will meet or Exceed			