

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-45970
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Myox 28 State Com
8. Well Number 703H
9. OGRID Number 229137
10. Pool name or Wildcat Purple Sage; Wolfcamp 98220
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2960' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

COG Operating LLC

3. Address of Operator

600 W. Illinois Ave., Midland, TX 79701

4. Well Location

Unit Letter A : 245 feet from the North line and 1245 feet from the East line
Section 28 Township 25S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
2960' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

COG Operating LLC respectfully requests to change the Location of this well:

FROM:

SHL: 245' FNL 1245' FEL, Sec 28, T25S, R28E, Unit A
BHL: 200' FSL 1650' FEL, Sec 33, T25S, R28E, Unit O

TO:

SHL: 245' FNL 1275' FEL, Sec 28, T25S, R28E, Unit A
BHL: 200' FSL 2200' FEL, Sec 33, T25S, R28E, Unit O

Attached is the revised C102 and directional plan.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Robyn M. Russell TITLE Regulatory Analyst DATE 11/14/19

Type or print name Robyn M. Russell E-mail address: Russell@concho.com PHONE: (432) 685-4385

For State Use Only

APPROVED BY Raymond H. Delaney TITLE Geologist DATE 12-9-19

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
RECEIVED
NOV 18 2019
DISTRICT II-ARTESIA O.C.D.

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-015-45970	2 Pool Code 98220	3 Pool Name Purple Sage; Wolfcamp
4 Property Code 308251	5 Property Name MYOX 28 STATE COM	6 Well Number 703H
7 GRID NO. 229137	8 Operator Name COG OPERATING, LLC	9 Elevation 2960'

10 Surface Location


UL or lot no. A	Section 28	Township 25S	Range 28E	Lot Idn	Feet from the 245	North/South line NORTH	Feet From the 1275	East/West line EAST	County EDDY
---------------------------	----------------------	------------------------	---------------------	---------	-----------------------------	----------------------------------	------------------------------	-------------------------------	-----------------------

11 Bottom Hole Location If Different From Surface

UL or lot no. 0	Section 33	Township 25S	Range 28E	Lot Idn	Feet from the 200	North/South line SOUTH	Feet from the 2200	East/West line EAST	County EDDY
---------------------------	----------------------	------------------------	---------------------	---------	-----------------------------	----------------------------------	------------------------------	-------------------------------	-----------------------

12 Dedicated Acres 640	13 Joint or Infill	14 Consolidation Code	15 Order No.
----------------------------------	--------------------	-----------------------	--------------

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *Robyn M. Russell* Date: 11/14/19

Printed Name: Robyn M. Russell
E-mail Address: Rrussell@concho.com

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

3-06-19
Date of Survey

Signature and Seal of Professional Surveyor

19680

Certificate Number

REV. S.L. & B.H. 10/8/19

Job No.: LS19030303R

RWP 12-9-19



C O N C H O

NORTHERN DELAWARE BASIN

EDDY COUNTY, NM

MYOX 28 STATE COM

MYOX 28 STATE COM #703H

OWB

Plan: PLAN 1

Standard Planning Report

12 November, 2019

Concho Resources LLC

Planning Report

Database:	EDM_Users	Local Co-ordinate Reference:	Site MYOX 28 STATE COM
Company:	NORTHERN DELAWARE BASIN	TVD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Project:	EDDY COUNTY, NM	MD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Site:	MYOX 28 STATE COM	North Reference:	Grid
Well:	MYOX 28 STATE COM #703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PLAN 1		

Project	EDDY COUNTY, NM		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	MYOX 28 STATE COM		
Site Position:	Northing:	402,888.30 usft	Latitude: 32° 6' 26.701 N
From: Map	Easting:	576,200.50 usft	Longitude: 104° 5' 14.043 W
Position Uncertainty: 0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence: 0.13 °

Well	MYOX 28 STATE COM #703H		
Well Position	+N/-S	-1.0 usft	Latitude: 32° 6' 26.693 N
	+E/-W	-60.0 usft	Longitude: 104° 5' 14.740 W
Position Uncertainty	3.0 usft	Wellhead Elevation:	Ground Level: 2,960.0 usft

Wellbore	OWB		
Magnetics	Model Name	Sample Date	Declination (°)
	WMM2015	11/12/2019	6.96
			Dip Angle (°) 59.82
			Field Strength (nT) 47,551.96632044

Design	PLAN 1		
Audit Notes:			
Version:	Phase:	PLAN	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	-1.0	-60.0
			Direction (°) 184.76

Plan Survey Tool Program	Date 11/12/2019		
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name
1	0.0	8,834.0 PLAN 1 (OWB)	Standard Keeper 104
			Standard Wireline Keeper ver 1
2	8,834.0	19,643.5 PLAN 1 (OWB)	MWD+IFR1+FDIR
			OWSG MWD + IFR1 + FDIR C
			Remarks

Concho Resources LLC

Planning Report

Database:	EDM_Users	Local Co-ordinate Reference:	Site MYOX 28 STATE COM
Company:	NORTHERN DELAWARE BASIN	TVD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Project:	EDDY COUNTY, NM	MD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Site:	MYOX 28 STATE COM	North Reference:	Grid
Well:	MYOX 28 STATE COM #703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PLAN 1		

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	-1.0	-60.0	0.00	0.00	0.00	0.00	
2,500.0	0.00	0.00	2,500.0	-1.0	-60.0	0.00	0.00	0.00	0.00	
2,750.0	5.00	290.00	2,749.7	2.7	-70.2	2.00	2.00	0.00	290.00	
8,334.3	5.00	290.00	8,312.7	169.2	-527.6	0.00	0.00	0.00	0.00	
8,834.3	0.00	0.00	8,812.1	176.6	-548.1	1.00	-1.00	0.00	180.00	
8,834.3	0.00	0.00	8,812.1	176.6	-548.1	0.00	0.00	0.00	0.00	
9,737.2	90.29	207.55	9,385.1	-333.9	-814.4	10.00	10.00	0.00	207.55	
10,436.1	90.29	179.59	9,381.4	-1,006.6	-976.8	4.00	0.00	-4.00	-89.93	
19,643.5	90.29	179.59	9,335.0	-10,213.6	-911.2	0.00	0.00	0.00	0.00	PBHL (MYOX 28 STA

Concho Resources LLC

Planning Report

Database:	EDM_Users	Local Co-ordinate Reference:	Site MYOX 28 STATE COM
Company:	NORTHERN DELAWARE BASIN	TVD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Project:	EDDY COUNTY, NM	MD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Site:	MYOX 28 STATE COM	North Reference:	Grid
Well:	MYOX 28 STATE COM #703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PLAN 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	-1.0	-60.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	-1.0	-60.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	-1.0	-60.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	-1.0	-60.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	-1.0	-60.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	-1.0	-60.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	-1.0	-60.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	-1.0	-60.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	-1.0	-60.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,500.0	0.00	0.00	1,500.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,600.0	0.00	0.00	1,600.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,700.0	0.00	0.00	1,700.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,800.0	0.00	0.00	1,800.0	-1.0	-60.0	0.0	0.00	0.00	0.00
1,900.0	0.00	0.00	1,900.0	-1.0	-60.0	0.0	0.00	0.00	0.00
2,000.0	0.00	0.00	2,000.0	-1.0	-60.0	0.0	0.00	0.00	0.00
2,100.0	0.00	0.00	2,100.0	-1.0	-60.0	0.0	0.00	0.00	0.00
2,200.0	0.00	0.00	2,200.0	-1.0	-60.0	0.0	0.00	0.00	0.00
2,300.0	0.00	0.00	2,300.0	-1.0	-60.0	0.0	0.00	0.00	0.00
2,400.0	0.00	0.00	2,400.0	-1.0	-60.0	0.0	0.00	0.00	0.00
2,500.0	0.00	0.00	2,500.0	-1.0	-60.0	0.0	0.00	0.00	0.00
Start Build 2.00									
2,600.0	2.00	290.00	2,600.0	-0.4	-61.6	-0.5	2.00	2.00	0.00
2,700.0	4.00	290.00	2,699.8	1.4	-66.6	-1.8	2.00	2.00	0.00
2,750.0	5.00	290.00	2,749.7	2.7	-70.2	-2.9	2.00	2.00	0.00
Start 5584.3 hold at 2750.0 MD									
2,800.0	5.00	290.00	2,799.5	4.2	-74.3	-4.0	0.00	0.00	0.00
2,900.0	5.00	290.00	2,899.1	7.2	-82.5	-6.3	0.00	0.00	0.00
3,000.0	5.00	290.00	2,998.7	10.2	-90.7	-8.6	0.00	0.00	0.00
3,100.0	5.00	290.00	3,098.4	13.2	-98.9	-10.9	0.00	0.00	0.00
3,200.0	5.00	290.00	3,198.0	16.1	-107.1	-13.2	0.00	0.00	0.00
3,300.0	5.00	290.00	3,297.6	19.1	-115.3	-15.5	0.00	0.00	0.00
3,400.0	5.00	290.00	3,397.2	22.1	-123.5	-17.8	0.00	0.00	0.00
3,500.0	5.00	290.00	3,496.8	25.1	-131.7	-20.0	0.00	0.00	0.00
3,600.0	5.00	290.00	3,596.4	28.1	-139.9	-22.3	0.00	0.00	0.00
3,700.0	5.00	290.00	3,696.1	31.0	-148.0	-24.6	0.00	0.00	0.00
3,800.0	5.00	290.00	3,795.7	34.0	-156.2	-26.9	0.00	0.00	0.00
3,900.0	5.00	290.00	3,895.3	37.0	-164.4	-29.2	0.00	0.00	0.00
4,000.0	5.00	290.00	3,994.9	40.0	-172.6	-31.5	0.00	0.00	0.00
4,100.0	5.00	290.00	4,094.5	43.0	-180.8	-33.8	0.00	0.00	0.00
4,200.0	5.00	290.00	4,194.2	46.0	-189.0	-36.1	0.00	0.00	0.00
4,300.0	5.00	290.00	4,293.8	48.9	-197.2	-38.4	0.00	0.00	0.00
4,400.0	5.00	290.00	4,393.4	51.9	-205.4	-40.7	0.00	0.00	0.00
4,500.0	5.00	290.00	4,493.0	54.9	-213.6	-42.9	0.00	0.00	0.00
4,600.0	5.00	290.00	4,592.6	57.9	-221.8	-45.2	0.00	0.00	0.00
4,700.0	5.00	290.00	4,692.3	60.9	-229.9	-47.5	0.00	0.00	0.00
4,800.0	5.00	290.00	4,791.9	63.8	-238.1	-49.8	0.00	0.00	0.00

Concho Resources LLC

Planning Report

Database:	EDM_Users	Local Co-ordinate Reference:	Site MYOX 28 STATE COM
Company:	NORTHERN DELAWARE BASIN	TVD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Project:	EDDY COUNTY, NM	MD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Site:	MYOX 28 STATE COM	North Reference:	Grid
Well:	MYOX 28 STATE COM #703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PLAN 1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4,900.0	5.00	290.00	4,891.5	66.8	-246.3	-52.1	0.00	0.00	0.00	
5,000.0	5.00	290.00	4,991.1	69.8	-254.5	-54.4	0.00	0.00	0.00	
5,100.0	5.00	290.00	5,090.7	72.8	-262.7	-56.7	0.00	0.00	0.00	
5,200.0	5.00	290.00	5,190.4	75.8	-270.9	-59.0	0.00	0.00	0.00	
5,300.0	5.00	290.00	5,290.0	78.7	-279.1	-61.3	0.00	0.00	0.00	
5,400.0	5.00	290.00	5,389.6	81.7	-287.3	-63.6	0.00	0.00	0.00	
5,500.0	5.00	290.00	5,489.2	84.7	-295.5	-65.8	0.00	0.00	0.00	
5,600.0	5.00	290.00	5,588.8	87.7	-303.7	-68.1	0.00	0.00	0.00	
5,700.0	5.00	290.00	5,688.5	90.7	-311.8	-70.4	0.00	0.00	0.00	
5,800.0	5.00	290.00	5,788.1	93.6	-320.0	-72.7	0.00	0.00	0.00	
5,900.0	5.00	290.00	5,887.7	96.6	-328.2	-75.0	0.00	0.00	0.00	
6,000.0	5.00	290.00	5,987.3	99.6	-336.4	-77.3	0.00	0.00	0.00	
6,100.0	5.00	290.00	6,086.9	102.6	-344.6	-79.6	0.00	0.00	0.00	
6,200.0	5.00	290.00	6,186.6	105.6	-352.8	-81.9	0.00	0.00	0.00	
6,300.0	5.00	290.00	6,286.2	108.6	-361.0	-84.2	0.00	0.00	0.00	
6,400.0	5.00	290.00	6,385.8	111.5	-369.2	-86.5	0.00	0.00	0.00	
6,500.0	5.00	290.00	6,485.4	114.5	-377.4	-88.8	0.00	0.00	0.00	
6,600.0	5.00	290.00	6,585.0	117.5	-385.6	-91.0	0.00	0.00	0.00	
6,700.0	5.00	290.00	6,684.7	120.5	-393.7	-93.3	0.00	0.00	0.00	
6,800.0	5.00	290.00	6,784.3	123.5	-401.9	-95.6	0.00	0.00	0.00	
6,900.0	5.00	290.00	6,883.9	126.4	-410.1	-97.9	0.00	0.00	0.00	
7,000.0	5.00	290.00	6,983.5	129.4	-418.3	-100.2	0.00	0.00	0.00	
7,100.0	5.00	290.00	7,083.1	132.4	-426.5	-102.5	0.00	0.00	0.00	
7,200.0	5.00	290.00	7,182.7	135.4	-434.7	-104.8	0.00	0.00	0.00	
7,300.0	5.00	290.00	7,282.4	138.4	-442.9	-107.1	0.00	0.00	0.00	
7,400.0	5.00	290.00	7,382.0	141.3	-451.1	-109.4	0.00	0.00	0.00	
7,500.0	5.00	290.00	7,481.6	144.3	-459.3	-111.7	0.00	0.00	0.00	
7,600.0	5.00	290.00	7,581.2	147.3	-467.5	-113.9	0.00	0.00	0.00	
7,700.0	5.00	290.00	7,680.8	150.3	-475.6	-116.2	0.00	0.00	0.00	
7,800.0	5.00	290.00	7,780.5	153.3	-483.8	-118.5	0.00	0.00	0.00	
7,900.0	5.00	290.00	7,880.1	156.2	-492.0	-120.8	0.00	0.00	0.00	
8,000.0	5.00	290.00	7,979.7	159.2	-500.2	-123.1	0.00	0.00	0.00	
8,100.0	5.00	290.00	8,079.3	162.2	-508.4	-125.4	0.00	0.00	0.00	
8,200.0	5.00	290.00	8,178.9	165.2	-516.6	-127.7	0.00	0.00	0.00	
8,300.0	5.00	290.00	8,278.6	168.2	-524.8	-130.0	0.00	0.00	0.00	
8,334.3	5.00	290.00	8,312.7	169.2	-527.6	-130.8	0.00	0.00	0.00	
Start Drop -1.00										
8,400.0	4.34	290.00	8,378.2	171.0	-532.6	-132.2	1.00	-1.00	0.00	
8,500.0	3.34	290.00	8,478.0	173.3	-538.9	-133.9	1.00	-1.00	0.00	
8,600.0	2.34	290.00	8,577.9	175.0	-543.6	-135.2	1.00	-1.00	0.00	
8,700.0	1.34	290.00	8,677.8	176.1	-546.6	-136.1	1.00	-1.00	0.00	
8,800.0	0.34	290.00	8,777.8	176.6	-548.0	-136.5	1.00	-1.00	0.00	
8,834.3	0.00	0.00	8,812.1	176.6	-548.1	-136.5	1.00	-1.00	0.00	
Start Build 10.00										
8,850.0	1.57	207.55	8,827.8	176.5	-548.2	-136.3	10.00	10.00	0.00	
8,900.0	6.57	207.55	8,877.7	173.3	-549.8	-133.0	10.00	10.00	0.00	
8,950.0	11.57	207.55	8,927.0	166.3	-553.5	-125.8	10.00	10.00	0.00	
9,000.0	16.57	207.55	8,975.5	155.6	-559.1	-114.6	10.00	10.00	0.00	
9,050.0	21.57	207.55	9,022.7	141.1	-566.6	-99.5	10.00	10.00	0.00	
9,100.0	26.57	207.55	9,068.4	123.0	-576.1	-80.7	10.00	10.00	0.00	
9,150.0	31.57	207.55	9,112.1	101.5	-587.3	-58.3	10.00	10.00	0.00	
9,200.0	36.57	207.55	9,153.5	76.6	-600.3	-32.5	10.00	10.00	0.00	

Concho Resources LLC

Planning Report

Database:	EDM Users	Local Co-ordinate Reference:	Site MYOX 28 STATE COM
Company:	NORTHERN DELAWARE BASIN	TVD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Project:	EDDY COUNTY, NM	MD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Site:	MYOX 28 STATE COM	North Reference:	Grid
Well:	MYOX 28 STATE COM #703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PLAN 1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
9,250.0	41.57	207.55	9,192.3	48.7	-614.8	-3.5	10.00	10.00	0.00	
9,300.0	46.57	207.55	9,228.2	17.9	-630.9	28.6	10.00	10.00	0.00	
9,350.0	51.57	207.55	9,260.9	-15.6	-648.4	63.4	10.00	10.00	0.00	
9,400.0	56.57	207.55	9,290.3	-51.5	-667.1	100.7	10.00	10.00	0.00	
9,450.0	61.57	207.55	9,316.0	-89.5	-686.9	140.3	10.00	10.00	0.00	
9,500.0	66.57	207.55	9,337.8	-129.3	-707.7	181.7	10.00	10.00	0.00	
9,550.0	71.57	207.55	9,355.7	-170.7	-729.3	224.7	10.00	10.00	0.00	
9,600.0	76.57	207.55	9,369.4	-213.4	-751.5	269.1	10.00	10.00	0.00	
9,609.0	77.47	207.55	9,371.4	-221.1	-755.6	277.2	10.00	10.00	0.00	
FTP (MYOX 28 STATE COM #703H)										
9,650.0	81.57	207.55	9,378.9	-256.9	-774.2	314.3	10.00	10.00	0.00	
9,700.0	86.57	207.55	9,384.0	-300.9	-797.2	360.1	10.00	10.00	0.00	
9,737.2	90.29	207.55	9,385.1	-333.9	-814.4	394.4	10.00	10.00	0.00	
Start DLS 4.00 TFO -89.93										
9,800.0	90.29	205.04	9,384.7	-390.2	-842.2	452.8	4.00	0.00	-4.00	
9,900.0	90.30	201.04	9,384.2	-482.2	-881.4	547.8	4.00	0.00	-4.00	
10,000.0	90.30	197.04	9,383.7	-576.7	-914.0	644.7	4.00	0.00	-4.00	
10,100.0	90.30	193.04	9,383.2	-673.3	-939.9	743.0	4.00	0.00	-4.00	
10,200.0	90.30	189.04	9,382.7	-771.4	-959.1	842.4	4.00	0.00	-4.00	
10,300.0	90.29	185.04	9,382.1	-870.6	-971.3	942.3	4.00	0.00	-4.00	
10,400.0	90.29	181.04	9,381.6	-970.5	-976.6	1,042.3	4.00	0.00	-4.00	
10,436.1	90.29	179.59	9,381.4	-1,006.6	-976.8	1,078.3	4.00	0.00	-4.00	
Start 9207.3 hold at 10436.1 MD										
10,500.0	90.29	179.59	9,381.1	-1,070.5	-976.4	1,141.9	0.00	0.00	0.00	
10,600.0	90.29	179.59	9,380.6	-1,170.5	-975.6	1,241.5	0.00	0.00	0.00	
10,700.0	90.29	179.59	9,380.1	-1,270.5	-974.9	1,341.1	0.00	0.00	0.00	
10,800.0	90.29	179.59	9,379.6	-1,370.5	-974.2	1,440.7	0.00	0.00	0.00	
10,900.0	90.29	179.59	9,379.1	-1,470.4	-973.5	1,540.2	0.00	0.00	0.00	
11,000.0	90.29	179.59	9,378.6	-1,570.4	-972.8	1,639.8	0.00	0.00	0.00	
11,100.0	90.29	179.59	9,378.1	-1,670.4	-972.1	1,739.4	0.00	0.00	0.00	
11,200.0	90.29	179.59	9,377.6	-1,770.4	-971.4	1,839.0	0.00	0.00	0.00	
11,300.0	90.29	179.59	9,377.1	-1,870.4	-970.7	1,938.6	0.00	0.00	0.00	
11,400.0	90.29	179.59	9,376.6	-1,970.4	-969.9	2,038.2	0.00	0.00	0.00	
11,500.0	90.29	179.59	9,376.1	-2,070.4	-969.2	2,137.8	0.00	0.00	0.00	
11,600.0	90.29	179.59	9,375.6	-2,170.4	-968.5	2,237.4	0.00	0.00	0.00	
11,700.0	90.29	179.59	9,375.1	-2,270.4	-967.8	2,337.0	0.00	0.00	0.00	
11,800.0	90.29	179.59	9,374.6	-2,370.4	-967.1	2,436.6	0.00	0.00	0.00	
11,900.0	90.29	179.59	9,374.1	-2,470.4	-966.4	2,536.2	0.00	0.00	0.00	
12,000.0	90.29	179.59	9,373.6	-2,570.4	-965.7	2,635.8	0.00	0.00	0.00	
12,100.0	90.29	179.59	9,373.1	-2,670.4	-965.0	2,735.3	0.00	0.00	0.00	
12,200.0	90.29	179.59	9,372.5	-2,770.4	-964.2	2,834.9	0.00	0.00	0.00	
12,300.0	90.29	179.59	9,372.0	-2,870.4	-963.5	2,934.5	0.00	0.00	0.00	
12,400.0	90.29	179.59	9,371.5	-2,970.4	-962.8	3,034.1	0.00	0.00	0.00	
12,500.0	90.29	179.59	9,371.0	-3,070.4	-962.1	3,133.7	0.00	0.00	0.00	
12,600.0	90.29	179.59	9,370.5	-3,170.4	-961.4	3,233.3	0.00	0.00	0.00	
12,700.0	90.29	179.59	9,370.0	-3,270.4	-960.7	3,332.9	0.00	0.00	0.00	
12,800.0	90.29	179.59	9,369.5	-3,370.4	-960.0	3,432.5	0.00	0.00	0.00	
12,900.0	90.29	179.59	9,369.0	-3,470.4	-959.3	3,532.1	0.00	0.00	0.00	
13,000.0	90.29	179.59	9,368.5	-3,570.4	-958.5	3,631.7	0.00	0.00	0.00	
13,100.0	90.29	179.59	9,368.0	-3,670.4	-957.8	3,731.3	0.00	0.00	0.00	
13,200.0	90.29	179.59	9,367.5	-3,770.4	-957.1	3,830.9	0.00	0.00	0.00	
13,300.0	90.29	179.59	9,367.0	-3,870.4	-956.4	3,930.4	0.00	0.00	0.00	

Concho Resources LLC

Planning Report

Database:	EDM Users	Local Co-ordinate Reference:	Site MYOX 28 STATE COM
Company:	NORTHERN DELAWARE BASIN	TVD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Project:	EDDY COUNTY, NM	MD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Site:	MYOX 28 STATE COM	North Reference:	Grid
Well:	MYOX 28 STATE COM #703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PLAN 1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
13,400.0	90.29	179.59	9,366.5	-3,970.4	-955.7	4,030.0	0.00	0.00	0.00	
13,500.0	90.29	179.59	9,366.0	-4,070.4	-955.0	4,129.6	0.00	0.00	0.00	
13,600.0	90.29	179.59	9,365.5	-4,170.3	-954.3	4,229.2	0.00	0.00	0.00	
13,700.0	90.29	179.59	9,365.0	-4,270.3	-953.6	4,328.8	0.00	0.00	0.00	
13,800.0	90.29	179.59	9,364.5	-4,370.3	-952.8	4,428.4	0.00	0.00	0.00	
13,900.0	90.29	179.59	9,364.0	-4,470.3	-952.1	4,528.0	0.00	0.00	0.00	
14,000.0	90.29	179.59	9,363.5	-4,570.3	-951.4	4,627.6	0.00	0.00	0.00	
14,100.0	90.29	179.59	9,363.0	-4,670.3	-950.7	4,727.2	0.00	0.00	0.00	
14,200.0	90.29	179.59	9,362.5	-4,770.3	-950.0	4,826.8	0.00	0.00	0.00	
14,300.0	90.29	179.59	9,362.0	-4,870.3	-949.3	4,926.4	0.00	0.00	0.00	
14,400.0	90.29	179.59	9,361.5	-4,970.3	-948.6	5,025.9	0.00	0.00	0.00	
14,500.0	90.29	179.59	9,360.9	-5,070.3	-947.9	5,125.5	0.00	0.00	0.00	
14,600.0	90.29	179.59	9,360.4	-5,170.3	-947.1	5,225.1	0.00	0.00	0.00	
14,700.0	90.29	179.59	9,359.9	-5,270.3	-946.4	5,324.7	0.00	0.00	0.00	
14,800.0	90.29	179.59	9,359.4	-5,370.3	-945.7	5,424.3	0.00	0.00	0.00	
14,900.0	90.29	179.59	9,358.9	-5,470.3	-945.0	5,523.9	0.00	0.00	0.00	
15,000.0	90.29	179.59	9,358.4	-5,570.3	-944.3	5,623.5	0.00	0.00	0.00	
15,100.0	90.29	179.59	9,357.9	-5,670.3	-943.6	5,723.1	0.00	0.00	0.00	
15,200.0	90.29	179.59	9,357.4	-5,770.3	-942.9	5,822.7	0.00	0.00	0.00	
15,300.0	90.29	179.59	9,356.9	-5,870.3	-942.2	5,922.3	0.00	0.00	0.00	
15,400.0	90.29	179.59	9,356.4	-5,970.3	-941.4	6,021.9	0.00	0.00	0.00	
15,500.0	90.29	179.59	9,355.9	-6,070.3	-940.7	6,121.5	0.00	0.00	0.00	
15,600.0	90.29	179.59	9,355.4	-6,170.3	-940.0	6,221.0	0.00	0.00	0.00	
15,700.0	90.29	179.59	9,354.9	-6,270.3	-939.3	6,320.6	0.00	0.00	0.00	
15,800.0	90.29	179.59	9,354.4	-6,370.3	-938.6	6,420.2	0.00	0.00	0.00	
15,900.0	90.29	179.59	9,353.9	-6,470.3	-937.9	6,519.8	0.00	0.00	0.00	
16,000.0	90.29	179.59	9,353.4	-6,570.3	-937.2	6,619.4	0.00	0.00	0.00	
16,100.0	90.29	179.59	9,352.9	-6,670.3	-936.5	6,719.0	0.00	0.00	0.00	
16,200.0	90.29	179.59	9,352.4	-6,770.2	-935.7	6,818.6	0.00	0.00	0.00	
16,300.0	90.29	179.59	9,351.9	-6,870.2	-935.0	6,918.2	0.00	0.00	0.00	
16,400.0	90.29	179.59	9,351.4	-6,970.2	-934.3	7,017.8	0.00	0.00	0.00	
16,500.0	90.29	179.59	9,350.9	-7,070.2	-933.6	7,117.4	0.00	0.00	0.00	
16,600.0	90.29	179.59	9,350.4	-7,170.2	-932.9	7,217.0	0.00	0.00	0.00	
16,700.0	90.29	179.59	9,349.8	-7,270.2	-932.2	7,316.6	0.00	0.00	0.00	
16,800.0	90.29	179.59	9,349.3	-7,370.2	-931.5	7,416.1	0.00	0.00	0.00	
16,900.0	90.29	179.59	9,348.8	-7,470.2	-930.7	7,515.7	0.00	0.00	0.00	
17,000.0	90.29	179.59	9,348.3	-7,570.2	-930.0	7,615.3	0.00	0.00	0.00	
17,100.0	90.29	179.59	9,347.8	-7,670.2	-929.3	7,714.9	0.00	0.00	0.00	
17,200.0	90.29	179.59	9,347.3	-7,770.2	-928.6	7,814.5	0.00	0.00	0.00	
17,300.0	90.29	179.59	9,346.8	-7,870.2	-927.9	7,914.1	0.00	0.00	0.00	
17,400.0	90.29	179.59	9,346.3	-7,970.2	-927.2	8,013.7	0.00	0.00	0.00	
17,500.0	90.29	179.59	9,345.8	-8,070.2	-926.5	8,113.3	0.00	0.00	0.00	
17,600.0	90.29	179.59	9,345.3	-8,170.2	-925.8	8,212.9	0.00	0.00	0.00	
17,700.0	90.29	179.59	9,344.8	-8,270.2	-925.0	8,312.5	0.00	0.00	0.00	
17,800.0	90.29	179.59	9,344.3	-8,370.2	-924.3	8,412.1	0.00	0.00	0.00	
17,900.0	90.29	179.59	9,343.8	-8,470.2	-923.6	8,511.7	0.00	0.00	0.00	
18,000.0	90.29	179.59	9,343.3	-8,570.2	-922.9	8,611.2	0.00	0.00	0.00	
18,100.0	90.29	179.59	9,342.8	-8,670.2	-922.2	8,710.8	0.00	0.00	0.00	
18,200.0	90.29	179.59	9,342.3	-8,770.2	-921.5	8,810.4	0.00	0.00	0.00	
18,300.0	90.29	179.59	9,341.8	-8,870.2	-920.8	8,910.0	0.00	0.00	0.00	
18,400.0	90.29	179.59	9,341.3	-8,970.2	-920.1	9,009.6	0.00	0.00	0.00	
18,500.0	90.29	179.59	9,340.8	-9,070.2	-919.3	9,109.2	0.00	0.00	0.00	

Concho Resources LLC

Planning Report

Database:	EDM_Users	Local Co-ordinate Reference:	Site MYOX 28 STATE COM
Company:	NORTHERN DELAWARE BASIN	TVD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Project:	EDDY COUNTY, NM	MD Reference:	RKB=2960+29 @ 2987.0usft (SCANDRILL FREEDOM)
Site:	MYOX 28 STATE COM	North Reference:	Grid
Well:	MYOX 28 STATE COM #703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PLAN 1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
18,600.0	90.29	179.59	9,340.3	-9,170.2	-918.6	9,208.8	0.00	0.00	0.00	
18,700.0	90.29	179.59	9,339.8	-9,270.2	-917.9	9,308.4	0.00	0.00	0.00	
18,800.0	90.29	179.59	9,339.3	-9,370.1	-917.2	9,408.0	0.00	0.00	0.00	
18,900.0	90.29	179.59	9,338.8	-9,470.1	-916.5	9,507.6	0.00	0.00	0.00	
19,000.0	90.29	179.59	9,338.2	-9,570.1	-915.8	9,607.2	0.00	0.00	0.00	
19,100.0	90.29	179.59	9,337.7	-9,670.1	-915.1	9,706.7	0.00	0.00	0.00	
19,200.0	90.29	179.59	9,337.2	-9,770.1	-914.4	9,806.3	0.00	0.00	0.00	
19,300.0	90.29	179.59	9,336.7	-9,870.1	-913.6	9,905.9	0.00	0.00	0.00	
19,400.0	90.29	179.59	9,336.2	-9,970.1	-912.9	10,005.5	0.00	0.00	0.00	
19,500.0	90.29	179.59	9,335.7	-10,070.1	-912.2	10,105.1	0.00	0.00	0.00	
19,513.6	90.29	179.59	9,335.7	-10,083.7	-912.1	10,118.7	0.00	0.00	0.00	
LTP (MYOX 28 STATE COM #703H)										
19,600.0	90.29	179.59	9,335.2	-10,170.1	-911.5	10,204.7	0.00	0.00	0.00	
19,643.5	90.29	179.59	9,335.0	-10,213.6	-911.2	10,248.0	0.00	0.00	0.00	
TD at 19643.5 - PBHL (MYOX 28 STATE COM #703H)										



Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
- hit/miss target										
- Shape										
PBHL (MYOX 28 STATE	0.29	359.59	9,335.0	-10,213.6	-911.2	392,674.70	575,289.30	32° 4' 45.643 N	104° 5' 24.904 W	
- plan hits target center										
- Rectangle (sides W100.0 H10,118.0 D20.0)										
LTP (MYOX 28 STATE C	0.00	0.00	9,335.0	-10,083.7	-910.3	392,804.60	575,290.20	32° 4' 46.928 N	104° 5' 24.891 W	
- plan misses target center by 1.9usft at 19513.6usft MD (9335.7 TVD, -10083.7 N, -912.1 E)										
- Point										
FTP (MYOX 28 STATE C	0.00	0.00	9,385.0	-99.6	-982.9	402,788.70	575,217.60	32° 6' 25.738 N	104° 5' 25.473 W	
- plan misses target center by 258.1usft at 9609.0usft MD (9371.4 TVD, -221.1 N, -755.6 E)										
- Circle (radius 50.0)										

Plan Annotations					
Measured Depth (usft)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Comment	
2,500.0	2,500.0	-1.0	-60.0	Start Build 2.00	
2,750.0	2,749.7	2.7	-70.2	Start 5584.3 hold at 2750.0 MD	
8,334.3	8,312.7	169.2	-527.6	Start Drop -1.00	
8,834.3	8,812.1	176.6	-548.1	Start Build 10.00	
9,737.2	9,385.1	-333.9	-814.4	Start DLS 4.00 TFO -89.93	
10,436.1	9,381.4	-1,006.6	-976.8	Start 9207.3 hold at 10436.1 MD	
19,643.5	9,335.0	-10,213.6	-911.2	TD at 19643.5	



WELL DETAILS: NY03 28 STATE COM #703H			
•HLS	•EJW		
-1.0	-60.0	Nothing	Nothing
		437287.50	578146.50
		Latitude	Longitude
		37° 6' 24.83" N	104° 5' 14.74" W

DESIGN TARGET DETAILS						
Mems	TVD	HW3	HW4	Easting	Latitude	Longitude
HTP (WVLT 28 STATE COM #7034)	9355.0	-10691.7	-4103.392904.69	975990.20	32° 6' 45.028" N	104° 5' 24.891" W
WMA (WVLT 28 STATE COM #7036)	9355.0	-10721.8	-4117.392874.79	975988.30	32° 6' 45.443" N	104° 5' 25.403" W
FTP (WVLT 28 STATE COM #7038)	9355.0	-10745.6	-4123.402784.79	975971.00	32° 6' 45.738" N	104° 5' 25.474" W



MOL IN STATE CO WITHIN									
MD	Inc	Act	TVD	EW	Dist	Thrs	Value	Assoc	
20068	0	0	0	0	0	0	0	Start Build 2.00	
20069	0	0	0	0	0	0	0	Start Build 2.00	
20070	0	0	0	0	0	0	0	Start Build 2.00	
20071	0	0	0	0	0	0	0	Start Build 2.00	
20072	0	0	0	0	0	0	0	Start Build 2.00	
20073	0	0	0	0	0	0	0	Start Build 2.00	
20074	0	0	0	0	0	0	0	Start Build 2.00	
20075	0	0	0	0	0	0	0	Start Build 2.00	
20076	0	0	0	0	0	0	0	Start Build 2.00	
20077	0	0	0	0	0	0	0	Start Build 2.00	
20078	0	0	0	0	0	0	0	Start Build 2.00	
20079	0	0	0	0	0	0	0	Start Build 2.00	
20080	0	0	0	0	0	0	0	Start Build 2.00	
20081	0	0	0	0	0	0	0	Start Build 2.00	
20082	0	0	0	0	0	0	0	Start Build 2.00	
20083	0	0	0	0	0	0	0	Start Build 2.00	
20084	0	0	0	0	0	0	0	Start Build 2.00	
20085	0	0	0	0	0	0	0	Start Build 2.00	
20086	0	0	0	0	0	0	0	Start Build 2.00	
20087	0	0	0	0	0	0	0	Start Build 2.00	
20088	0	0	0	0	0	0	0	Start Build 2.00	
20089	0	0	0	0	0	0	0	Start Build 2.00	
20090	0	0	0	0	0	0	0	Start Build 2.00	
20091	0	0	0	0	0	0	0	Start Build 2.00	
20092	0	0	0	0	0	0	0	Start Build 2.00	
20093	0	0	0	0	0	0	0	Start Build 2.00	
20094	0	0	0	0	0	0	0	Start Build 2.00	
20095	0	0	0	0	0	0	0	Start Build 2.00	
20096	0	0	0	0	0	0	0	Start Build 2.00	
20097	0	0	0	0	0	0	0	Start Build 2.00	
20098	0	0	0	0	0	0	0	Start Build 2.00	
20099	0	0	0	0	0	0	0	Start Build 2.00	
20100	0	0	0	0	0	0	0	Start Build 2.00	
20101	0	0	0	0	0	0	0	Start Build 2.00	
20102	0	0	0	0	0	0	0	Start Build 2.00	
20103	0	0	0	0	0	0	0	Start Build 2.00	
20104	0	0	0	0	0	0	0	Start Build 2.00	
20105	0	0	0	0	0	0	0	Start Build 2.00	
20106	0	0	0	0	0	0	0	Start Build 2.00	
20107	0	0	0	0	0	0	0	Start Build 2.00	
20108	0	0	0	0	0	0	0	Start Build 2.00	
20109	0	0	0	0	0	0	0	Start Build 2.00	
20110	0	0	0	0	0	0	0	Start Build 2.00	
20111	0	0	0	0	0	0	0	Start Build 2.00	
20112	0	0	0	0	0	0	0	Start Build 2.00	
20113	0	0	0	0	0	0	0	Start Build 2.00	
20114	0	0	0	0	0	0	0	Start Build 2.00	
20115	0	0	0	0	0	0	0	Start Build 2.00	
20116	0	0	0	0	0	0	0	Start Build 2.00	
20117	0	0	0	0	0	0	0	Start Build 2.00	
20118	0	0	0	0	0	0	0	Start Build 2.00	
20119	0	0	0	0	0	0	0	Start Build 2.00	
20120	0	0	0	0	0	0	0	Start Build 2.00	
20121	0	0	0	0	0	0	0	Start Build 2.00	
20122	0	0	0	0	0	0	0	Start Build 2.00	
20123	0	0	0	0	0	0	0	Start Build 2.00	
20124	0	0	0	0	0	0	0	Start Build 2.00	
20125	0	0	0	0	0	0	0	Start Build 2.00	
20126	0	0	0	0	0	0	0	Start Build 2.00	
20127	0	0	0	0	0	0	0	Start Build 2.00	
20128	0	0	0	0	0	0	0	Start Build 2.00	
20129	0	0	0	0	0	0	0	Start Build 2.00	
20130	0	0	0	0	0	0	0	Start Build 2.00	
20131	0	0	0	0	0	0	0	Start Build 2.00	
20132	0	0	0	0	0	0	0	Start Build 2.00	
20133	0	0	0	0	0	0	0	Start Build 2.00	
20134	0	0	0	0	0	0	0	Start Build 2.00	
20135	0	0	0	0	0	0	0	Start Build 2.00	
20136	0	0	0	0	0	0	0	Start Build 2.00	
20137	0	0	0	0	0	0	0	Start Build 2.00	
20138	0	0	0	0	0	0	0	Start Build 2.00	
20139	0	0	0	0	0	0	0	Start Build 2.00	
20140	0	0	0	0	0	0	0	Start Build 2.00	
20141	0	0	0	0	0	0	0	Start Build 2.00	
20142	0	0	0	0	0	0	0	Start Build 2.00	
20143	0	0	0	0	0	0	0	Start Build 2.00	
20144	0	0	0	0	0	0	0	Start Build 2.00	
20145	0	0	0	0	0	0	0	Start Build 2.00	
20146	0	0	0	0	0	0	0	Start Build 2.00	
20147	0	0	0	0	0	0	0	Start Build 2.00	
20148	0	0	0	0	0	0	0	Start Build 2.00	
20149	0	0	0	0	0	0	0	Start Build 2.00	
20150	0	0	0	0	0	0	0	Start Build 2.00	
20151	0	0	0	0	0	0	0	Start Build 2.00	
20152	0	0	0	0	0	0	0	Start Build 2.00	
20153	0	0	0	0	0	0	0	Start Build 2.00	
20154	0	0	0	0	0	0	0	Start Build 2.00	
20155	0	0	0	0	0	0	0	Start Build 2.00	
20156	0	0	0	0	0	0	0	Start Build 2.00	
20157	0	0	0	0	0	0	0	Start Build 2.00	
20158	0	0	0	0	0	0	0	Start Build 2.00	
20159	0	0	0	0	0	0	0	Start Build 2.00	
20160	0	0	0	0	0	0	0	Start Build 2.00	
20161	0	0	0	0	0	0	0	Start Build 2.00	
20162	0	0	0	0	0	0	0	Start Build 2.00	
20163	0	0	0	0	0	0	0	Start Build 2.00	
20164	0	0	0	0	0	0	0	Start Build 2.00	
20165	0	0	0	0	0	0	0	Start Build 2.00	
20166	0	0	0	0	0	0	0	Start Build 2.00	
20167	0	0	0	0	0	0	0	Start Build 2.00	
20168	0	0	0	0	0	0	0	Start Build 2.00	
20169	0	0	0	0	0	0	0	Start Build 2.00	
20170	0	0	0	0	0	0	0	Start Build 2.00	
20171	0	0	0	0	0	0	0	Start Build 2.00	
20172	0	0	0	0	0	0	0	Start Build 2.00	
20173	0	0	0	0	0	0	0	Start Build 2.00	
20174	0	0	0	0	0	0	0	Start Build 2.00	
20175	0	0	0	0	0	0	0	Start Build 2.00	
20176	0	0	0	0	0	0	0	Start Build 2.00	
20177	0	0	0	0	0	0	0	Start Build 2.00	
20178	0	0	0	0	0	0	0	Start Build 2.00	
20179	0	0	0	0	0	0	0	Start Build 2.00	
20180	0	0	0	0	0	0	0	Start Build 2.00	
20181	0	0	0	0	0	0	0	Start Build 2.00	
20182	0	0	0	0	0	0	0	Start Build 2.00	
20183	0	0	0	0	0	0	0	Start Build 2.00	
20184	0	0	0	0	0	0	0	Start Build 2.00	
20185	0	0	0	0	0	0	0	Start Build 2.00	
20186	0	0	0	0	0	0	0	Start Build 2.00	
20187	0	0	0	0	0	0	0	Start Build 2.00	
20188	0	0	0	0	0	0	0	Start Build 2.00	
20189	0	0	0	0	0	0	0	Start Build 2.00	
20190	0	0	0	0	0	0	0	Start Build 2.00	
20191	0	0	0	0	0	0	0	Start Build 2.00	
20192	0	0	0	0	0	0	0	Start Build 2.00	
20193	0	0	0	0	0	0	0	Start Build 2.00	
20194	0	0	0	0	0	0	0	Start Build 2.00	
20195	0	0	0	0	0	0	0	Start Build 2.00	
20196	0	0	0	0	0	0	0	Start Build 2.00	
20197	0	0	0	0	0	0	0	Start Build 2.00	
20198	0	0	0	0	0	0	0	Start Build 2.00	
20199	0	0	0	0	0	0	0	Start Build 2.00	
20200	0	0	0	0	0	0	0	Start Build 2.00	
20201	0	0	0	0	0	0	0	Start Build 2.00	
20202	0	0	0	0	0	0	0	Start Build 2.00	
20203	0	0	0	0	0	0	0	Start Build 2.00	
20204	0	0	0	0	0	0	0	Start Build 2.00	
20205	0	0	0	0	0	0	0	Start Build 2.00	
20206	0	0	0	0	0	0	0	Start Build 2.00	
20207	0	0	0	0	0	0	0	Start Build 2.00	
20208	0	0	0	0	0	0	0	Start Build 2.00	
20209	0	0	0	0	0	0	0	Start Build 2.00	
20210	0	0	0	0	0	0	0	Start Build 2.00	
20211	0	0	0	0	0	0	0	Start Build 2.00	
20212	0	0	0	0	0	0	0	Start Build 2.00	
20213	0	0	0	0	0	0	0	Start Build 2.00	
20214	0	0	0	0	0	0	0	Start Build 2.00	
20215	0	0	0	0	0	0	0	Start Build 2.00	
20216	0	0	0	0	0	0	0	Start Build 2.00	
20217	0	0	0	0	0	0	0	Start Build 2.00	
20218	0	0	0	0	0	0	0	Start Build 2.00	
20219	0	0	0	0	0	0	0	Start Build 2.00	
20220	0	0	0	0	0	0	0	Start Build 2.00	
20221	0	0	0	0	0	0	0	Start Build 2.00	
20222	0	0	0	0	0	0	0	Start Build 2.00	
20223	0	0	0	0	0	0	0	Start Build 2.00	
20224	0	0	0	0	0	0	0	Start Build 2.00	
20225	0	0	0	0	0	0	0	Start Build 2.00	
20226	0	0	0	0	0	0	0	Start Build 2.00	
20227	0	0	0	0	0	0	0	Start Build 2.00	
20228	0	0	0	0	0	0	0	Start Build 2.00	
20229	0	0	0	0	0	0	0	Start Build 2.00	
20230	0	0	0	0	0	0	0	Start Build 2.00	
20231	0	0	0	0	0	0	0	Start Build 2.00	
20232	0	0	0	0	0	0	0	Start Build 2.00	
20233	0	0	0	0	0	0	0	Start Build 2.00	
20234	0	0	0	0	0	0	0	Start Build 2.00	
20235	0	0	0	0	0	0	0	Start Build 2.00	
20236	0	0	0	0	0	0	0	Start Build 2.00	
20237	0	0	0	0	0	0	0	Start Build 2.00	
20238	0	0	0	0	0	0	0	Start Build	

