

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

JAN 09 2020

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

EMNRD-OCD ARTESIA

WELL API NO.

30-015-46498

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Myox 31 State Com

8. Well Number 502H

9. OGRID Number

229137

10. Pool name or Wildcat

Delaware River; Bone Spring 16800

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

COG Operating LLC

3. Address of Operator

600 W. Illinois Ave., Midland, TX 79701

4. Well Location

Unit Letter O : 290 feet from the South line and 1335 feet from the East line
Section 31 Township 25S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3038' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

COG Operating LLC respectfully requests to change the BHL of this well

FROM: 50' FNL 1980' FEL, Sec 30, T25S, R28E, Unit B

TO: 50' FNL 1814' FEL, Sec 30, T25S, R28E, Unit B

Attached are the revised C102 and directional plan.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Robyn M. Russell TITLE Sr Regulatory Analyst DATE 01/07/2020

Type or print name Robyn M. Russell E-mail address: Russell@concho.com PHONE: (432) 685-4385

For State Use Only

APPROVED BY Raymond M. Russell TITLE Geology DATE 1-29-2020

Conditions of Approval (if any):

1/28/20 KY

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED
JAN 09 2020
EMNRD-OCD AB

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
• District Office

ESIA AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46498		² Pool Code 16800		³ Pool Name Delaware River; Bone Spring	
⁴ Property Code 308744		⁵ Property Name MYOX 31 STATE COM			⁶ Well Number 502H
⁷ OGRID NO. 229137		⁸ Operator Name COG OPERATING, LLC			⁹ Elevation 3038'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
0	31	25S	28E		290	SOUTH	1335	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot 1dn	Feet from the	North/South line	Feet from the	East/West line	County
B	30	25S	28E		50	NORTH	1814	EAST	EDDY

[illegible]

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature Robyn M. Russell Date 01/07/2020
Robyn M. Russell

Printed Name _____
Rrussell@concho.com
E-mail Address _____

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

11-13-19

Date of Survey

Signature and Seal of Professional Surveyor

19680

Certificate Number

Job No.:

LS19111069

Concho Resources LLC

Survey Report

Company:	NORTHERN DELAWARE BASIN		Local Co-ordinate Reference:	Well MYOX 31 ST COM #502H	
Project:	EDDY COUNTY, NM		TVD Reference:	KB=25' @ 3063.0usft (Pioneer 84)	
Site:	MYOX 31 ST COM		MD Reference:	KB=25' @ 3063.0usft (Pioneer 84)	
Well:	MYOX 31 ST COM #502H		North Reference:	Grid	
Wellbore:	OWB		Survey Calculation Method:	Minimum Curvature	
Design:	PWP2		Database:	edm	

Project:	EDDY COUNTY, NM	
Map System:	US State Plane 1927 (Exact solution)	System Datum:
Geo Datum:	NAD 1927 (NADCON CONUS)	Mean Sea Level
Map Zone:	New Mexico East 3001	

Site:	MYOX 31 ST COM	
Site Position:	Map	Northing:
From:		Easting:
Position Uncertainty:	3.0 usft	Slot Radius:
		Latitude:
		Longitude:
		Grid Convergence:

Well:	MYOX 31 ST COM #502H	
Well Position	+N/-S	0.0 usft
	+E/-W	0.0 usft
Position Uncertainty	3.0 usft	Wellhead Elevation:
		Latitude:
		Longitude:
		Ground Level:

Wellbore:	OWB	
Magnetics	Model Name	Sample Date
	IGRF2015	1/6/2020
	Declination	(°)
	Dip Angle	(°)
	Field Strength	(nT)

Design:	PWP2	
Audit Notes:		
Version:	Phase:	PLAN
Vertical Section:	Depth From (TVD)	+N/-S
	(usft)	(usft)
	0.0	0.0
		+E/-W
		(usft)
		0.0
		Direction
		(°)
		357.37

Survey Tool Program	Date	1/6/2020
From	To	Survey (Wellbore)
(usft)	(usft)	
0.0	18,182.9	PWP2 (OWB)
		Tool Name
		MWD+IFR1+FDIR
		Description
		OWSG MWD + IFR1 + FDIR Correction

Planned Survey										
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate	
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)	(°/100usft)	(°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00

Concho Resources LLC

Survey Report

Company:	NORTHERN DELAWARE BASIN	Local Co-ordinate Reference:	Well MYOX 31 ST COM #502H
Project:	EDDY COUNTY NM	TVD Reference:	KB=25' @ 3063.0usft (Pioneer 84)
Site:	MYOX 31 ST COM	MD Reference:	KB=25' @ 3063.0usft (Pioneer 84)
Well:	MYOX 31 ST COM #502H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	PWP2	Database:	edm

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
8,900.0	89.94	0.06	7,912.7	960.0	-480.5	981.0	0.00	0.00	0.00	
9,000.0	89.94	0.06	7,912.8	1,060.0	-480.4	1,080.9	0.00	0.00	0.00	
9,100.0	89.94	0.06	7,912.9	1,160.0	-480.3	1,180.8	0.00	0.00	0.00	
9,200.0	89.94	0.06	7,913.0	1,260.0	-480.2	1,280.7	0.00	0.00	0.00	
9,300.0	89.94	0.06	7,913.1	1,360.0	-480.1	1,380.6	0.00	0.00	0.00	
9,400.0	89.94	0.06	7,913.2	1,460.0	-480.0	1,480.5	0.00	0.00	0.00	
9,500.0	89.94	0.06	7,913.3	1,560.0	-479.8	1,580.4	0.00	0.00	0.00	
9,600.0	89.94	0.06	7,913.4	1,660.0	-479.7	1,680.3	0.00	0.00	0.00	
9,700.0	89.94	0.06	7,913.5	1,760.0	-479.6	1,780.1	0.00	0.00	0.00	
9,800.0	89.94	0.06	7,913.6	1,860.0	-479.5	1,880.0	0.00	0.00	0.00	
9,900.0	89.94	0.06	7,913.7	1,960.0	-479.4	1,979.9	0.00	0.00	0.00	
10,000.0	89.94	0.06	7,913.8	2,060.0	-479.3	2,079.8	0.00	0.00	0.00	
10,100.0	89.94	0.06	7,913.9	2,160.0	-479.2	2,179.7	0.00	0.00	0.00	
10,200.0	89.94	0.06	7,914.0	2,260.0	-479.1	2,279.6	0.00	0.00	0.00	
10,300.0	89.94	0.06	7,914.1	2,360.0	-479.0	2,379.5	0.00	0.00	0.00	
10,400.0	89.94	0.06	7,914.2	2,460.0	-478.9	2,479.4	0.00	0.00	0.00	
10,500.0	89.94	0.06	7,914.3	2,560.0	-478.8	2,579.3	0.00	0.00	0.00	
10,600.0	89.94	0.06	7,914.4	2,660.0	-478.7	2,679.2	0.00	0.00	0.00	
10,700.0	89.94	0.06	7,914.5	2,760.0	-478.6	2,779.0	0.00	0.00	0.00	
10,800.0	89.94	0.06	7,914.6	2,860.0	-478.4	2,878.9	0.00	0.00	0.00	
10,900.0	89.94	0.06	7,914.7	2,960.0	-478.3	2,978.8	0.00	0.00	0.00	
11,000.0	89.94	0.06	7,914.8	3,060.0	-478.2	3,078.7	0.00	0.00	0.00	
11,100.0	89.94	0.06	7,914.9	3,160.0	-478.1	3,178.6	0.00	0.00	0.00	
11,200.0	89.94	0.06	7,915.0	3,260.0	-478.0	3,278.5	0.00	0.00	0.00	
11,300.0	89.94	0.06	7,915.1	3,360.0	-477.9	3,378.4	0.00	0.00	0.00	
11,400.0	89.94	0.06	7,915.2	3,460.0	-477.8	3,478.3	0.00	0.00	0.00	
11,500.0	89.94	0.06	7,915.3	3,560.0	-477.7	3,578.2	0.00	0.00	0.00	
11,600.0	89.94	0.06	7,915.4	3,660.0	-477.6	3,678.0	0.00	0.00	0.00	
11,700.0	89.94	0.06	7,915.5	3,760.0	-477.5	3,777.9	0.00	0.00	0.00	
11,800.0	89.94	0.06	7,915.6	3,860.0	-477.4	3,877.8	0.00	0.00	0.00	
11,900.0	89.94	0.06	7,915.7	3,960.0	-477.3	3,977.7	0.00	0.00	0.00	
12,000.0	89.94	0.06	7,915.8	4,060.0	-477.2	4,077.6	0.00	0.00	0.00	
12,100.0	89.94	0.06	7,915.9	4,160.0	-477.1	4,177.5	0.00	0.00	0.00	
12,200.0	89.94	0.06	7,916.0	4,260.0	-476.9	4,277.4	0.00	0.00	0.00	
12,300.0	89.94	0.06	7,916.1	4,360.0	-476.8	4,377.3	0.00	0.00	0.00	
12,400.0	89.94	0.06	7,916.2	4,460.0	-476.7	4,477.2	0.00	0.00	0.00	
12,500.0	89.94	0.06	7,916.3	4,560.0	-476.6	4,577.1	0.00	0.00	0.00	
12,600.0	89.94	0.06	7,916.4	4,660.0	-476.5	4,676.9	0.00	0.00	0.00	
12,700.0	89.94	0.06	7,916.5	4,760.0	-476.4	4,776.8	0.00	0.00	0.00	
12,800.0	89.94	0.06	7,916.6	4,860.0	-476.3	4,876.7	0.00	0.00	0.00	
12,900.0	89.94	0.06	7,916.7	4,960.0	-476.2	4,976.6	0.00	0.00	0.00	
13,000.0	89.94	0.06	7,916.8	5,060.0	-476.1	5,076.5	0.00	0.00	0.00	
13,100.0	89.94	0.06	7,916.9	5,160.0	-476.0	5,176.4	0.00	0.00	0.00	

Concho Resources LLC

Survey Report

Company:	NORTHERN DELAWARE BASIN	Local Co-ordinate Reference:	Well MYOX 31 ST COM #502H
Project:	EDDY COUNTY, NM	TVD Reference:	KB=25' @ 3063.0usft (Pioneer 84)
Site:	MYOX 31 ST COM	MD Reference:	KB=25' @ 3063.0usft (Pioneer 84)
Well:	MYOX 31 ST COM #502H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	PWP2	Database:	edm

Planned Survey										
Measured Depth (usft)	Inclination (%)	Azimuth (%)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
13,200.0	89.94	0.06	7,917.0	5,260.0	-475.9	5,276.3	0.00	0.00	0.00	
13,300.0	89.94	0.06	7,917.1	5,360.0	-475.8	5,376.2	0.00	0.00	0.00	
13,400.0	89.94	0.06	7,917.2	5,460.0	-475.7	5,476.1	0.00	0.00	0.00	
13,500.0	89.94	0.06	7,917.3	5,560.0	-475.5	5,576.0	0.00	0.00	0.00	
13,600.0	89.94	0.06	7,917.4	5,660.0	-475.4	5,675.8	0.00	0.00	0.00	
13,700.0	89.94	0.06	7,917.5	5,760.0	-475.3	5,775.7	0.00	0.00	0.00	
13,800.0	89.94	0.06	7,917.6	5,860.0	-475.2	5,875.6	0.00	0.00	0.00	
13,900.0	89.94	0.06	7,917.7	5,960.0	-475.1	5,975.5	0.00	0.00	0.00	
14,000.0	89.94	0.06	7,917.8	6,060.0	-475.0	6,075.4	0.00	0.00	0.00	
14,100.0	89.94	0.06	7,917.9	6,160.0	-474.9	6,175.3	0.00	0.00	0.00	
14,200.0	89.94	0.06	7,918.0	6,260.0	-474.8	6,275.2	0.00	0.00	0.00	
14,300.0	89.94	0.06	7,918.1	6,360.0	-474.7	6,375.1	0.00	0.00	0.00	
14,400.0	89.94	0.06	7,918.2	6,460.0	-474.6	6,475.0	0.00	0.00	0.00	
14,500.0	89.94	0.06	7,918.3	6,560.0	-474.5	6,574.8	0.00	0.00	0.00	
14,600.0	89.94	0.06	7,918.4	6,660.0	-474.4	6,674.7	0.00	0.00	0.00	
14,700.0	89.94	0.06	7,918.5	6,760.0	-474.3	6,774.6	0.00	0.00	0.00	
14,800.0	89.94	0.06	7,918.6	6,860.0	-474.1	6,874.5	0.00	0.00	0.00	
14,900.0	89.94	0.06	7,918.7	6,960.0	-474.0	6,974.4	0.00	0.00	0.00	
15,000.0	89.94	0.06	7,918.8	7,060.0	-473.9	7,074.3	0.00	0.00	0.00	
15,100.0	89.94	0.06	7,918.9	7,160.0	-473.8	7,174.2	0.00	0.00	0.00	
15,200.0	89.94	0.06	7,919.0	7,260.0	-473.7	7,274.1	0.00	0.00	0.00	
15,300.0	89.94	0.06	7,919.1	7,360.0	-473.6	7,374.0	0.00	0.00	0.00	
15,400.0	89.94	0.06	7,919.2	7,460.0	-473.5	7,473.9	0.00	0.00	0.00	
15,500.0	89.94	0.06	7,919.3	7,560.0	-473.4	7,573.7	0.00	0.00	0.00	
15,600.0	89.94	0.06	7,919.4	7,660.0	-473.3	7,673.6	0.00	0.00	0.00	
15,700.0	89.94	0.06	7,919.5	7,760.0	-473.2	7,773.5	0.00	0.00	0.00	
15,800.0	89.94	0.06	7,919.6	7,860.0	-473.1	7,873.4	0.00	0.00	0.00	
15,900.0	89.94	0.06	7,919.7	7,960.0	-473.0	7,973.3	0.00	0.00	0.00	
16,000.0	89.94	0.06	7,919.8	8,060.0	-472.9	8,073.2	0.00	0.00	0.00	
16,100.0	89.94	0.06	7,919.9	8,160.0	-472.7	8,173.1	0.00	0.00	0.00	
16,200.0	89.94	0.06	7,920.0	8,260.0	-472.6	8,273.0	0.00	0.00	0.00	
16,300.0	89.94	0.06	7,920.1	8,360.0	-472.5	8,372.9	0.00	0.00	0.00	
16,400.0	89.94	0.06	7,920.2	8,460.0	-472.4	8,472.8	0.00	0.00	0.00	
16,500.0	89.94	0.06	7,920.3	8,560.0	-472.3	8,572.6	0.00	0.00	0.00	
16,600.0	89.94	0.06	7,920.4	8,660.0	-472.2	8,672.5	0.00	0.00	0.00	
16,700.0	89.94	0.06	7,920.5	8,760.0	-472.1	8,772.4	0.00	0.00	0.00	
16,800.0	89.94	0.06	7,920.6	8,860.0	-472.0	8,872.3	0.00	0.00	0.00	
16,900.0	89.94	0.06	7,920.7	8,960.0	-471.9	8,972.2	0.00	0.00	0.00	
17,000.0	89.94	0.06	7,920.8	9,060.0	-471.8	9,072.1	0.00	0.00	0.00	
17,100.0	89.94	0.06	7,920.9	9,160.0	-471.7	9,172.0	0.00	0.00	0.00	
17,200.0	89.94	0.06	7,921.0	9,260.0	-471.6	9,271.9	0.00	0.00	0.00	
17,300.0	89.94	0.06	7,921.1	9,360.0	-471.5	9,371.8	0.00	0.00	0.00	
17,400.0	89.94	0.06	7,921.2	9,460.0	-471.3	9,471.6	0.00	0.00	0.00	
17,500.0	89.94	0.06	7,921.3	9,560.0	-471.2	9,571.5	0.00	0.00	0.00	

Concho Resources LLC

Survey Report


Company:	NORTHERN DELAWARE BASIN	Local Co-ordinate Reference:	Well: MYOX 31 ST COM #502H
Project:	EDDY COUNTY, NM	TVD Reference:	KB=25' @ 3063.0usft (Pioneer 84)
Site:	MYOX 31 ST COM	MD Reference:	KB=25' @ 3063.0usft (Pioneer 84)
Well:	MYOX 31 ST COM #502H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	PWP2	Database:	edim

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
17,600.0	89.94	0.06	7,921.4	9,660.0	-471.1	9,671.4	0.00	0.00	0.00
17,700.0	89.94	0.06	7,921.5	9,760.0	-471.0	9,771.3	0.00	0.00	0.00
17,800.0	89.94	0.06	7,921.6	9,860.0	-470.9	9,871.2	0.00	0.00	0.00
17,900.0	89.94	0.06	7,921.7	9,960.0	-470.8	9,971.1	0.00	0.00	0.00
18,000.0	89.94	0.06	7,921.8	10,060.0	-470.7	10,071.0	0.00	0.00	0.00
18,100.0	89.94	0.06	7,921.9	10,160.0	-470.6	10,170.9	0.00	0.00	0.00
18,182.9	89.94	0.06	7,922.0	10,242.9	-470.5	10,253.7	0.00	0.00	0.00
TD at 18182.9									

Design Targets									
Target Name	- hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude Longitude
FTP (MYOX 31 ST CC)	- plan misses target center by 215.4usft at 7850.6usft MD (7773.2 TVD, -49.8 N, -393.6 E)	0.00	0.01	7,912.0	-189.5	-480.8	392,558.30	565,028.00	32° 4' 44.704 N 104° 7' 24.174 W
	- Circle (radius 50.0)								
LTP (MYOX 31 ST CC)	- plan misses target center by 33.0usft at 18100.0usft MD (7921.9 TVD, 10160.0 N, -470.6 E)	0.00	0.00	7,922.0	10,192.9	-468.9	402,940.70	565,039.90	32° 6' 27.454 N 104° 7' 23.801 W
	- Point								
PBHL (MYOX 31 ST CC)	- plan hits target center	-0.06	179.06	7,922.0	10,242.9	-470.5	402,990.70	565,038.30	32° 6' 27.948 N 104° 7' 23.819 W
	- Rectangle (sides W100.0 H10,531.8 D20.0)								

Plan Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
2500	2500	0	0	Start Build 2.00
2750	2750	-6	-9	Start 4585.0 hold at 2750.0 MD
7335	7317	-241	-332	Start DLS 10.00 TFO 118.16
8258	7912	319	-455	Start DLS 2.00 TFO 89.99
8649	7912	709	-481	Start 9534.3 hold at 8648.6 MD
18,183	7922	10,243	-471	TD at 18182.9



Checked By: _____ Approved By: _____ Date: _____



Project: EDDY COUNTY, NM
Site: MFOX 31 ST COM #502H
Well: MFOX 31 ST COM #502H
Wellbore: OVB
Design: PWP2
CL: 3078.0
KB=25 @ 3062.8usr (Pioneer 54)

WELL DETAILS: MFOX 31 ST COM #502H					
N-S	E-W	Northings	Eastings	Latitude	Longitude
0.0	0.0	382747.80	545509.85	32° 4' 48.570 N	104° 7' 18.582 W

DESIGN TARGET DETAILS					
Name	TVD	N-S	E-W	Northings	Eastings
FTP (MFOX 31 ST COM #502H) 118.0	118.0	-189.3	-480.3	383358.35	545538.00
LTP (MFOX 31 ST COM #502H) 222.0	222.0	10192.9	-488.9	492740.76	545539.80
PBHL (MFOX 31 ST COM #502H) 22.0	22.0	10042.9	-470.3	492990.76	545538.30



MFOX 31 ST COM #502H											
MD	Inc	Adj	TVD	N-S	E-W	Mag	True	W	V	Section	Annotation
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	0.0		Start Build 2.00
2500.0	0.00	0.00	2500.0	0.0	0.0	0.00	0.00	0.0	0.0		Start 1285.0 hole at 2750.0 MD
2750.0	3.00	274.00	2745.7	-4.4	-4.4	2.00	274.00	0.0	0.0		Start DLS 10.00 TPO 118.16
7330.0	5.00	734.00	7337.2	-341.3	-352.1	0.00	0.00	-325.8			Start DLS 2.00 TPO 88.36
8280.0	80.84	-252.75	7912.0	319.3	-454.8	10.00	111.16	338.7			Start 9534.3 hole at 8848.6 MD
8848.6	83.84	0.00	7912.4	208.6	-480.8	2.00	83.89	723.9			TD at 18182.8
18182.8	83.84	0.00	7922.0	102.23	-470.8	0.00	5.00	10283.7			

