

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

MAR 05 2020

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or re-complete an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM56428

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
PAVO FRIO 29/28 B3BA FED COM 1H9. API Well No.
30-015-46017-00-X110. Field and Pool or Exploratory Area
PALMILLO-BONE SPRING, EAST11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
MEWBOURNE OIL COMPANYContact: JACKIE LATHAN
E-Mail: jlathan@mewbourne.com3a. Address
P O BOX 5270
HOBBS, NM 882413b. Phone No. (include area code)
Ph: 575-393-5905
Fx: 575-393-5905

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 29 T18S R29E NWNE 500FNL 2600FEL
32.724319 N Lat, 104.096786 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

01/23/2020

Spud 17 1/2" hole @ 346'. Ran 331' of 13 3/8" 54.5# J55 ST&C csg. Cemented w/300 sks Class C w/additives. Mixed @ 12.5#/g w/2.12 yd. Displaced w/45 bbls of BW. Plug down @ 4:00 P.M.
01/24/2020. Did not circ cmt to surface. Lift pressure 120# @ 4 BPM. Ran temp surv indicating TOC @ 120?. TIH with 1? pipe. Tag @ 120?. Ran 1? pipe in 3 stages with 400 sks Class C w/4% CaCl2. Mixed @ 12.5#/g w/2.12 yd. Circ 207 sks of cmt to the cellar. Test BOPE to 5000# & Annular to 3500#. At 11:30 P.M. 12/26/19, tested csg to 1500# for 30 mins, held OK. FIT to 10.5 PPG EMW. Drilled out with 12 1/4" bit.

Charts, Schematic & temp surv attached.

01/27/2020

RECEIVED

MAR 05 2020

GC
Accepted for record - NMOC

EMNRD-OCD ARTESIA

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #503833 verified by the BLM Well Information System
For MEWBOURNE OIL COMPANY, sent to the Carlsbad
Committed to AFMS for processing by PRISCILLA PEREZ on 02/20/2020 (20PP1284SE)

Name (Printed/Typed) RUBY CABALLERO

Title CLERK

Signature (Electronic Submission)

Date 02/19/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

JONATHON SHEPARD
PETROLEUM ENGINEER

Date 02/20/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

3/23/20AB

Additional data for EC transaction #503833 that would not fit on the form

32. Additional remarks, continued

TD'ed 12 1/4" hole @ 1324'. Ran 1326' of 9 5/8" 36# J55 LT&C Csg. Cemented with 225 sks Class C w/additives. Mixed @ 13.5#/g w/1.70 yd. Tail w/200 sks Class C w/0.5% CaCl₂. Mixed @ 14.8#/g w/1.33 yd. Displaced w/100 bbl of FW. Plug down @ 2:00 A.M. 01/28/20. Circ 299 sks of cmt to the pits. Set Cameron mandrel hanger through BOP w/100k#. At 12:45 P.M. 01/28/20, tested csg to 1500# for 30 mins, held OK. FIT test to EMW of 9.5 PPG. Drilled out with 8 3/4" bit.

02/05/2020

TD'ed 8 3/4" hole @ 8790'. Ran 8775' of 7" 29# HCP110 LT&C csg. Cemented w/600 sks Class C w/additives. Mixed @ 11.5#/g w/2.44 yd. Tail w/400 sks Class H w/additives. Mixed @ 15.6#/g w/1.18 yd. Displaced w/323 bbls OBM. Set Cameron mandrel hanger through BOP w/250K#. Plug down @ 1:15 P.M. 02/06/20. Circ 309 sks to pits. At 6:30 A.M. 02/07/20, tested csg to 1500# 30 mins, held OK. FIT test to 10.5 PPG EMW. Drilled out with 6 1/8" bit.

Bond on file: NM1693 nationwide & NMB000919

of casing or liner. **NMAC Rules: 19.15.7.11 & 19.15.7.14 C&D;** Within 10 days following the commencement of drilling operations, the operator shall file a report of casing and cement test within 10 days following the setting of each string of casing or liner.

Revisions to Operator-Submitted EC Data for Sundry Notice #503833

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD NOI	SPUD NOI
Lease:	NMNM56428	NMNM56428
Agreement:		
Operator:	MEWBOURNE OIL COMPANY PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905	MEWBOURNE OIL COMPANY P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905
Admin Contact:	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com Ph: 575-393-5905	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com Ph: 575-393-5905 Fx: 575-393-5905
Tech Contact:	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com Ph: 575-393-5905 Ext: 5032	RUBY CABALLERO CLERK E-Mail: rojeda@mewbourne.com Ph: 575-393-5905
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PALMILLO EAST BONE SPRING	PALMILLO-BONE SPRING, EAST
Well/Facility:	PAVO FRIO 29/28 B3BA FED COM 1H Sec 29 T18S R29E Mer NMP NENE 500FNL 2600FEL	PAVO FRIO 29/28 B3BA FED COM 1H Sec 29 T18S R29E NWNE 500FNL 2600FEL 32.724319 N Lat, 104.096786 W Lon