District I PO Box 1980, Hobbs, NM 88241-1980

District II 811 South First, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505 State of New Mexico.

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco OCO Santa Fe, NM 87505

Form C-101
Revised October 18, 1994
Instructions on back
Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Mewbourne Oil Company P.O. Box 5270	Operator Name and Address	01631934	₂OGRID Number 14744
Hobbs, NM 88241 (505)393-5905			30 - 0 15 - 32904
₄Property Code	₅Property Name		₅Well No.
	Foster Draw "8" State Com		#1

⁷Surface Location

UL or lat no.	Section 8	Township 21S	Range 27E	Lot Idn	Feet from the 1510	North/South line South	Feet from the 660	East/West Line East	County Eddy
L		,Prop	osed B	ottom I	Hole Location	on If D			

∘Proposed Pool 1 Burton Flat Morrow	UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/S	Cement to cover all oil, gas and water bearing zones.	
Burton Flat Morrow			∘Proposed	Pool 1					
Date of Flaction of	Burton Flat I	Morrow							

11Work Type Code	₁₂Well Type Code	₁₃Cable/Rotary	14Lease Type Code	₁₅ Ground Level Elevation
N	G	R	S	3263
16Multiple No	17Proposed Depth 11800	18Formation Morrow	19Contractor Unknown	20Spud Date 08-09-03

21 Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17-1/2"	13-3/8"	48#	400	400	Circ. to Surface
12-1/4"	9-5/8"	40#	2600	1200	Circ. to Surface
8-3/4"	5-1/2"	17#	11800	1200	500' Above Wolfcamp

²²Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

BOP Program: 2K Hydril (See Exhibit #2) from surface casing to intermediate TD. Schaffer LWS or equivalent

(Double-Ram Hydraulic) 1500 series with Hydril 900 series (See Exhibit #2A) from intermediate casing to total depth. Rotating Head, PVT, Flow Monitors, and mud gas Seperator from the

Wolfcamp to TD.

Mud Program:

0 to 400' Fresh Water, spud mud, lime for PH, and LCM as needed for seepage.

400 to 2600' Fresh Water, lime for PH, and LCM as needed for seepage.

2600 to TD 9.3 to 10# Brine, Caustic for PH, Starch for WL Control, and LCM as needed for seepage.

²⁸ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION							
Signature: Sun Buh	Approved By: ORIGINAL SIGNED BY TIM W. GUM							
Printed name: Terry Burke	Title: DISTRICT II SUPERVISOR							
Title: Drilling Foreman	Approval Date: 311 2 7 2013 Expiration Date: 311 2 7 2004							

DISTRICT I 1625 N. French Dr., Hobbs, NM 85240 DISTRICT II 811 South First, Artesia, NM 88210

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised March 17, 1999

Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV 2040 South Pacheco, Santa Fe, NM 87505

OIL CONSERVATION DIVISION

2040 South Pacheco Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Code Pool Name Burton Flat Morrow					
Property Code	Property Na	me	Well Number				
	FOSTER DRA	1					
OGRID No.	Operator Name						
14744	MEWBOURNE OIL COMPANY 3263						


Surface Location

١	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	ι	8	21 S	27 E		1510	SOUTH	660	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	or Infill C	onsolidation	Code Or	der No.				1
320			•	İ					

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Mewbourne Oil Company BOP Scematic for 12 1/4" Hole





Exhibit #2

Foster Draw "8" State Com # 1 1510' FSL & 660' FEL Sec.8-21S; R27E Eddy County, New Mexico

Mewbourne Oil Company **BOP Scematic for** 8 3/4" or 7 7/8" Hole



Eddy County, New Mexico

Hydrogen Sulfide Drilling Operations Plan Mewbourne Oil Company

Foster Draw "8" State Com # 1 1510' FSL & 660' FEL Section 8- T21S-R27E Eddy County, New Mexico

1. Hydrogen Sulfide Training

All personnel, whether regularly assigned, contracted, or employed on an unscheduled basis, will have received training from a qualified instructor in the following areas prior to entering the drilling pad area of the well:

- 1 The hazards and characteristics of hydrogen sulfide gas.
- 2 The proper use of personal protective equipment and life support systems.
- The proper use of hydrogen sulfide detectors, alarms, warning systems, briefing areas, evacuation procedures.
- 4 The proper techniques for first aid and rescue operations.

Additionally, supervisory personnel will be trained in the following areas:

- The effects of hydrogen sulfide on metal components. If high tensile tubular systems are utilized, supervisory personnel will be trained in their special maintenance requirements.
- 2 Corrective action and shut in procedures, blowout prevention, and well control procedures while drilling a well.
- The contents of the Hydrogen Sulfide Drilling Operations Plan.

There will be an initial training session prior to encountering a know hydrogen sulfide source. The initial training session shall include a review of the site specific Hydrogen Sulfide Drilling Operations Plan.

2. Hydrogen Sulfide Safety Equipment and Systems

All hydrogen sulfide safety equipment and systems will be installed, tested, and operational prior to drilling below the intermediate casing.

1. Well Control Equipment

- A. Flare line with automatic igniter or continuous ignition source.
- B. Choke manifold with minimum of one adjustable choke.
- C. Blowout preventers equipped with blind rams and pipe rams to accommodate all pipe sizes with properly sized closing unit
- D. Auxiliary equipment including rotating head and annular type blowout preventer..

2. <u>Protective Equipment for Essential Personnel</u>

Thirty minute self contained work unit located at briefing area as indicated on wellsite diagram.

3. <u>Hydrogen Sulfide Protection and Monitoring Equipment</u>

Two portable hydrogen sulfide monitors positioned on location for optimum coverage and detection. The units shall have audible sirens to notify personnel when hydrogen sulfide levels exceed 20 ppm.

4. Visual Warning Systems

- A. Wind direction indicators as indicated on the wellsite diagram.
- B. Caution signs shall be posted on roads providing access to location. Signs shall be painted a high visibility color with lettering of sufficient size to be readable at reasonable distances from potentially contaminated areas.

3. Mud Program

The mud program has been designed to minimize the amount of hydrogen sulfide entrained in the mud system. Proper mud weight, safe drilling practices, and the use of hydrogen sulfide scavengers will minimize hazards while drilling the well.

4. Metallurgy

All tubular systems, wellheads, blowout preventers, drilling spools, kill lines, choke manifolds, and valves shall be suitable for service in a hydrogen sulfide environment when chemically treated.

5. Communications

State & County Officials phone numbers are posted on rig floor and supervisors trailer. Communications in company vehicles and toolpushers are either two way radios or cellular phones.

6. Well Testing

Drill stem testing is not an anticipated requirement for evaluation of this well. A drill stem test is required, it will be conducted with a minimum number of personnel in the immediate vicinity. The test will be conducted during daylight hours only.

7. General Requirements

MOC has researched this area and no high concentrations of H2S was found. MOC will have on location and working all H2S safety equipment before Yates and Delaware formations.

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 DISTRICT II 811 South First, Artesia, NM 88210

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised March 17, 1999

Submit to Appropriate District Office

State Lease - 4 Copies Fee Lesse - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

2040 South Pacheco, Santa Fe, NM 87505

API Number

DISTRICT IV

OIL CONSERVATION DIVISION 2040 South Pacheco

Pool Code

Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

			<u> </u>										
Property (roperty Code Property Name								Well Number				
					FOSTER	DRAW	/ "8"		1				
OGRID N	o.					ion							
				ME		326	3'						
		Surface Location											
UL or lot No.	Section	Township	Range	Lot Id	dn Feet fro	m the	North/South line	Feet from the	East/West line	County			
1	8	21 5	27 E		15	10	SOUTH	660	EAST	EDDY			
		face		<u>. </u>									
UL or lot No.	Section	Township	Range	Lot I	dn Feet fro	m the	North/South line	Feet from the	East/West line	County			
Dedicated Acre	s Joint o	or Infill C	onsolidation	Code	Order No.								
NO ALLO	OWABLE V						UNTIL ALL INTER APPROVED BY '		EEN CONSOLIDA	ATED			
						 T		ODED4E	D CEDEUTCAI	TYON!			
						-		OPERATO	OR CERTIFICAT	NOL			
				1		1		1 1	ny certify the the in In is true and compl				
				1		1		1 3	nt is true and compi wledge and belief.	ere to me			
	1					Ì							
11	į			į		i				1			
[]	ľ					i							
				↓		+		Signature					
						}		Printed Nan	ne				
	i					 							
						i		Title					
						1		Date					
						 		SURVEY	OR CERTIFICA	TION			
					Ç. A.Ç			11 7 3	y that the well loca	1			
)		1		1		1 1	vas plotted from fiel s made by me or				
		[l				11	nd that the same i	- 1			
				LONG	- N32'29'29.9 - W104'12'	19.5"		correct to t	he best of my beli	ef.			
						1	,	ا ا	INE 05, 2003				
		ł				1	○ 660'-	Date Survey	CARY L. JONES	$\overline{}$			
11		+	_ — — —	+-		-+	<u>_</u> †	Signature &	Seel of	1			
						1		Liolessions	Seel of				
						1	I	K TH					
		1				i	510'	J. Clark	777				
		I				i	"	113	Q. Wa- 3341	X			
		l		1		ĺ			No ROGATY LAURA	7977			
		<u> </u>				!	ļ	1 1	BASIN SURVEYS				
1				_1					DADIN DUKYETO				