Form 3160-5 (April 2004)

UNITEDSTATES

FORMAPPROVED OM B No. 1004-0137

]	DEPARTMENT OF THE IN			Expires: March 31, 2007			
]	BUREAU OF LAND MANAGI	[5A] ease Serial No.					
SUNDRY	NOTICES AND REPOR	rts on Wei	LLS	NMNM-02860			
	nis form for proposals to d			6. If Indian, Allottee or Tribe Name			
abandoned w	ell. Use Form 3160 - 3 (API	D) for such pro	posals.				
CHIDMIT IN TD	IPLICATE - Other instructi	ions on rover	so side	7. If Unit or CA/Agreement, Name and/or No.			
		- On Tever		NMNM-71016X			
1. Type of Well X Oil Well	Gas Well Other		RECEIVED	8. Well Name and No.			
	h-quesari		JUN 0 6 7006	Poker Lake Unit #247			
Name of OperatorBass Enterprises Product	rtion Co		MUNITEON	9. API Well No.			
3a. Address		. PhoneNo. (includ	e area code)	^{††} 30-015-34467			
P. O. Box 2760 - Midlar	nd, TX 79702	(432)683-22	77	10. Field and Pool, or Exploratory Area			
4. Location of Well (Footage, Se	ec., T., R., M., or Survey Description		Nash Draw (Delaware, BS, Avalon)				
NWSW 1805' FNL, 660'		11. County or Parish, State					
Lat - N 32.205417 deg, l		Eddy New Mexico					
12. CHECK A	PPROPRIATE BOX(ES)TO INI	DICATE NATUL	E OF NOTICE, RI	EPORT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION					
	Acidize	Deepen	Production (Sta	rt/Resume)			
Notice of Intent	AlterCasing	FractureTreat	Reclamation	Well Integrity			
X Subsequent Report	Casing Repair	New Construction	Recomplete	X Other Drilling			
		Plug and Abandon	Temporarily Ab	andon Operations			
Final Abandonment Notice	Convert to Injection	PlugBack	Water Disposal				
If the proposal is to deepen di Attach the Bond under which following completion of the in testing has been completed. F determined that the site is read Spudded well at 2:00 at 5/8", 32#, J-55, LTC ca 3% S1 + 6% D20 + 1/4 S1 tail (14.8 ppg, yld 1.3	rectionally or recomplete horizontally, g the work will be performed or provide wolved operations. If the operation resu inal Abandonment Notices shall be filed	give subsurface locations the Bond No. on file alts in a multiple combined only after all required 2-1/4" hole to 8 with 290 sx 3 d 1.98) and 21 urface. WOC 1	ons and measured and to with BLM/BIA. Requipletion or recompletion ements, including reclamations and the second s	ACCEPTED FOR DE-			
& 35 jts 17#, J-55 LTC	casing & set at 7634'. Cem	ented with 710	sx LiteCrete + :	2			
pps D153 + 2 pps D24 (10.2 ppg, vld 2.41), 33	+ 0.05 gps D604 + 0.03 gp 0 sx LiteCrete + 2 pps D15	S M45 + 0.04 (3 + 2 nns D24	gps D801 lead + 0.05 aps	11111 0 0000			
	15 + 0.04 gps D801 tail (10.			JUN - 2 2006			
temperature survey 322	20'.		,	anst			
Released rig at 3:30 an	n CST on 5/15/06. Prep for	completion.		ALEXIS C. SWOBODA			
				PETROLEUM ENGINEER			
14. I hereby certify that the for Name (Printed/Typed)	egoing is true and correct	4					
Annette Childers		Title	Administrative A	Assistant			
Signature Connet	te Childers	Date	05/23/2006				

certify that the applicant holds legal or equitable title to those rights in the subject lease Office which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Date

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Conditions of approval, if any, are attached. Approval of this notice does not warrant or

PRECISION PRESSURE DATA, INC.

TEMPERATURE SURVEY REPORT

Company _	BASS ENTERPRIS	ES	Lease	POKER LAKE	Well#	247
Field			County	EDDY	State	NEW MEXICO
Survey Date	5/15/06		Time		Company Rep.	ORLANDO
		Top of Cem	ent	3220		
		Total Depth		7575		
		Zero @		GL		
		Plug Down (@	5/15/06 @ 01:00		
		Casing Size		5 1/2		
		Hole Size		7 7/8		
		Sacks of Ce	ment	900 +		
' '',		Ran By		C. HOMER		
		Calculated F	λ,	D. WEST		

TEMPERATURE SURVEY REPORT

