District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\overline{\overline{N}} \) No \(\overline{\overline{N}} \)

	or below-grade tank Closure of a pit or below-gr	
Operator: EOG RESOURCES, INC. Telepho	ne:e-mail address:	
Address: PO BOX 2267, MIDLAND TX 79702		
Facility or well name: Yellow R7 Fee #2-H API#: 3	30-015-34485 U/L or Qtr/Qtr SE	7 T 16S R25F
County: Latitude	Longitude	NAD: 1927 🗌 1983 🗍
Surface Owner: Federal State Private Indian		·
Pit 2.4	Below-grade tank	RECEIVED
Type: Drilling [Production Disposal]	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material: JUN 1 3 2006	
Lined Unlined	Double-walled, with leak detection? Yes [] If not, explain why not.	
Liner type: Synthetic \(\mathbb{I}\) Thickness \(\begin{array}{c} 12\) mil Clay \(\mathbb{I}\) Pit Volume \(\frac{20}{3}\), \(\text{OQQ}_1\)		
Public and unto Gustinal distance from bottom of sit to accord	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
migh water cicyation of ground water.)	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No)	((0 points)
awards sources, or east tial 1000 feet from an outer water sources.)	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	1000 feet of more	(o points)
	Ranking Score (Total Points)	
your are burying in place) onsite \(\subseteq \) offsite \(\subseteq \) If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No \(\subseteq \) \(\subseteq \) Attach soil sample results and a diagram of sample locations and excavate	es 🔲 If yes, show depth below ground surface	
Additional Comments: All contents will be mixed	l to stiffen, encapsulation t	rench will be dug and
lined with 12-mil liner; drilling mud w	•	•
liner will be placed over the pit conte		-
trench will then be backfilled to grade	•	•
material.		can so if and fine
I hereby certify that the information above is true and complete to the best of has been/will be constructed or closed according to NMOCD guidelines	of my knowledge and belief. I further certify that the KK a general permit , or an (attached) alternate	he above-described pit or below-grade tank tive OCD-approved plan 🗇.
Date: 6/13/2006 Morgan Tools Co. LLC		
Printed Name/Title Stephen Wilson, Foreman	Signature Steshew Uulo	~~
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents e operator of its responsibility for compliance with an	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or
Approval: Printed Name/Title	Signature	Date: JUN 1-6-2006