District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

office

Pit or Below-Grade Tank Registration or Closure

e-mail address:    34494
Longitude NAD: 1927 1983 200 ade tank bbl Type of fluid:
Longitude NAD: 1927 1983 200 ade tank bbl Type of fluid:
bbl Type of fluid:  ion material:  yalled, with leak detection? Yes If not, explain why not.  50 feet  more, but less than 100 feet  r more  (20 points)  (10 points)  (20 points)  (10 points)
bbl Type of fluid:
bbl Type of fluid:
ion material:    JUN 1 3 200
alled, with leak detection? Yes  If not, explain why not.  50 feet
salled, with leak detection? Yes  If not, explain why not.  50 feet
50 feet  more, but less than 100 feet  r more  (20 points)  (20 points)  (20 points)  (20 points)  (20 points)  (20 points)  (10 points)
more, but less than 100 feet (10 points) (20 points) (10 points) (20 points) (20 points) (20 points) (10 points) (10 points) (10 points) (10 points)
200 feet (20 points)  r more, but less than 1000 feet (10 points)  or more (0 points)
(20 points) (0 points)  200 feet (20 points) r more, but less than 1000 feet (10 points) or more (0 points)
200 feet (20 points) r more, but less than 1000 feet (10 points) or more (0 points)
200 feet (20 points) r more, but less than 1000 feet (10 points) or more (0 points)
200 feet (20 points) r more, but less than 1000 feet (10 points) or more (0 points)
or more (10 points) (10 points)
or more ( 0 points)
Score (Total Points)
to other equipment and tanks. (2) Indicate disposal location: (check the onsite bo  (3) Attach a general description of remedial action taken includes, show depth below ground surfaceft. and attach sample results.
iffen, encapsulation trench will be dug and
placed in lined trench; a 20-mil synthetic
th a 3' to 4' overlap. The encapsulation
a minimum of 3' of clean soil and like
- i -