Office <u>District I</u>	State of	f New Mexico	Form C-103
	Energy, Minerals	s and Natural Resources	May 27, 2004
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSER	VATION DIVISION	30-015-34898 5. Indicate Type of Lease
District III	1220 South St. Francis Dr.		STATE   FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa F	Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM			
87505 SUNDRY NOT	ICES AND REPORTS C	N WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROP	DSALS TO DRILL OR TO DEI	EPEN OR PLUG BACK TO A	The state of the s
DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	ICATION FOR PERMIT" (FOI	RM C-101) FOR SUCH	Lake Wood "15"
1. Type of Well: Oil Well	Gas Well  Other		8. Well Number 6
2. Name of Operator		RECEIVED	9. OGRID Number
Pogo Producing Company		JUN 1 4 2006	017891
3. Address of Operator	702 7240		10. Pool name or Wildcat
P. O. Box 10340, Midland, TX 7	9/02-/340 	UUU-MHTESIA	Wildcat - Cisco
4. Well Location			
	: 1980 feet from the		
Section 15	Township		NMPM Eddy County
	11. Elevation (Show w	vhether DR, RKB, RT, GR, etc	
Pit or Below-grade Tank Application			
		earest fresh water well Dis	stance from nearest surface water
Pit Liner Thickness: mi			onstruction Material
		ndicate Nature of Notice,	
12. Check	Appropriate Dox to it	ndicate tratule of fronce,	Report of Other Data
NOTICE OF II	NTENTION TO:	SUE	SSEQUENT REPORT OF:
PERFORM REMEDIAL WORK			
TEMPORARILY ABANDON	•		ILLING OPNS.⊠ PAND A □
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	IT JOB
OTHER:		□ OTHER:	
- · · · - · · · · · · · · · · · · · · ·	pleted operations (Clear		nd give pertinent dates, including estimated date
13. Describe proposed or com	picica operations. (Cicar		
of starting any proposed w		For Multiple Completions: A	ttach wellbore diagram of proposed completion
		For Multiple Completions: A	ttach wellbore diagram of proposed completion
of starting any proposed w		For Multiple Completions: A	ttach wellbore diagram of proposed completion
of starting any proposed woor recompletion.	ork). SEE RULE 1103.		
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C	ork). SEE RULE 1103. apstar #9. Spud well @ 0	06:00 hrs 06/09/06. Drld 17-	1/2" hole to 520'. TD reached @ 20:30 hrs
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H	ork). SEE RULE 1103. apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w	06:00 hrs 06/09/06. Drld 17- v 225 sks 65:35 "C" @ 12.8 pj	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs	ork). SEE RULE 1103.  apstar #9. Spud well @ 0  I-40 ST&C csg. Cmt'd w  06/10/06. Circ 86 sks to s	06:00 hrs 06/09/06. Drld 17- 225 sks 65:35 "C" @ 12.8 pp surface. WOC 12 hrs. Make o	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @ cut-off. Weld on 13-3/8" conductor.
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs	apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w 06/10/06. Circ 86 sks to s	06:00 hrs 06/09/06. Drld 17- 225 sks 65:35 "C" @ 12.8 pp surface. WOC 12 hrs. Make of	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs  I hereby certify that the information grade tank has been/will be constructed of	apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w 06/10/06. Circ 86 sks to s	o6:00 hrs 06/09/06. Drld 17- of 225 sks 65:35 "C" @ 12.8 pp surface. WOC 12 hrs. Make of the contract of the best of my knowled, of guidelines \( \sum_{\text{, a general permit}} \)	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @ cut-off. Weld on 13-3/8" conductor.  ge and belief. I further certify that any pit or below-or an (attached) alternative OCD-approved plan
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs	apstar #9. Spud well @ 0 I-40 ST&C csg. Cmt'd w 06/10/06. Circ 86 sks to s	06:00 hrs 06/09/06. Drld 17- 225 sks 65:35 "C" @ 12.8 pp surface. WOC 12 hrs. Make of	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @ cut-off. Weld on 13-3/8" conductor.
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE	apstar #9. Spud well @ 0 1-40 ST&C csg. Cmt'd w 06/10/06. Circ 86 sks to s	o6:00 hrs 06/09/06. Drld 17- 225 sks 65:35 "C" @ 12.8 pp surface. WOC 12 hrs. Make of ete to the best of my knowled; D guidelines  TITLE Sr. Eng Tech	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @ cut-off. Weld on 13-3/8" conductor.  ge and belief. I further certify that any pit or below-lor an (attached) alternative OCD-approved plan  DATE 06/12/06
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE  Type or print name Cathy Wright	apstar #9. Spud well @ 0 1-40 ST&C csg. Cmt'd w 06/10/06. Circ 86 sks to s above is true and compler closed according to NMOCI	ete to the best of my knowledge of guidelines , a general permit TITLE Sr. Eng Tech	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @ cut-off. Weld on 13-3/8" conductor.  ge and belief. I further certify that any pit or below-or an (attached) alternative OCD-approved plan
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE  Type or print name Cathy Wright For State Use Only	apstar #9. Spud well @ 0 1-40 ST&C csg. Cmt'd w 06/10/06. Circ 86 sks to s	ete to the best of my knowledge of guidelines , a general permit TITLE Sr. Eng Tech	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @ cut-off. Weld on 13-3/8" conductor.  ge and belief. I further certify that any pit or belowdor an (attached) alternative OCD-approved plan □.  DATE 06/12/06  Telephone No. 432-685-8100
of starting any proposed wor recompletion.  Spud & Set Surface Csg – MIRU C 06/09/06. Ran 12 jts 13-3/8" 48# H 14.8 ppg. Plug down @ 14:00 hrs  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE  Type or print name Cathy Wright	apstar #9. Spud well @ 0 1-40 ST&C csg. Cmt'd w 06/10/06. Circ 86 sks to s above is true and compler closed according to NMOCI	ete to the best of my knowledge of guidelines , a general permit TITLE Sr. Eng Tech	1/2" hole to 520'. TD reached @ 20:30 hrs og followed by 220 sks Cl "C" + 2% CaCl2 @ cut-off. Weld on 13-3/8" conductor.  ge and belief. I further certify that any pit or below-lor an (attached) alternative OCD-approved plan  DATE 06/12/06