


District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities submit to appropriate NMOC District Office
For downstream facilities submit to Santa Fe office



Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☒ Closure of a pit or below-grade tank ☐

Operator: BEPCO, L.P. Telephone: (432)683-2277 e-mail address: cdgoodman@basspet.com
Address: P.O. BOX 2760 MIDLAND, TX 79702-2760
Facility or well name: POKER LAKE UNIT #227 API#: 30-015-33929 U/l or Qtr/Qtr SESE Sec 30 T 24S R 30E
County: EDDY Latitude 32.10559 Longitude 103.54501 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☐ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling ☐ Production ☐ Disposal ☐ Workover ☒ Emergency ☐ Lined ☒ Unlined ☐ Liner type: Synthetic ☒ Thickness <u>12</u> mil Clay ☐ Pit Volume <u>25,000</u> bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes ☐ If not, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points) 0	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

This pit at the Poker Lake Unit # 227 battery will be used to hold produced water for fracture treating at the Poker Lake Unit # 251 H. The pit will be 180' wide X 180' long X 6' deep, (25,000 bbls) inside diameter and not to exceed 200' X 200' outside diameter and be lined. The pit will be located on the west side of the PLU # 227 battery. A pump will be set and water pumped to the # 251 well site located at 1980' FSL, 785' FEL, Sec. 30, T24S, R30E via poly line. The polyline will run on the surface, following the Southern Union ROW. After completion of the PLU # 251, the polyline and pit liner will be removed and the pit back filled. A site diagram is attached.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 08/08/2006

Printed Name/Title CINDI GOODMAN PRODUCTION CLERK Signature Cindi Goodman

Your certification and NMOC approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title


Gerry Guye
Deputy Field Inspector
District II - Artesia

Signature Gerry Guye

Date:

AUG 11 2006

Horned Toad 36 State # 1 Flow Line



BASS ENTERPRISES PRODUCTION CO.
 Poker Lake Unit # 227 Battery
 Nash Draw (Delaware)
 Well #'s 227, 232, 241 & Horned Toad 36 State # 1
 330' FSL, 560' FEL, SEC. 30
 T24S, R30E, Eddy County N.M.


VALVE SEALING DETAIL

Phase	SV1	SV2	SV3
Production	Sealed	Sealed	Open
Recycle	Sealed	Open	Sealed
Sales	Open	Sealed	Sealed

- = Production Line
- = Oil Dump Line
- = Gas Line
- = Water Line
- = Circulating Line
- = Test Line (Oil)


- SV = Sealed Valve
- V = Valve
- WM = Water Meter
- OM = Oil Meter

- 3 P HT = 3 Phase Heater
- 3 P Test = 3 Phase Sep.
- 2 P Sep = 2 Phase Sep.
- 2 P GS = 2 Phase Gas Scrubber



PLU # 227 Well

Sales Gas Meter




BASS ENTERPRISES PRODUCTION CO.
Poker Lake Unit # 227 Battery
Nash Draw (Delaware)
Well #'s 227, 232, 241 & Horned Toad 36 State # 1
330' FSL, 560' FEL, SEC. 30
T24S, R30E, Eddy County N.M.

VALVE SEALING DETAIL			
Phase	SV1	SV2	SV3
Production	Sealed	Sealed	Open
Recycle	Sealed	Open	Sealed
Sales	Open	Sealed	Sealed

- = Production Line
- = Oil Dump Line
- = Gas Line
- = Water Line
- = Circulating Line
- = Test Line (Oil)

- SV = Sealed Valve
- V = Valve
- WM = Water Meter
- OM = Oil Meter
- 3 P HT = 3 Phase Heater
- 3 P Test = 3 Phase Sep.
- 2 P Sep = 2 Phase Sep.
- 2 P GS = 2 Phase Gas Scrubber



Location Map of a 200 by 200 feet block area for BEPCO in Section 30, T 24S, R 30E, NMPM, Eddy County, NM.

Map Reference: USGS 7.5' Series; Pierce Canyon, NM (1968) 32103-B8

Poker Lake Unit
#227 Bty.

