

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

OCD-ARTESIA

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

PARALLEL PETROLEUM CORPORATION

3a. Address

1004 N BIG SPRING, SUITE 400, MIDLAND, TX 79701

3b. Phone No. (include area code)

432-685-6563

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SURF: 285 FSL & 721 FEL, SEC 11, T19S, R21E

PROP: PP: 660 FNL&660FEL;EHL:660FNL&660FWL SEC 14,T19S,R21

5. Lease Serial No.

NM NM 103570

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

AMMO BOX FEDERAL #

1

9. API Well No.

30-015-34958

10. Field and Pool, or Exploratory Area

WOLFCAMP GAS

11. County or Parish, State

EDDY CO

NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent☒ Subsequent Report☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☒ Other PROD CSG &SURVEYS

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

10-16-2006:

RUN 5.5 CSG, 7.875 HOLE, 17# SET @ 8964. CMT LEAD 500 SX 50/50/POZ C+0.2% FL52A+0.2% SMS, 12 PFG, 2.43

YIELD. TAIL W/800 SX H+0.6% BA10A + 4% CD32 + 1% FL62 +20# CACO3, 15.6 PFG, 1.42 YIELD.

88 CENTRALIZERS. TOC: CIRCULATED TO SURFACE, 203 SX TO PIT.

WOC: 11 HOURS, TEST CASING @ 500 PSI FOR 30 MINUTES.

GYRO SURVEY AND SCHLUMBERGER MWD SURVEY ATTACHED.

NO OPEN-HOLE LOGS WERE DONE ON THIS WELL.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

KAYE MC CORMICK

Title

SR PROD & REG TECHNICIAN

Date 10-16-2006

ACCEPTED FOR RECORD

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Office

Date DEC 7 2006

WESLEY W. INGRAM

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Scientific Drilling

PARALLEL PETROLEUM

Field: Wildcat
Site: Eddy County, NM
Well: Ammo Box Fed #1
Wellpath: VH - Job #32K0906763
Survey: 09/21/06


This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*R. Wharton*..... Company Representative

Notorized this date 29th of October, 2006.

Deborah Sue Bynum
Notary Signature

County of Midland
State of Texas





Scientific Drilling International

Survey Report

Company: PARALLEL PETROLEUM
 Field: Wildcat
 Site: Eddy County, NM
 Well: Ammo Box Fed #1
 Wellpath: VH - Job #32K0906763

Date: 10/29/2006 Time: 13:16:12 Page: 1
 Co-ordinate(NE) Reference: Site: Eddy County, NM, Grid North
 Vertical (TVD) Reference: SITE 0.0
 Section (VS) Reference: Well (0.00N,0.00E,271.50Azi)
 Survey Calculation Method: Minimum Curvature Db: Sybase

Survey: 09/21/06
 KSRG 0'-2860'

Start Date: 09/21/2006

Company: Scientific Drilling Internatio
 Tool: Keeper;Keeper Gyro

Engineer: Gonzales w/Geo Gyro
 Tied-to: From Surface


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.08	317.18	100.00	0.05	0.05	-0.05	0.08	0.07	317.18
200.00	0.40	246.88	200.00	0.41	-0.03	-0.42	0.38	0.42	265.24
300.00	0.61	230.97	300.00	1.14	-0.51	-1.15	0.25	1.26	246.22
400.00	0.81	209.79	399.99	1.88	-1.46	-1.92	0.33	2.41	232.76
500.00	0.67	207.39	499.98	2.47	-2.59	-2.54	0.14	3.62	224.41
600.00	1.09	243.71	599.97	3.56	-3.53	-3.66	0.68	5.08	226.02
700.00	1.04	250.14	699.95	5.25	-4.26	-5.36	0.13	6.85	231.55
800.00	1.35	283.67	799.93	7.25	-4.29	-7.36	0.75	8.52	239.78
900.00	1.27	288.85	899.90	9.46	-3.65	-9.55	0.14	10.23	249.08
1000.00	1.61	331.39	999.87	11.22	-2.06	-11.28	1.09	11.46	259.65
1100.00	1.52	335.15	1099.84	12.51	0.38	-12.51	0.14	12.51	271.72
1200.00	2.01	326.94	1199.79	14.10	3.05	-14.02	0.55	14.35	282.27
1300.00	1.83	329.22	1299.73	15.94	5.89	-15.79	0.20	16.86	290.46
1400.00	1.21	323.28	1399.70	17.45	8.11	-17.24	0.64	19.05	295.19
1500.00	1.05	326.81	1499.68	18.62	9.72	-18.38	0.17	20.79	297.88
1600.00	1.07	308.34	1599.66	19.89	11.07	-19.61	0.34	22.52	299.44
1700.00	1.14	319.95	1699.64	21.30	12.41	-20.98	0.23	24.38	300.60
1800.00	1.01	308.23	1799.63	22.67	13.72	-22.31	0.25	26.19	301.58
1900.00	0.91	319.81	1899.61	23.90	14.87	-23.52	0.22	27.82	302.30
2000.00	1.06	310.28	1999.60	25.15	16.07	-24.74	0.22	29.50	303.01
2100.00	1.12	313.24	2099.58	26.60	17.34	-26.15	0.08	31.38	303.54
2200.00	0.89	300.87	2199.56	28.01	18.41	-27.53	0.31	33.12	303.77
2300.00	0.92	312.12	2299.55	29.29	19.35	-28.80	0.18	34.69	303.89
2400.00	0.86	301.71	2399.54	30.55	20.28	-30.03	0.17	36.23	304.03
2500.00	0.85	316.84	2499.53	31.72	21.21	-31.18	0.23	37.71	304.23
2600.00	0.75	294.20	2599.52	32.85	22.02	-32.28	0.33	39.08	304.30
2700.00	0.95	293.87	2699.51	34.22	22.63	-33.63	0.20	40.54	303.93
2800.00	0.90	279.20	2799.50	35.76	23.09	-35.17	0.24	42.07	303.28
2860.00	0.70	298.77	2859.49	36.55	23.34	-35.95	0.56	42.87	302.99




Scientific
Drilling

Field: Wildcat
Site: Eddy County, NM
Well: Ammo Box Fed #1
Wellpath: VH - Job #32K0906763
Survey: 09/21/06



Azimuths to Grid North
True North: 0.00°
Magnetic North: 0.00°
Magnetic Field
Strength: On T
Dip Angle: 0.00°
Date: 10/29/2006
Model: wpr2000



Company **Parallel**

Well **Ammo Box Federal #1**

Field **Wolfcamp**

Rig **Patriot #1**

Anadrill D.D. **Mike Shepherd**

Mag. Decl. **8.975**

Target Inc. **91.00**

Target TVD **4307**

Target Az. **255.97**

Tgt. Coord.

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B./D.	Walk
Tie Inn	1	2860	0.70	298.77		2859.49	29.22	23.34 N	35.95 W			
	2	2880	0.95	289.82	20	2879.49	29.45	23.46 N	36.21 W	1.40	1.25	-44.75
	3	2912	1.97	85.42	32	2911.48	29.12	23.59 N	35.91 W	8.94	3.19	-486.25
	4	2944	6.22	80.06	32	2943.39	26.85	23.93 N	33.66 W	13.32	13.28	-16.75
	5	2976	10.91	79.06	32	2975.03	22.10	24.81 N	28.98 W	14.66	14.66	-3.13
	6	3007	15.61	79.33	31	3005.19	15.00	26.14 N	22.00 W	15.16	15.16	0.87
	7	3039	19.68	81.76	32	3035.68	5.34	27.71 N	12.43 W	12.92	12.72	7.59
	8	3071	23.01	84.02	32	3065.48	-6.21	29.13 N	0.88 W	10.72	10.41	7.06
	9	3103	26.11	86.75	32	3094.59	-19.32	30.18 N	12.38 E	10.31	9.69	8.53
	10	3134	28.79	90.09	31	3122.09	-33.27	30.56 N	26.65 E	9.97	8.65	10.77
	11	3166	31.82	93.09	32	3149.72	-48.80	30.09 N	42.78 E	10.58	9.47	9.38
	12	3198	34.70	96.34	32	3176.48	-65.41	28.63 N	60.26 E	10.58	9.00	10.16
	13	3230	36.72	101.86	32	3202.47	-82.55	25.66 N	78.68 E	11.88	6.31	17.25
	14	3262	37.95	108.51	32	3227.92	-99.46	20.56 N	97.38 E	13.17	3.84	20.78
	15	3293	38.52	112.76	31	3252.27	-115.23	13.80 N	115.32 E	8.68	1.84	13.71
	16	3325	38.34	115.39	32	3277.34	-130.87	5.69 N	133.48 E	5.14	-0.56	8.22
	17	3357	38.32	118.67	32	3302.45	-145.83	3.33 S	151.15 E	6.36	-0.06	10.25
	18	3389	37.91	121.89	32	3327.63	-159.96	13.28 S	168.20 E	6.34	-1.28	10.06
	19	3420	37.22	124.15	31	3352.20	-172.84	23.57 S	184.05 E	4.97	-2.23	7.29
	20	3452	36.86	126.43	32	3377.75	-185.41	34.71 S	199.78 E	4.44	-1.13	7.13
	21	3484	37.64	129.13	32	3403.22	-197.37	46.57 S	215.08 E	5.66	2.44	8.44
	22	3516	38.29	131.80	32	3428.45	-208.80	59.35 S	230.05 E	5.52	2.03	8.34
	23	3547	38.05	133.76	31	3452.82	-219.29	72.36 S	244.11 E	3.98	-0.77	6.32
	24	3579	38.62	136.07	32	3477.92	-229.52	86.37 S	258.16 E	4.82	1.78	7.22
	25	3611	39.52	137.73	32	3502.77	-239.32	101.10 S	271.94 E	4.31	2.81	5.19
	26	3643	40.48	139.90	32	3527.28	-248.70	116.58 S	285.48 E	5.29	3.00	6.78
	27	3675	41.12	144.09	32	3551.51	-257.19	133.05 S	298.34 E	8.79	2.00	13.09
	28	3706	41.57	149.44	31	3574.79	-263.91	150.17 S	309.55 E	11.49	1.45	17.26
	29	3738	42.62	153.66	32	3598.54	-269.24	169.03 S	319.76 E	9.43	3.28	13.19
	30	3770	43.76	157.16	32	3621.87	-273.25	188.94 S	328.86 E	8.29	3.56	10.94
	31	3802	44.30	159.41	32	3644.88	-276.22	209.60 S	337.09 E	5.17	1.69	7.03
	32	3834	44.55	161.69	32	3667.74	-278.33	230.72 S	344.54 E	5.05	0.78	7.13
	33	3865	45.57	163.88	31	3689.64	-279.55	251.67 S	351.03 E	5.99	3.29	7.06
	34	3897	46.55	164.33	32	3711.84	-280.30	273.84 S	357.34 E	3.23	3.06	1.41
	35	3929	45.75	165.41	32	3734.01	-280.74	296.11 S	363.37 E	3.49	-2.50	3.37
	36	3960	46.72	162.23	31	3755.45	-281.59	317.61 S	369.61 E	8.04	3.13	-10.26
	37	3992	47.20	159.44	32	3777.30	-283.68	339.69 S	377.29 E	6.55	1.50	-8.72
	38	4024	47.85	159.89	32	3798.91	-286.27	361.82 S	385.49 E	2.28	2.03	1.41
	39	4055	47.82	160.43	31	3819.72	-288.60	383.44 S	393.29 E	1.29	-0.10	1.74
	40	4087	47.54	160.97	32	3841.26	-290.77	405.77 S	401.11 E	1.52	-0.88	1.69
	41	4119	46.84	161.05	32	3863.01	-292.80	427.97 S	408.75 E	2.20	-2.19	0.25
	42	4150	46.35	160.51	31	3884.31	-294.84	449.23 S	416.16 E	2.02	-1.58	-1.74
	43	4180	46.92	160.15	30	3904.91	-296.98	469.77 S	423.50 E	2.09	1.90	-1.20
	44	4211	48.13	160.28	31	3925.84	-299.28	491.28 S	431.24 E	3.92	3.90	0.42
	45	4242	49.03	162.36	31	3946.35	-301.16	513.30 S	438.68 E	5.81	2.90	6.71
	46	4273	49.37	165.58	31	3966.61	-301.97	535.85 S	445.16 E	7.94	1.10	10.39

Company **Parallel**

Well **Ammo Box Federal #1**

Field **Wolfcamp**

Rig **Patriot #1**

Anadrill D.D. **Mike Shepherd**

Mag. Decl. **8.975**

Target Inc. **91.00**

Target TVD **4307**

Target Az. **255.97**

Tgt. Coord. _____

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B/D.	Walk
	47	4305	49.76	169.80	32	3987.37	-301.24	559.64 S	450.35 E	10.11	1.22	13.19
	48	4336	49.63	172.77	31	4007.42	-299.05	583.00 S	453.93 E	7.32	-0.42	9.58
	49	4367	49.12	174.47	31	4027.61	-295.92	606.38 S	456.54 E	4.48	-1.65	5.48
	50	4398	48.25	175.40	31	4048.08	-292.29	629.58 S	458.60 E	3.60	-2.81	3.00
	51	4428	47.68	178.58	30	4068.17	-288.04	651.82 S	459.77 E	8.10	-1.90	10.60
	52	4459	47.90	182.32	31	4089.00	-282.30	674.78 S	459.59 E	8.96	0.71	12.06
	53	4491	48.25	185.48	32	4110.38	-274.97	698.52 S	457.97 E	7.43	1.09	9.87
	54	4522	48.75	189.60	31	4130.93	-266.43	721.53 S	454.92 E	10.08	1.61	13.29
	55	4553	49.66	194.51	31	4151.19	-256.11	744.47 S	450.02 E	12.34	2.94	15.84
	56	4584	51.28	198.88	31	4170.92	-243.90	767.35 S	443.14 E	12.06	5.23	14.10
	57	4613	53.15	203.53	29	4188.70	-230.67	788.71 S	434.85 E	14.22	6.45	16.03
	58	4644	54.54	207.44	31	4206.99	-214.75	811.29 S	424.08 E	11.13	4.48	12.61
	59	4673	55.94	212.00	29	4223.53	-198.28	831.97 S	412.27 E	13.79	4.83	15.72
	60	4702	57.99	216.60	29	4239.35	-180.12	852.03 S	398.57 E	15.06	7.07	15.86
	61	4733	60.33	220.87	31	4255.24	-158.94	872.78 S	381.92 E	14.03	7.55	13.77
	62	4763	62.64	225.08	30	4269.57	-136.83	892.05 S	363.95 E	14.54	7.70	14.03
	63	4793	64.08	229.87	30	4283.02	-113.28	910.16 S	344.20 E	15.06	4.80	15.97
	64	4824	64.80	234.53	31	4296.41	-87.70	927.30 S	322.11 E	13.76	2.32	15.03
	65	4853	66.23	238.64	29	4308.43	-62.81	941.82 S	300.09 E	13.81	4.93	14.17
	66	4884	68.51	242.49	31	4320.36	-35.24	955.87 S	275.18 E	13.62	7.35	12.42
	67	4913	71.22	246.48	29	4330.35	-8.57	967.59 S	250.62 E	15.94	9.34	13.76
	68	4944	73.42	249.77	31	4339.76	20.68	978.59 S	223.22 E	12.35	7.10	10.61
	69	4975	74.81	253.27	31	4348.25	50.39	988.03 S	194.95 E	11.75	4.48	11.29
	70	5006	75.95	256.06	31	4356.07	80.37	995.96 S	166.03 E	9.45	3.68	9.00
	71	5038	77.97	258.45	32	4363.30	111.53	1002.84 S	135.63 E	9.63	6.31	7.47
	72	5069	80.77	259.83	31	4369.01	141.95	1008.57 S	105.71 E	10.04	9.03	4.45
	73	5101	83.27	256.87	32	4373.46	173.60	1014.97 S	74.69 E	12.04	7.81	-9.25
	74	5133	86.31	254.55	32	4376.36	205.45	1022.84 S	43.82 E	11.93	9.50	-7.25
	75	5165	90.45	254.05	32	4377.27	237.41	1031.49 S	13.04 E	13.03	12.94	-1.56
Side Track	76	5198	90.65	253.09	33	4376.95	270.38	1040.83 S	18.61 W	2.97	0.61	-2.91
	77	5229	91.84	256.88	31	4376.28	301.36	1048.86 S	48.53 W	12.81	3.84	12.23
	78	5261	89.90	262.04	32	4375.79	333.27	1054.71 S	79.97 W	17.22	-6.06	16.13
	79	5293	87.83	263.67	32	4376.42	365.03	1058.68 S	111.71 W	8.23	-6.47	5.09
	80	5357	89.31	265.93	64	4378.02	428.24	1064.48 S	175.41 W	4.22	2.31	3.53
	81	5420	91.31	268.49	63	4377.68	490.01	1067.55 S	238.32 W	5.16	3.17	4.06
	82	5452	91.38	269.86	32	4376.93	521.16	1068.01 S	270.30 W	4.29	0.22	4.28
	83	5516	91.62	270.21	64	4375.25	583.22	1067.97 S	334.28 W	0.66	0.38	0.55
	84	5579	91.69	270.07	63	4373.43	644.28	1067.82 S	397.26 W	0.25	0.11	-0.22
	85	5642	91.55	269.82	63	4371.65	705.39	1067.88 S	460.23 W	0.45	-0.22	-0.40
	86	5706	91.72	269.89	64	4369.83	767.49	1068.04 S	524.20 W	0.29	0.27	0.11
	87	5769	92.10	270.14	63	4367.73	828.57	1068.02 S	587.17 W	0.72	0.60	0.40
	88	5833	91.89	269.72	64	4365.50	890.64	1068.10 S	651.13 W	0.73	-0.33	-0.66
	89	5896	92.24	272.45	63	4363.23	951.41	1066.91 S	714.06 W	4.37	0.56	4.33
	90	5928	91.34	272.80	32	4362.23	982.06	1065.44 S	746.01 W	3.02	-2.81	1.09
	91	5992	91.48	273.15	64	4360.65	1043.24	1062.12 S	809.91 W	0.59	0.22	0.55

Company Parallel

Well Ammo Box Federal #1

Field Wolfcamp

Rig Patriot #1

Anadrill D.D. Mike Shepherd

Mag. Decl. 8.975

Target Inc. 91.00

Target TVD 4307

Target Az. 255.97

Tgt. Coord.

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B./D.	Walk
	92	6055	91.86	273.39	63	4358.82	1103.36	1058.53 S	872.78 W	0.71	0.60	0.38
	93	6119	92.17	273.36	64	4356.57	1164.39	1054.77 S	936.63 W	0.49	0.48	-0.05
	94	6182	92.44	273.95	63	4354.03	1224.37	1050.75 S	999.45 W	1.03	0.43	0.94
	95	6278	91.55	274.32	96	4350.69	1315.53	1043.83 S	1095.14 W	1.00	-0.93	0.39
	96	6341	90.69	273.68	63	4349.46	1375.42	1039.44 S	1157.97 W	1.70	-1.37	-1.02
	97	6404	90.69	274.12	63	4348.70	1435.36	1035.16 S	1220.82 W	0.70		0.70
	98	6469	91.03	273.47	65	4347.73	1497.23	1030.85 S	1285.67 W	1.13	0.52	-1.00
	99	6532	91.20	274.11	63	4346.50	1557.19	1026.69 S	1348.52 W	1.05	0.27	1.02
	100	6563	91.20	273.90	31	4345.85	1586.66	1024.53 S	1379.44 W	0.68		-0.68
	101	6627	90.93	274.43	64	4344.66	1647.45	1019.88 S	1443.26 W	0.93	-0.42	0.83
	102	6690	90.76	274.46	63	4343.73	1707.20	1015.00 S	1506.06 W	0.27	-0.27	0.05
	103	6754	90.45	274.15	64	4343.06	1767.95	1010.19 S	1569.88 W	0.68	-0.48	-0.48
	104	6818	90.34	274.31	64	4342.62	1828.72	1005.47 S	1633.70 W	0.30	-0.17	0.25
	105	6881	90.07	273.71	63	4342.39	1888.62	1001.07 S	1696.54 W	1.04	-0.43	-0.95
	106	6945	89.90	273.39	64	4342.41	1949.63	997.10 S	1760.42 W	0.57	-0.27	-0.50
	107	7008	91.79	273.65	63	4341.48	2009.69	993.24 S	1823.29 W	3.03	3.00	0.41
	108	7071	91.65	273.65	63	4339.59	2069.69	989.23 S	1886.13 W	0.22	-0.22	
	109	7135	91.62	273.37	64	4337.76	2130.69	985.31 S	1949.99 W	0.44	-0.05	-0.44
	110	7199	90.93	273.41	64	4336.34	2191.74	981.53 S	2013.86 W	1.08	-1.08	0.06
	111	7262	91.44	272.94	63	4335.03	2251.90	978.04 S	2076.75 W	1.10	0.81	-0.75
	112	7326	91.45	272.48	64	4333.42	2313.17	975.01 S	2140.66 W	0.72	0.02	-0.72
	113	7389	90.79	272.33	63	4332.19	2373.58	972.37 S	2203.59 W	1.07	-1.05	-0.24
	114	7453	90.52	271.87	64	4331.46	2435.06	970.03 S	2267.54 W	0.83	-0.42	-0.72
	115	7516	90.45	271.84	63	4330.92	2495.65	967.99 S	2330.50 W	0.12	-0.11	-0.05
	116	7548	90.52	272.43	32	4330.65	2526.39	966.79 S	2362.48 W	1.86	0.22	1.84
	117	7643	91.24	270.60	95	4329.19	2617.89	964.28 S	2457.43 W	2.07	0.76	-1.93
	118	7707	91.24	270.36	64	4327.81	2679.83	963.75 S	2521.41 W	0.37		-0.38
	119	7770	90.79	270.03	63	4326.69	2740.89	963.53 S	2584.40 W	0.89	-0.71	-0.52
	120	7834	90.62	270.07	64	4325.91	2802.97	963.48 S	2648.39 W	0.27	-0.27	0.06
	121	7898	90.38	270.22	64	4325.35	2865.01	963.31 S	2712.39 W	0.44	-0.38	0.23
	122	7961	90.28	270.51	63	4324.98	2926.04	962.91 S	2775.39 W	0.49	-0.16	0.46
	123	8025	90.21	270.03	64	4324.71	2988.05	962.61 S	2839.39 W	0.76	-0.11	-0.75
	124	8089	90.14	270.01	64	4324.52	3050.14	962.59 S	2903.39 W	0.11	-0.11	-0.03
	125	8153	92.37	269.28	64	4323.11	3112.30	962.99 S	2967.36 W	3.67	3.48	-1.14
	126	8215	92.37	269.18	62	4320.55	3172.59	963.82 S	3029.30 W	0.16		-0.16
	127	8279	92.20	269.66	64	4318.00	3234.79	964.47 S	3093.25 W	0.80	-0.27	0.75
	128	8342	91.89	269.69	63	4315.75	3295.96	964.82 S	3156.21 W	0.49	-0.49	0.05
	129	8406	92.48	269.82	64	4313.31	3358.07	965.10 S	3220.16 W	0.94	0.92	0.20
	130	8469	91.96	269.94	63	4310.87	3419.17	965.23 S	3283.11 W	0.85	-0.83	0.19
	131	8532	90.03	269.69	63	4309.78	3480.33	965.43 S	3346.10 W	3.09	-3.06	-0.40
	132	8596	90.28	268.28	64	4309.60	3542.68	966.57 S	3410.08 W	2.24	0.39	-2.20
	133	8659	91.27	269.84	63	4308.75	3604.03	967.60 S	3473.06 W	2.93	1.57	2.48
	134	8723	90.07	269.77	64	4308.00	3666.17	967.82 S	3537.06 W	1.88	-1.88	-0.11
	135	8786	89.55	269.88	63	4308.21	3727.33	968.01 S	3600.05 W	0.84	-0.83	0.17
	136	8850	90.21	270.80	64	4308.34	3789.33	967.63 S	3664.05 W	1.77	1.03	1.44

Company <u>Parallel</u>							Mag. Decl. <u>8.975</u>						
Well <u>Ammo Box Federal #1</u>							Target Inc. <u>91.00</u>						
Field <u>Wolfcamp</u>							Target TVD <u>4307</u>						
Rig <u>Patriot #1</u>							Target Az. <u>255.97</u>						
Anadrill D.D. <u>Mike Shepherd</u>							Tgt. Coord. <u> </u>						

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B./D.	Walk
priTD	137	8964	90.21	270.80	114	4307.93	3899.53	966.04 S	3778.04 W			