District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\D \) No \(\D \)

Type of action: Registration of a pit or below-grade tank \(\D \) Closure of a pit or below-grade tank \(\D \)

| Operator: Chevron USA Inc. Telephor | ne: 432-687-7375 e-mail address: | leakeid@chevron.com |
|---|---|--|
| | | |
| Address: 15 Smith Road, Midland, TX 79705 Facility or well name: Neff 13 Federal #17 API #: | New U/L or Otr/Otr | Sec 13 T 22S R 31E |
| County: Eddy, New Mexico Lat | | |
| Surface Owner: Federal State Private Indian | | |
| Pit | Below-grade tank | |
| Type: Drilling 🛛 Production 🗌 Disposal 🗍 | Volume:bbl Type of fluid: | |
| Workover Emergency | Construction material: | |
| Lined ☑ Unlined ☐ | Double-walled, with leak detection? Yes If not, explain why not. | |
| Liner type: Synthetic Thickness 20 mil Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Clay Cl | | |
| Pit Volume~5800_bbl | | |
| | Less than 50 feet | (20 points) |
| Depth to ground water (vertical distance from bottom of pit to seasonal | 50 feet or more, but less than 100 feet | (10 points) |
| high water elevation of ground water.) | 100 feet or more | (0 points) |
| | Yes | (20 points) |
| Wellhead protection area: (Less than 200 feet from a private domestic | No | (20 points) |
| water source, or less than 1000 feet from all other water sources.) | | (0 points)) |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet | (20 points) |
| | 200 feet or more, but less than 1000 feet | (10 points) |
| | 1000 feet or more | (0 points) |
| - WARRAN | Ranking Score (Total Points) | 0 |
| | | |
| this is a pit closure: (1) Attach a diagram of the facility showing the pit | | |
| our are burying in place) onsite offsite If offsite, name of facility | | |
| emediation start date and end date. (4) Groundwater encountered: No | | it. and attach sample results. |
| Attach soil sample results and a diagram of sample locations and excaving the sample results and a diagram of sample locations and excaving the sample results and a diagram of sample locations and excaving the sample results and a diagram of sample locations and excaving the sample results are sample results. | ations. | |
| Additional Comments: | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| I hereby certify that the information above is true and complete to the bes | t of my knowledge and heliaf. I fourth an acrail of the | at the above described at an halomark to |
| has been/will be constructed or closed according to NMOCD guideling | | |
| | | / - |
| Date: <u>11-10-2005</u> | Ka, Maula | (/)0D |
| Printed Name/Title Ray Matthews, Drilling Engineer | Signature / Wy / MUTT NUC | o / WT |
| Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations. | the operator of its responsibility for compliance wit | |
| Approval: Wishird II Supe | | . 1 |
| Printed Name/Title | Simplura | |