<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 882100CD - ARTESIA, NM District III
1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

Month - Year MAR - 5 2007

State of New Mexico Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004 For drilling all production facilities, submit to appropriate OCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No

Type of action: Registration of a pit or below-grade tank [Closure of a pit or below-grade tank [
Operator: DAVID H. ARRINGTON OIL & GASephone: e-mail address:		
Facility or well name: Colt Midge 6 Fed #1 API #: 30=015=34507 U/L or Qtr/Qtr Sec 6 T 19S R24E County: Eddy Latitude 1265 FNL Longitude 1613 FEL NAD: 1927 1983		
Surface Owner: Federal 🔀 State 🗌 Private 🔲 Indian 🗍		
Pit	Below-grade tank	
Type: Drilling N Production Disposal Workover Emergency	Volume:bbl Type of fluid: Construction material:	
Lined Vulined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic X Thickness 12 mil Clay	Possile manes, man some observation. The Latines, experiment, inch.	
Pit Volume 20,006 bl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0 points)
Wallhard restortion area: (Loss than 200 foot from a private domestic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	(0 points)
water source, or rest than 1000 feet from all other water sources.)	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	((0 points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🔽 offsite 🗆 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🙀 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: MIX ALL MUD TO STIFFEN, DIG DEEP BURIAL HOLE AND LINE WITH 12-MIL		
PLASTIC. PLACE MUD IN LINER, CAP WITH 20-MIL PLASTIC WITH 3' OVERLAP.		
BACKFILL WITH 4' TOP SOIL.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan.		
Date: 2/28/2007 MORGAN TOOLS CO., LLC		
Printed Name/Title Stephen Wilson, Foreman Signature Stephen Wilson		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Printed Name/Title		
Printed Name/Title		