<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Month - Year
MAR - 5 2007

State of New Mexico
Minerals and Natural Resources

OCD - ARTESIA, NM Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004

lling and production facilities, submit to riate NMOCD District Office. For downstream facilities, submit to Santa Fe

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \[\] No \[\]

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
C		
Operator: FOG RESOURCES, INC. Telephone: (505) 234-1450e-mail address:		
Address:PO_Box_3229, Carlsbad_NM_88220		
== : = : == : == : == : == : == : == : == : == : == : == : == : == : = : == : == : == : == : == : == : == : == : == : == : == : == : = : == : == : == : == : == : == : == : == : == : == : == : == : = : == : == : == : == : == : == : == : == : == : == : == : == : = : == : == : == : == : == : == : == : == : == : == : == : == : = : ==		
County: Eddy Latitude	265 FSL Longitude 200) FEL NAD: 1927 1983
Surface Owner: Federal State Private M Indian		
Pit	Below-grade tank	
Type: Drilling 💟 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined 🗍 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay		
Pit Volume 10,00 @bl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
Walli soulded or less than 1000 feet hold an older make soulded.	Largethan 200 Gast	(20 = ainta)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
f this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
our are burying in place) onsite offsite offsite, name of facility Frio A8 Fee #1H. (3) Attach a general description of remedial action taken including		
emediation start date and end date. (4) Groundwater encountered: No 🔀 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: MIX ALL CONTENTS AND HAUL TO THE FRIO AS #1H		
Additional Commission - MIX ALL CONTENTS AND HADE TO THE FRIO AN #1H		
hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines 🔲 a general permit 🗀, or an (attached) alternative OCD-approved plan 🗖.		
2/29/2007 MODCAN TOOLS CO. LLC.		
Printed Name/Title Stephen Wilson, Foreman Signature Hophen Wilson		
Your certification and NMOCD approval of this application/closure does not relieve the operator of l'ability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or		
egulations.		
Denvilled Ba		
Approval: Printed Name State of TL Segrences Signature Date: 3/5/07		
rinted Name Signature Date: 3/5/07		
		-