District 1 h625 N. French Dr., 1lobbs, NM 88240 District III
1000 Rio Brazos Road, Aztec, NM 87505
District IV
1220 S. St. Francis Dr., Santa Fe, NM, 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pi	or below-grade tank Closure of a pit or below-grade	tank 🛛				
	e-mail address: <u>mikes@vpenm.com</u> 98 U/L or Qtr/Qtr 1 Sec 5 T 24S R 25E	A STATE TO A STATE OF THE STATE				
Pit Type: Drilling ☑ Production ☐ Disposal ☐ Work over ☐ Emergency ☐ Lined ☑ Unlined ☐ Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Pit Volume24000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points XXXX (10 points) (0 points))				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX				
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more (20 points) (10 points) (0 points) XXXX					
	Ranking Score (Total Points)	20 Points				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relating place) onsite ☐ offsite ☒ If offsite, name of facility: N/A (3) At Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surf (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents the excavated area will be backfilled to grade using a minimum of 3' of clean soil	ttach a general description of remedial action taken includance ft. and attach sample results. Ints will be excavated and hauled to an OCD approved soil	ling remediation start date and end date. (4)				
Pit Closure start date: N/A. Final closure date: N/A. I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines	y knowledge and belief. I further certify that the above	e-described pit or below-grade tank has				
Date: 12/07/2006 Printed Name/TitleMike Stubblefield / Regulatory Agent Your certification and NMOCD approval of this application/closure does not re endanger public health or the environment. Nor does it relieve the operator of it. Approval: Printed Name/Title	ts responsibility for compliance with any other federal, st					
Named -		16915160				

PIT CLOSURE FINAL DATE 3/15/2007

4/10/07

New Mexico Office of the State Engineer

POD Reports and Downloads MOSLET CANTON

Township: 24S Range: 25E

NAD27 X:

Y:

Sections: Zone:

Search Radius:

County:

Basin:

Number:

Suffix:

Owner Name: (First)

(Last)

○ Non-Domestic ○ Domestic

All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 12/07/2006

								(Depun	Marat IU	reec)
Bsn	TVS	Rng	Sec	Zone	x	¥	Wells	Min	Max	Avg
С	245	25E	04				1	440	440	440
С	245	25E	05				4	7	800	209~
С	245	25E	13				1	163	163	163
С	245	25E	25				1	540	540	540
С	245	25 E	34				1	150	150	150
С	245	25E	35				1	500	500	500

Record Count: 9

