District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

		Ved.	
Pit or Below-G	rade Tank Registration or Closu	Ire Month - 1800	
Is pit or below-grade t	tank covered by a "general plan"? Yes X No	D API ARTES	
Type of action: Registration of a p	oit or below-grade tank Closure of a pit or below-gra	ade tank 🗵	
Operator: Marbob Energy Corporation	Telephone: 505-748-3303 e-m	nail address: land2@marbob.com	
Address: PO Box 227, Artesia, NM 88211-0227	1900' FNL & 500' FWL		
Facility or well name: Burch Keely Unit #397	API #: 30-015-35389 U/L or Qtr/Qtr	SWNW Sec 23 T 17S R 29E	
County: Eddy LatitudeLongitude	NAD: 1927 🔲 1983 🔲 Surface C	Owner Federal 🛛 State 🔲 Private 🔲 Indian 🔲	
Pit	Below-grade tank		
<u>Type:</u> Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:		
Lined Unlined	Double-walled, with leak detection? Yes If no	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volume			
bbl	1 4 506	(20 mainta)	
Depth to ground water (vertical distance from bottom of pit to seasonal hig	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points) (10 points)	
water elevation of ground water.)	100 feet or more	(0 points) 0 points	
		•	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0 points	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points) 0 points	
	Ranking Score (Total Points)	0 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pi	it's relationship to other equipment and tanks. (2) Indic	ate disposal location:	
onsite offsite froffsite, name of facility	. (3) Attach a general description of remedial act	tion taken including remediation start date and end	
date. (4) Groundwater encountered: No 🔲 Yes 🔲 If yes, show depth b	elow ground surfaceft. and attach samp	le results. (5) Attach soil sample results and a	
diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best been/will be constructed or closed according to NMOCD guidelines Date: April 3, 2007], a general permit 🖾, or an (attached) alternative O	CD-approved plan .	
Printed Name/Title: Gerald Herrera	Signature S.		
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the regulations.	he operator of its responsibility for compliance with any	other federal, state, or local laws and/or	
	A')()	Gene	
Approval: 4/10/07	Jen a. s		
Printed Name/Title	Signature Wishird II S	agresora	
Samples are to be obtained from	- attior to heginning		
pit area and analysis submitted to NMOCD prior to back-filling	Notify OCD 24 hours prior to beginning		
Minory brior to pack ming	pit closure.		

Marbob Energy Corporation Attachment to OCD Form C-144


Pit or Below-Grade Tank Registration or Closure

Pit Closure

Burch Keely Unit #397

1900' FNL & 500' FWL Section 23 T-17S R-29E Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

Fluids will be disposed at an approved disposal facility.

(3) General description of remedial action:

Transfer cuttings to ends, dig deep bury pit in center of pit, line with 12 mil plastic. Use material to stiffen cuttings. Transfer stiffened cuttings into lined pits, leaving mounded for drainage. Cap with 20 mil liner. Cover with three feet of cover material.

(4) Groundwater encountered:

No

(5) Soil sample:

N/A