Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103
<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources		May 27, 2004 WELL API NO.
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION		30-015-23259
District III	1220 South St. Francis Dr.		5. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 8	and the second	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM			
87505	YOUR AND DEPODER ON WELL		L-6287
1	TICES AND REPORTS ON WELL DSALS TO DRILL OR TO DEEPEN OR PI		7. Lease Name or Unit Agreement Name
	ICATION FOR PERMIT" (FORM C-101) F	FOR SUCH	Irish Hills Yeso JE State
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well Other	MAY 25 200	8. Well Number 5
2. Name of Operator		OCD ARTESIA	9. OGRID Number
			025575
3. Address of Operator 105 S. 4 th Street, Artesia, NM 88210			10. Pool name or Wildcat Penasco Draw SA Yeso
4. Well Location			Totalsoo Biaw Bii Toso
Unit Letter G: 2310 feet from the North line and 1650 feet from the East line			
Section 12 Township 19S Range 24E NMPM Eddy County			
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
3591'GR Pit or Below-grade Tank Application □ or Closure □			
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water			
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
12. Check Appropriate Box to indicate Nature of Notice, Report of Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRIL PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ CASING/CEMENT			<u>—</u>
			
OTHER: OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date			
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.			
Yates Petroleum Corporation plans to plug and abandon this well as follows:			
1. Rig up all safety equipment as needed. TOOH with tubing, TAC, S/N, perf sub, mud joint with bull plug and all but 875' of the			
tubing.			
 Set a 4-1/2" CIBP at 2359' with 35' cement on top. Spot a 100' cement plug across the shoe from 875'-975'. Tag plug. 			
4. Spot a 100' cement plug across the shoe from 320'-420'. Tag plug.			
5. Spot a 100' cement plug from 100' up to the surface. Tag plug.			
6. Cut off wellhead and install dry hole marker and clean up location as per regulated.			
			New oor of her edge
NOTE: Yates Petroleum Corporation will use steel pits and no earth pits Notify OCD 24 hrs. prior To any work done.			
io any work gone.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-			
grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan .			
SIGNATURE TITLE Regulatory Compliance Supervisor DATE May 24, 2007			
Type or print name Tina Huerta E-mail address: tinah@ypcnm.com Telephone No 505-748-1471			
For State Use Only			
APPROVED BY: Conditions of Approval (if any):	Mille TITLE 7	7	DATE
			/ /

WELL NAME: Irish Hills JE State #5 FIELD: Penasco Draw; SA Yeso LOCATION: 2,310' FNL & 1,650' FWL of Section 12-19S-24E Eddy Co., NM **GL**: 3,591' **ZERO**:_____ **KB**: 3,600' **CASING PROGRAM** SPUD DATE: 5/17/80 COMPLETION DATE: 6/4/80 **COMMENTS**: API No.: 30-015-23259 10-3/4" 40.5# K55 370' 7" 20# K55 STC 925' 4-1/2" 9.5# J55 3,080' 15" Hole 10-3/4" @ 370' w/ 375 sx **Before** cmt. Filled hole to surf w/Ready-mix 9-1/2" Hole **TOPS** SA 434' Glorieta 1,820' 7" @ 925' w/ 350 sx (didn't circ) 1"ed to surface with 110 sx (Circ) 6-1/4" Hole -SA Yeso Perfs 2,409-2,469'; 2,552-2,632' Not to Scale 1/22/07 DC/Moss PBTD: 3,080 4-1/2" @3,080' w/ 375 sx (Circ) TD: 3,100'

WELL NAME: Irish Hills JE State #5 FIELD: Penasco Draw; SA Yeso LOCATION: 2,310' FNL & 1,650' FWL of Section 12-19S-24E Eddy Co., NM **GL**: 3,591' **ZERO**:____ **KB**: 3,600' **CASING PROGRAM** SPUD DATE: 5/17/80 COMPLETION DATE: 6/4/80 **COMMENTS**: API No.: 30-015-23259 10-3/4" 40.5# K55 370' 7" 20# K55 STC 925' 15" Hole 3,080' 4-1/2" 9.5# J55 10-3/4" @ 370' w/ 375 sx cmt. Filled hole to surf w/Readv-mix **After** Cmt Plug across 320-420'w/ 10 sx cmt 9-1/2" Hole **TOPS** 7" @ 925' w/ 350 sx (didn't circ) SA 434' 1"ed to surface with 110 sx (Circ) 1,820' Glorieta Cmt Plug across shoe 875-975' w/ 10 sx cmt 6-1/4" Hole CIBP @ 2,359' w/ 35' cmt -SA Yeso Perfs 2,409-2,469'; 2,552-2,632' Not to Scale 1/22/07 DC/Moss PBTD: 3,080 4-1/2" @3,080' w/ 375 sx (Circ) TD: 3,100'