

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

JUL 13 2007

Form C-144
March 12, 2004

OCD ARTESIA
For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator **Marbob Energy Corporation**

Telephone **505-748-3303**

e-mail address: **land2@marbob.com**

Address **PO Box 227, Artesia, NM 88211-0227**

1980' FNL & 1980' FWL

Facility or well name **MYOX 28 State Com #1**

API # **30-015-10724**

U/L or Qtr/Qtr **SENW** Sec **28** T **25S** R **28E**

County **Eddy**

Latitude _____ Longitude _____ NAD 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☒ Private ☐ Indian ☐

Pit

Type Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type Synthetic ☒ Thickness **12** mil Clay ☐ Volume _____ bbl

Below-grade tank

Volume _____ bbl Type of fluid _____

Construction material _____

Double-walled, with leak detection? Yes ☐ If not, explain why not. _____

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)

Less than 50 feet

50 feet or more, but less than 100 feet

100 feet or more

(20 points)

(10 points)

(0 points)

State Engineer Data

0 points 10 nb

Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources)

Yes

No

(20 points)

(0 points)

0 points

Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)

Less than 200 feet

200 feet or more, but less than 1000 feet

1000 feet or more

(20 points)

(10 points)

(0 points)

0 points

Ranking Score (Total Points)

10 points
0 points

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location.

onsite ☐ offsite ☐ If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date **June 28, 2007**

Printed Name/Title: **Gerald Herrera**

Signature *G. Herrera*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval

Date **JUL 16 2007**

Printed Name/Title _____

Signature _____

Signed By *Mike Brannan*

Notify OCD 24 hours prior to beginning pit closure

Samples are to be obtained from pit area and analysis submitted to NMOCD prior to back-filling

Samples are to be obtained from burial trench and analyses submitted to OCD prior to lining trench.

Marbob Energy Corporation
Attachment to OCD Form C-144


Pit or Below-Grade Tank Registration or Closure

Pit Closure

MYOX 28 State Com #1

1980' FNL & 1980' FWL
Section 28 T-25S R-28E
Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

Fluids will be disposed at an approved disposal facility.

(3) General description of remedial action:

Transfer cuttings to ends, dig deep bury pit in center of pit, line with 12 mil plastic. Use material to stiffen cuttings. Transfer stiffened cuttings into lined pits, leaving mounded for drainage. Cap with 20 mil liner. Cover with three feet of cover material.

(4) Groundwater encountered:

No

(5) Soil sample:

N/A

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: Range: Sections:

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic
☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 07/15/2007

(Depth Water in Feet)

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
C	25S	28E	04				1	35	35	35
C	25S	28E	20				1	96	96	96
C	25S	28E	28				1	90	90	90
C	25S	28E	36				1	40	40	40

Record Count: 4