Form C- 144

June 1, 2004

District 1
1625 N. French Dr., Hubbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

to obtaining samples. Samples are to be

submitted to OCD prior to back-filling.

obtained from pit area and analyses

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

A 4 000"

Pit or Below-Grade Tank Registration or Closure

Type of action: Regis	stration of a pit or below-grade tank \(\begin{array}{c} \text{Closure of a pit or below} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	v-grade tank X , 3 ZUU/
t .		900-AN 11-310
	Telephone: <u>505-393-5915</u> e-mail address: _	
Address: 701 S. Cecil Hobbs	N.M. 88240	1 2 - 10-
	#: 30-015-35191 U/L or Qu/Qtr H	SecTTRRR
County: 6000	Latitude N32 - 45-51, 9 Longitude L	103-34-16-2 NAD: 1927 [1983 X
Surface Owner: Federal State Private indian		
Pit	Below-grade tank	
Type: Drilling X Production Disposal D	Volume:bbl Type of fluid:	
Workover	Construction material:	
Lined X Unlined Liner type: Synthetic X Thickness 12 mil Clay	Loudie wanen, with leak detection? Tes L3 it not, explain why not.	
Pit Volume Special bil		
TH VOILINE ONE ON	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pi	it to seasonal 50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 fact of more	(0 points) /25
		1.00
Wellhead protection area: (Less than 200 feet from a priva	ate domestic Yes	(20 points)
water source, or less than 1000 feet from all other water so	Aurees.)	(points)
Distance to surface water: (horizontal distance to all we	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral wat	200 feet or more, but less than 1000 feet	(10 points)
Batton casais, attories, and percential and epitemetal wat	1000 feet or more	(opoints)
	Ranking Score (Total Points)	40
If this is a nit clasurer (1) Attach a disarrom of the facility	showing the pit's relationship to other equipment and tanks. (2) I	Indicate disposal location: (check the onsite box if
· •	ame of facility . (3) Attach a general desc	
	X Yes If yes, show depth below ground surface	
• •		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Closure work plan for drilling pit. Category 2 location: The drilling pit contents will be excavated from the pit area. A Affichers be exidence of contamination, the soil will be tested by lab and if contamination is confirmed, further remediation will be conducted according to guidelines. A trench		
will be installed. The trench will be lined with a 20-mil impervious liner and the excavated material will be placed on top and encapsulated.		
The excavated pit will be backfilled with clean soil and the pit area as well as the trench will be covered and contoured with three feet of soil or like material capable of		
Supporting native plant growth to prevent erosion and ponding of rainwater.		
A one call and a 48 hour notice will be provided to the Oil Conservation Division.		
I hereby certify that the information above is true and com	nplete to the best of my knowledge and bejief. I further certify to IOCD guidelines [], a general permit X or an (attached) alter	that the above described pit or below-grade tank
and or could acted of closed according to IAM	11	. dan to a a hhn ten hann
Date: 7-30-07 Printed Name/Title	KAINEZ/ACIENT MOWBOUME Signature	Villand
Your certification and NMOCD approval of this application otherwise endanger public health or the environment. Not regulations.	on/closure does not relieve the operator of liability should the con r does it relieve the operator of its responsibility for compliance w	number of the pit or tank contaminate ground water or with any other federal, state, or local laws and/or
Approval:	Signed By Mily &	Bennesse Date AUG 0 3 2007
	If burial trench is to be constructed in pit area, samples are to be obtained	,

and analyses submitted to OCD

PRIOR to lining trench.