District I 1625 N French Dr., Hobbs, NM 88240 District II 1 01 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

AUG 16 2007

Form C-144

June 1, 2004

	or below-grade tank Closure of a pit or below-grade	
Operator: Mewbourne Oil . Telephone: (505)	393-5905 e-mail address:	
Address. 701 S. Cecil (P.O. Box 5270) Hobbs, N	M 88241	
Facility or well name: Federal "V" Com. #4 API-#	::3001535127 U/L or Qtr/Qtr_E_	Sec <u>8</u> T <u>20 S</u> R <u>28E</u>
County: Eddy Latitude	Longitude	NAD: 1927 🗌 1983 🔲
Surface Owner: Federal 🗌 State 🔲 Private 🔲 Indian 🔲		
Pit	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic Thickness mil Clay	·	
Pit Volumebbl	_	
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to	50 feet or more, but less than 100 feet	(10 points) XXXX
seasonal high water elevation of ground water.)	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources)	No	(0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) XXXX
	Ranking Score (Total Points)	10 Points
this is a pit closure: (1) Attach a diagram of the facility showing the pit	s relationship to other equipment and tanks (2) Indica	ate disposal location: (check the onsite box if
ur are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility_	. (3) Attach a general d	escription of remedial action taken including
nediation start date and end date. (4) Groundwater encountered: No 🛛	Yes If yes, show depth below ground surface	ft. and attach sample results.
Attach soil sample results and a diagram of sample locations and excava		
Additional Comments: Work Plan for closure of drilling pit. The drilling	pit contents will be mixed to stiffen the pit contents.	An encapsulation trench will be excavated and
Lined with a 12 mil synthetic liner next to existing drilling pit site. Drilling	g pit contents will then be emplaced into the encapsula	ation trench. A 20 mil synthetic liner will then
Be placed over the pit contents with a minimum of a 3' over lap of the unc	derlying trench area. Then encapsulation trench will the	en be backfilled back to grade using a
Minimum of 3' of clean soil and like material. A one call and 48 hour not	ice will be provided to the Oil Conservation Division	before pit closure actions begin.
Bore hole was advanced to 75' – (no ground water was encountered).		
hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.		
Date: 8-16-2007	, ,	
Printed Name/Title IRVIN R. Martin DBATAT Backhi	OSe, Signature Livilly mants	DO TAT BACKHOE SORVICE
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents	of the pit or tank contaminate ground water or
		1

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

Signature Signed By M/4 Bessauca If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.

Date: AUG 1 6

Ud/15/2007 15:15 50000070252

Mewbourne Oil Company PO Box 5270 Hobbs, NM 88240 (505) 393-5905

والمتعاليات والنااا

August 15, 2007

New Mexico OCD Attn: Mike Bratcher 1301 West Gande Ave. Artesia, NM 88210


Re::Federal "V" Com # 4

On August 13, 2007 a borehole was drilled on the above mentioned location to a depth of 75'. No water was encountered during the drilling of the borehole. The depth of 75' was reached at 1:00 pm 8/13/07. The borehole was then left exposed to atmospheric conditions for 24 hrs and tested with a bailer. No water was recovered with the bailer to a depth of 70'. Ron Harvey w/ NMOCD witnessed the testing of the borehole. Given this information Mewbourne Oil Company is requesting to deep bury the reserve contents on location. The deep bury pit would be no greater than 20' deep and would comply with all NMOCD rules and regulations.


Sincerely,

Robin Terrell

Mewbourne Oil Federal "V" Com. #4



140' X 140'



Encapulation Trench

60'

(Well)