Z

Form C- 144

June 1, 2004

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit	or below-grade tank \( \text{Closure of a pit or below-grade}\)	de tank x AUG 2 0 2007
Operator: MEWBOURNE Of Company Telephone: 505-393-5915 e-mail address: OCD-ARTESIA		
Address: 701 5. CECil Holds NM. 88340  Facility or well name: WBSON 33 H API #: 30-015-35266 U/L or Qtr/Qtr P Sec 33 T 195 88 R 29 IE  County: ENY Latitude N 30°36'44.9 Longitude W 104°41'27.8 NAD: 1927 1983 X		
Facility or well name: WBSON 33 # 1 API #: 30-015-35266 U/L or Qtr/Qtr A Sec 33 T 198 8 R 29 IE		
County: FM 4 Latitude N 32° 36' 44.9 Longitude W 104° 41' 27.8 NAD: 1927 1983 X		
Surface Owner: Federal 🔯 State 🗆 Private 🗀 Indian 🗆		_
Plt h	Below-grade tank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined X Unlined	Double-walled, with leak detection? Yes  If not, explain why not	
Liner type: Synthetic X Thickness12_mil Clay [		
Pit Volume 5000 bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	( 0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	(AS)	( points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
The state of the s	A000 feet or more	( 0 points)
	Ranking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite X offsite  If offsite, name of facility (3) Attach a general description of remedial action taken including remediation		
start date and end date. (4) Groundwater encountered: No X Yes I If yes, show depth below ground surface ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Closure work plan for drilling pit, Category 2 location: The drilling pit contents will be excavated from the pit area.		
If there is evidence of contamination, the soil will be tested by lab and if contamination is confirmed, further remediation will be conducted according to guidelines. A trench		
will be installed. The trench will be lined with a 20-mil impervious liner and the excavated material will be placed on top and encapsulated.		
The excavated pit will be backfilled with clean soil and the pit area as well as the trench will be covered and contoured with three feet of soil or like material capable of		
supporting native plant growth to prevent erosion and ponding of rainwater.		
A one call and a 48 hour notice will be provided to the Oil Conservation Division.  Please see attached Letter		
I heroby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit X or an (attached) alternative OCD approved plan.		
Date: 8-18-09 Printed Name/Title JEH CHINES. AGENT FORMENBOURESignature SHIP Marce		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Signed By Mile Bearing AUC a a coord		
Approval:	Signature	Date AUG 2 0 2007
OTIFY OCD 24 HOURS PRIOR to ———————————————————————————————————		7 A V 2001
ginning closure and 24 HOURS PRIOR in pit area, sam	is to be constructed  uples are to be obtained	

to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

PRIOR to lining trench.



Mewbourne Oil Company PO Box 5270 Hobbs, NM 88240 (505) 393-5905

August 15, 2007

New Mexico OCD Attn: Mike Bratcher 1301 West Gande Ave. Artesia, NM 88210

Re: Wesson "33" Federal # 1

On August 13, 2007 a borehole was drilled on an offset location 10742' South and West of the above mentioned location to a depth of 72' (As per verbal agreement with Mike Bratcher this borehole was in sufficient proximity to prove to the NMOCD that ground water on the above mentioned location does or does not exist at 70'). No water was encountered during the drilling of the borehole. The depth of 72' was reached at 11:00 am 8/13/07. The borehole was then left exposed to atmospheric conditions for 24 hrs and tested with a bailer. No water was recovered with the bailer to a depth of 70'. Ron Harvey w/ NMOCD witnessed the testing of the borehole. Given this information Mewbourne Oil Company is requesting to deep bury the reserve contents on location. The deep bury pit would be no greater than 20' deep and would comply with all NMOCD rules and regulations.

Sincerely,

Robin Terrell