

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

S

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE- Other instructions on reverse side.**1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator
OGX Resources, LLC3a. Address
POB 2064 Midland, TX 797023b. Phone No. (include area code)
432-685-1287

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 1900' FEL
Sec. 17, T-24S, R-28EOCT 05 2007
OCD-ARTESIA

5. Lease Serial No.

NM110829

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA/Agreement, Name and/or No.

N/A

8. Well Name and No.

Browning Federal Com #1

9. API Well No.

30-015-35638

10. Field and Pool, or Exploratory Area

Malaga Morrow, West (Gas)

11. County or Parish, State

Eddy, Co.

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	casing & cement
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	report

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Surface Casing:

7-16-2007 RIH w/ 13 jts. 13 3/8" K-55 61# ST&C casing. Casing set @ 520'. Pumped 30 bbl mud flush & 10 bbl fresh water spacer. 1st lead cement: 200 sx Premium cmt. + 1% CaCl + 10 lbm/sk Gilsonite + 0.8 lbm/sk Poly-E-Flake. Yield =1.39, slurry wt.=14.6. 2nd lead cement: 300 sx Light Plus cmt. + 2% CaCl + 0.8 lbm/sk Poly-E-Flake. Yield =1.89, slurry wt.= 12.6. Tail cement: 200 sx Premium Plus cmt. + 2% CaCl. Yield =1.35, slurry wt.=14.8. Bumped plug - Held OK. Circulated 348 sks to reserve pit. Test BOP to 2000 psi for 30 minutes. WOC 24 hrs. total. Reduce hole size to 12 1/4' and resume drilling.

ACCEPTED FOR RECORD

OCT 3 2007

GARY GOURLEY
PETROLEUM ENGINEER14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Angela Lightner

Title Consultant

Signature

Angela Lightner

Date

09/28/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007**SUNDRY NOTICES AND REPORTS ON WELLS****Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.****SUBMIT IN TRIPLICATE- Other instructions on reverse side.**1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator **OGX Resources, LLC**3a. Address
POB 2064 Midland, TX 797023b. Phone No. (include area code)
432-685-1287

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)


**1980' FSL & 1900' FEL
Sec. 17, T-24S, R-28E****OCT 05 2007
OCD-ARTESIA**5. Lease Serial No.
NM1108296. If Indian, Allottee or Tribe Name
N/A7. If Unit or CA/Agreement, Name and/or No.
N/A8. Well Name and No.
Browning Federal Com #19. API Well No.
30-015-3563810. Field and Pool, or Exploratory Area
Malaga Morrow, West (Gas)11. County or Parish, State
Eddy, Co.**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	casing & cement
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	report

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

1st Intermediate Casing:

7-21-2007 RIH w/ 58 jts. 9 5/8" J-55 36# LT&C casing. Casing set @ 2400'. Pumped 1000 bbl mud flush & 10 bbl fresh water spacer. Lead cement: 660 sx 50/50 POZ Premium Plus cmt. + 8% Bentonite + 5% Salt + 5 lbm/sk Gilsonite + 0.25 lbm/sk Poly-E-Flake. Yield =2.49, slurry wt. =11.8. Tail cement: 200 sx Premium Plus "C" cmt. + 2% CaCl. Yield =1.35, slurry wt. =14.8. Bumped plug - held OK. Circulated 119 sks to reserve pit. Test BOP to 5000 psi for 30 minutes. WOC 18 hrs. total. Reduce hole size to 8 3/4" and resume drilling.



14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Angela LightnerTitle **Consultant**

Signature

Angela Lightner

Date

09/28/2007**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

OCT 05 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NM110829
2. Name of Operator OGX Resources, LLC		6. If Indian, Allottee or Tribe Name N/A
3a. Address POB 2064 Midland, TX 79702	3b. Phone No. (include area code) 432-685-1287	7. If Unit or CA/Agreement, Name and/or No. N/A
4. Location of Well (Footage, Sec., T, R., M., or Survey Description) 1980' FSL & 1900' FEL Sec. 17, T-24S, R-28E		8. Well Name and No. Browning Federal Com #1
		9. API Well-No. 30-015-35638
		10. Field and Pool, or Exploratory Area Malaga Morrow, West (Gas)
		11. County or Parish, State Eddy, Co.

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	casing & cement
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	report

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Production Liner:

8-18-2007 RIH w/ TIW 226 DV setshoe, 1 jt. 4 1/2" 13.5# P-110 LT&C casing, PDC landing collar & 83 jts. 4 1/2" casing, TIW LX 10 Packer, EJ-IB liner hanger. TIH w/ 97 stands of DP.

8-19-2007 Fin RIH w/ 4 1/2" liner on DP. Hang 4 1/2" liner 9198' - 12,790'. Pumped 12 bbl of Tuned spacer. Pumped 475 sx Premium cmt w/ LAP-1 + CFR-3 + D-Air 3000 + HR-5 Mixed @ 15.6 ppf. Yield = 1.2 ft/sk, 5.32 gal/sk. Mix water. Displaced w/ 10.0 ppg mud. Bumped plug - held OK. Set packer on liner w/ 60,000# compression & sting out of liner.

ACCEPTED FOR RECORD

OCT 3 2007

GARY GOURLEY

PETROLEUM ENGINEER

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Angela Lightner

Title Consultant

Signature

Angela Lightner

Date

09/28/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No 1004-0137
Expires: March 31, 2007**SUNDRY NOTICES AND REPORTS ON WELLS****Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.****SUBMIT IN TRIPLICATE- Other instructions on reverse side.**1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator **OGX Resources, LLC**3a. Address
POB 2064 Midland, TX 797023b. Phone No. (include area code)
432-685-1287

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**1980' FSL & 1900' FEL
Sec. 17, T-24S, R-28E**

5. Lease Serial No.

NM110829

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA/Agreement, Name and/or No.

N/A

8. Well Name and No.

Browning Federal Com #1

9. API Well No.

30-015-35638

10. Field and Pool, or Exploratory Area

Malaga Morrow, West (Gas)

11. County or Parish, State

Eddy, Co.**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	casing & cement
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	report

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

2nd Intermediate Casing:

8-5-2007 RIH w/ 214 jts. 7" P-110 26# LT&C casing. Casing set @ 9537'. Pumped 10 bbl fresh water, 30 bbl mud flush & 10 bbl fresh water spacer. Lead cement: 700 sx 50/50 POZ Premium Plus cmt. + 10% Bentonite + 0.3% Halad-9 + 5% Salt + 0.125 lbm/sk Poly-E-Flake. Yield =2.5, slurry wt. =11.8. Tail cement: 200 sx Premium Plus cmt. + 0.5% Halad-9. Yield =1.18, slurry wt. =15.6. Displaced w/ 362 bbl fresh water. Bumped plug - held OK. Did not circulate cement. Maintained full returns throughout cement job. Test BOP to 10,000 psi for 30 minutes. WOC 32 hrs. total. Reduce hole size to 6 1/8" and resume drilling.

ACCEPTED FOR RECORD

OCT 3 2007

GARY GOURLEY
PETROLEUM ENGINEER14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)**Angela Lightner**Title **Consultant**

Signature

Angela Lightner

Date

09/28/2007**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Conditions of approval, if any, are attached Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)