## District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

NOTIFY NM0CD 24 HOURS PRIOR TO OBTAINING SAMPLES.

## Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fc, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office, For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Type of action: Registration of	of a pit or below-grade tank 🔲 Closure of a pit or below	-grade tank 🗵	
Operator: EOG T	elephone; <u>505-234-1450</u> e-mail address: _		
Address: 506 Center Ave Coulsbood NM 882	30	110	
Facility or well name: (0/0rado 412 Fed #2H A	PI#:U/L or Qtr/Qtr	Scc 22 T 16S R 24E	
County: £dd 4 La	atitudo Longitude	NAD: 1927 🗌 1983 🔲	
Surface Owner: Federal  State  Private  Indian	30-015-34711		
Pit	Below-grade tank		
Type: Drilling 🛛 Production 🗌 Disposal 🗍	Volume: bbl Type of fluid:		
Workover   Emergency	Construction material:  Double-walled, with leak detection? Yes  If not, explain why not		
· · · · · · · · · · · · · · · · · · ·			
Lined M Unlined 1	Double-walled, with leak detection: 108 [] 1	Dodole-walled, With leak detection: 105 [] If flot, explain why not	
Liner type: Symbetic ☑ Thickness 1/2 mil Clay □			
Pit Volumebbl			
Dopth to ground water (vertical distance from bottom of pit to seas	Loss than 50 feet	(20 points)	
•	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private dome		(20 points)	
water source, or less than 1000 feet from all other water sources.)	(20)	( 0 points)	
,	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, in imagation canais, ditches, and perennial and ephomeral watercourses.)		(10 points)	
	cs.)		
	1000 feet or more	( 0 points)	
	Ranking Score (Total Points)		
emediation start date and end date. (4) Groundwater encountered:  (5) Attach soil sample results and a diagram of sample locations and Additional Comments: Totach to deep besigned.	Texesystions Take he more 14 to [		
and 20 Mil Cap			
I hereby certify that the information above is true and complete to	the best of my knowledge and bolief. I further certify t	that the above-described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD g  Date: 10/03/07  Printed Name/Title Chris Maan Bladect man		rermanve OCLE-approved plan [.].	
Your certification and NMOCD approval of this application/closu otherwise endanger public health or the environment. Nor does it regulations.	re does not relieve the operator of liability should the con		
		OCT 1 2 200	
Approval:	Signed By Miles	DRAMMER_	
rinted Name/Titlo	Signature	Date:	
Samples are to be obtained from in pit	rial trench is to be constructed area, samples are to be obtained analyses submitted to OCD DR to lining trench.		

Some Platt for all (3)

