

District I
1625 N. French Dr , Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

S For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐

Type of action. Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

DEC 14 2007

OCD-ARTESIA

Operator: Judah Oil. LLC Telephone: (575) 746-1280 e-mail address: judahoil@yahoo.com
Address: PO Box 568 Artesia, NM 88210
Facility or well name: Oxy-T-Bone Fed. #1 API #: 30-015-32122 U/L or Qtr/Qtr C Sec 33 T 18S R 31E
County: Eddy Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☐
Surface Owner. Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness 12 mil Clay ☐

Pit Volume _____ bbl

Below-grade tank

Volume _____ bbl Type of fluid: _____

Construction material: _____

Double-walled, with leak detection? Yes ☐ If not, explain why not. _____

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)

Less than 50 feet

(20 points) 0

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points) 0

No

(0 points)

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points) 0

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

(0 points)

Ranking Score (Total Points)

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Reclamation Closure - see attached closure procedure

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 12-11-2007

Printed Name/Title James B Campanella, Manager

Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval.

Accepted for record
NMOCD

DEC 17 2007

Printed Name/Title _____

Signature _____

Date. _____

Judah Oil, LLC
Attachment to OCD Form C-144

Pit or Below-Grade Tank Registration or Closure

Pit Closure


Oxy T-Bone Federal #1

660' FNL, 1980' FWL

Section 33-T18S-R31E

Eddy County, New Mexico

(1) Facility Diagram:



(2) Fluids were Evaporated

(3) Description of Remediation:

Transferred cutting to center of pit. Dug deep bury pit on East side of pit. Lined with 12 mil plastic. Transferred cuttings into lined pit. Capped with 20 mil liner. Covered with 3 feet of cover material. Reseeded.

(4) Groundwater encountered:

No

(5) Soil sample:

N/A

Ready for inspection

Start date: 12/28/2004

End date: 01/13/2005

Sweatt Construction, Inc.

P.O. Box 827
Artesia, NM 88211**Invoice**

Date	Invoice #
1/25/2005	0105074

Bill To
JU050 - Judah Oil P.O. BOX 568 Artesia, NM 88211

			Lease	Ordered by	
			T- Bone (Chi)	Blaze Campanella	
Date	Unit #/Item	Description	Hours/Quant	Rate	Total Amount
12/28/04	643	Haul Truck	2.5	65.00	162.50T
12/29/04	125	Trackhoe	10	130.00	1,300.00T
	Labor	Labor	3	22.00	66.00T
12/30/04	125	Trackhoe	10	130.00	1,300.00T
	Labor	Labor	10	22.00	220.00T
12/31/04	125	Trackhoe	10	130.00	1,300.00T
01/05/05	150	Haul Truck	1.5	65.00	97.50T
01/12/05	97	D6R Dozer	10	94.00	940.00T
	643	Haul Truck	1.5	65.00	97.50T
01/13/05	97	D6R Dozer	2.5	94.00	235.00T
01/18/05	150	Haul Truck	0.5	65.00	32.50T
		Work Performance To furnish labor and equipment to reclaim reserve pits. Take fence down, cut, deep bury reserve pit contains. And cover with min. of 3' of stockpiled soils.			
			Subtotal		\$5,751.00
			Sales Tax (5.625%)		\$323.49
			Total		\$6,074.49