

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-28427
5. Indicate Type of Lease STATE ☐ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: B & B 22
8. Well Number 8
9. OGRID Number 015742
10. Pool name or Wildcat Dagger Draw; Upper Penn. North
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3447
Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other	2. Name of Operator Nearburg Producing Company
3. Address of Operator 3300 N A St., Bldg 2, Ste 120, Midland, TX 79705	4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>South</u> line and <u>990</u> feet from the <u>East</u> line Section <u>22</u> Township <u>19S</u> Range <u>25E</u> NMPM County <u>Eddy</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3447	
Pit or Below-grade Tank Application ☐ or Closure ☐	
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____	
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☒	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPLETION ☐	CASING TEST AND CEMENT JOB ☐	
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached current wellbore diagram and post wellbore diagram for plugback to Glorieta/ Yeso.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NM OGD guidelines ☒ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE [Signature] TITLE Drilling Manager DATE 1/15/08
Type or print name H. R. Willis E-mail address: sjordan@nearburg.com Telephone No. 432/686-8235

For State Use Only
BRYAN G. ARRANT
DISTRICT II GEOLOGIST

APPROVED BY _____ TITLE _____ DATE JAN 15 2008

Conditions of Approval, if any: Please file on C1015 C102

POST WELLBORE DIAGRAM

LEASE: B & B	WELL: 8	FIELD: Dagger Draw North	API: 30015284270000
LOC: 1,500' ESL & 990' FEL	SEC: 22	BLK:	PARS NO:
SVY: T198, R15E	GL: 3,407	CTRYST: Eddy County, NM	SPUD: 7/6/1997
CURRENT STATUS: Active	KB:	BP:	TD DATE: 7/13/1997
			COMP. DATE: 9/11/1997

FRESH WATER
DEPTH:

HOLE SIZE: 14 3/4"
~~HOH CMT & SIZE~~: 9 5/8" 360 KSS STC
 SET @: 1,113'
 SIS CMT: 1100 sz
 CIRC: yes
 TOC AT: surface
 TOC BY:

*****GEOLOGY*****

TOPS OF ALL ZONES
 PRODUCTIVE OF HYDRO-
 CARBONS:
 San Andres: 735'
 Glorieta: 2343'
 Bone Springs: 3888'
 Wolfcamp: 6100'
 Canyon: 7652'

CURRENT PERFS:


7,705'-7,780'
 7,746'-7,780'

SQUEEZE JOBS:

TBG: 2,875 J55 650 EUE 8rd
 JTS: 249
 SN: 7827
 TAC:
 ROD SIZE:

PKR:
 TYPE:

OH ID:
 COTD:
 FBTD: 8,117'
 TD: 8,200'



OPEN HOLE:

LINER:

BY: MTJ
 1/15/2008

1. CUT TBG OFF ABOVE STUCK ESP BELOW PERFS C 7800'
2. Set CIBPC C 7,625' ABOVE CIBPC PERFS W/35' CMT ON TOP EST TOP OF CMT 7,590'
3. CIRC MUD LADDED FLUID TO 3,850'
4. Set CIBPC C 6,075' w/35' CMT (EST TOC C 6,045') WOLF CAMP
5. Set CIBPC C 3,850', PERF 45PF C 3,825', EST CIRC
6. Set CMT RTN C 3,800' and cmt 7" csq to surface
7. Will recomplete in Glorieta ZONE-

CURRENT WELLBORE DIAGRAM

LEASE: B & B	WELL: 8	FIELD: Dagger Draw North	API: 30015284270000
LOC: 1,980' FSL & 990' FEL	SEC: 22	BLK:	PARS NO:
SVY: T19S, R25E	GL: 3,447	CTY/ST: Eddy County, NM	SPUD: 7/6/1997
CURRENT STATUS: Active	KB:	DP:	TD DATE: 7/29/1997
			COMP. DATE: 9/11/1997

FRESH WATER
DEPTH:

HOLE SIZE: 14 3/4"
 SURF CSG & SIZE: 9 5/8" 36# K55 STC
 SET @: 1,113'
 SXS CMT: 1100 sx
 CIRC: yes
 TOC AT: surface
 TOC BY:

*****GEOLOGY*****

TOPS OF ALL ZONES
 PRODUCTIVE OF HYDRO-
 CARBONS:
 San Andres: 735'
 Gleriata: 2343'
 Bone Springs: 3888'
 Wolfcamp: 6100'
 Canyon: 7652'

CURRENT PERFS:


7,705'-7,720'
 7,746'-7,780'

SQUEEZE JOBS:

TBG: 2.875 J55 6.5# EUE 8rd
 JTS: 249
 SN: 7827
 TAC:
 ROD SIZE:

PKR:
 TYPE:

OH ID:
 COTD:
 PBTD: 8,117'
 TD: 8,200'



HOLE SIZE: 8 3/4"
 PROD. CSG & SIZE: 7" 23# & 26# N80 K55 STC & LTC
 SET @: 8,200'
 SXS CMT: 350 sx 50/50 Poz H
 CIRC: No
 TOC AT: 5782' by TS
 TOC BY:

OPEN HOLE:

LINER:

BY: MTJ
 1/15/2008