N. Prench Dr., Hobbs, NM 88240 Joint III
John W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

closure may commence.

105 South Fourth Street, Artesia, NM 88210	1 77 1 79 1 7 7		FEB 0 4 2008
Pit or Below-Gra	de Tank Registration or Closu	<u>re</u> / (	OCD-ARTESIA
Is nit or below-grade tank covered	d by a "general plan"? Yes  CheckBoxl		
		ACC	Cepted for record
Type of action: Registration of a pit or b	pelow-grade tank 🗶 Closure of a pit or below-g	grade tank []	NMOCD
erator: Yates Petroleum Corporation Telepho	one: 505-748-4378 e-mail address: debblec@v	mcom com	/
dress: 104 South 4th Street, Artesia, New Mexico 88210	one. <u>3937149 1919</u> e-man address. <u>debbiecitt</u> y	pann.com	
ility or well name: Basket BDT Federal #1 API #	: 30-005-63622 U/I or Otr/Otr SWNW Sec	30 T 10S P 26	F
unty: Chaves Latitude Longitude			<del></del>
	NAD. 1727   1965   Guitace Owner. 1	Cociar C State C	THATE LINGS LINGS
	Below-grade tank		
pe: Drilling 🙀 Production 🗌 Disposal 🗌	Volume:bbl Type of fluid:		_
Workover    Emergency	Construction material:  Double-walled, with leak detection? Yes If not, explain why not.  RECEIVED		
ned 🖔 Unlined 🔲			
ner type: Synthetic Thickness 12 mil Clay Volume			
bbl			OCT 18 2004
	Less than 50 feet	(20 points)	PRESENTERIA
pth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)	
ter elevation of ground water.)	100 feet or more	( 0 points)	
	Yes	100	
ellhead protection area: (Less than 200 feet from a private domestic	No	(20 points)	
tter source, or less than 1000 feet from all other water sources.)		( 0 points)	
	Less than 200 feet	(20 points)	
stance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
igation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( U points)	
			<u> </u>
	Ranking Score (Total Points)	20	
fible to a wit alangue. (1) attack a diameter of the Galilet should also the			
[this is a pit closure: (1) attach a diagram of the facility showing the pit's		-	
nsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end			
ate. (4) Groundwater encountered: No 🗌 Yes 📋 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a			
iagram of sample locations and excavations.			
creby certify that the information above is true and complete to the best of	my knowledge and belief. I further certify that the	above-described pit	or below-grade tank has
en/will be constructed or closed according to NMOCD guidelines [], a tte:10/18/2004	general permit [3], or an (attached) alternative O	CD-approved plan L	<b>」</b> •
	Signature		
our certification and NMOCD approval of this application/closure does not		f the pit or tank contar	minate ground water or
herwise endanger public health or the environment. Nor does it relieve the	operator of its responsibility for compliance with any	other federal, state, o	r local laws and/or
gulations.			
provident 2.1 mone A -// / a 7D			
tic: UC 1 & 1 2004 Suld 1840 C			
inted Name/TitleSignature			
As a condition of approval	700		
a detailed closure plan			
must be filed before	The state of the s		