

Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco St.
Santa Fe, NM 87505

WELL API NO.

30-015-36027

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Big Miguel BKN State Com.

S

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other

FEB 13 2008

2. Name of Operator

Yates Petroleum Corporation

OCD-ARTESIA

8. Well No.

1H

3. Address of Operator

105 South Fourth Street, Artesia, New Mexico 88210

9. Pool name or Wildcat

Wildcat Wolfcamp

4. Well Location

Unit Letter: M : 400' feet from the South line and 200' feet from the West line
Section 2 Township 16S Range 29E NMPM County Eddy

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3723' GL

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐CASING TEST AND CEMENT JOB ☐OTHER: Change of Location and drilling plans ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation wishes to change the surface location for the captioned well from 785' FSL and 150' FWL to 400' FSL and 200' FWL and the bottom hole location will be changed from 330' FSL and 330' FEL to 500' FSL and 330' FEL of Section 2, T16S-R29E. Also, please note the attached revised C-103 and horizontal drilling plan for these changes. Wolfcamp penetration point will be 406.59 FSL and 512.84 FWL.

SIGNATURE Bryan G. Arrant TITLE Regulatory Agent DATE 02/13/08Type or print name Bryan G. Arrant Telephone No. (505) 748-1471(This space for State use) BRYAN G. ARRANTAPPROVED BY DISTRICT II GEOLOGIST TITLE TITLE DATE FEB 14 2008

Conditions of approval, if any:

DISTRICT I -
1625 E. French Dr., Hobbs, NM 88240

DISTRICT II
1321 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Artec, NM 87410

DISTRICT IV
1320 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-36027	Pool Code 96086	Pool Name Wildcat Wolfcamp
Property Code	Property Name BIG MIGUEL "BKN" STATE COM	Well Number 1H
OERID No. 025575	Operator Name YATES PETROLEUM CORP.	Elevation 3723

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	2	16 S	29 E		400	SOUTH	200	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	2	16 S	29 E		500	SOUTH	330	EAST	EDDY


Dedicated Acres 160	Joint or Infill	Consolidation Code	Order No.
------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

SURFACE LOCATION Lot - N32°56'40.41" Long - W104°03'12.39" SPC- N.: 707479.829 E.: 627199.286 (NAD-83)		BOTTOM HOLE LOCATION Lot - N32°56'41.29" Long - W104°02'16.47" SPC- N.: 707580.969 E.: 631964.159 (NAD-83)	
Project AREA Producing Area			
Wolfcamp Penetration Point			
406.59 S		512.84 W	

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

 2/13/08
Signature Date


Cy Cowan, Regulatory
Printed Name Agent

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

FEBRUARY 11, 2008

Date Surveyed
Signature of Gary L. Jones
Professional Surveyor



Certificate No. Gary L. Jones 7977


Basin Surveys

M.D	Inclination	Azimuth	T.V.D	N+/S-	E+/W-	D L S	ToolFace	T.F. Ref. [HS/GN]	
0	0	0	0	0	0	0			
1012	0	0	1012	0	0	0			YATES
1231	0	0	1231	0	0	0			SEVEN RIVERS
1742	0	0	1742	0	0	0			QUEEN
2160	0	0	2160	0	0	0			GRAYBURG
2526	0	0	2526	0	0	0			SAN ANDRES
4032	0	0	4032	0	0	0			GLORIETA
5304	0	0	5304	0	0	0			TUBB
6020	0	0	6020	0	0	0			ABO
6815	0	0	6815	0	0	12	89	GN	KOP
6825	1 2	88 79	6825	0	0 1	12	360	HS	
6850	4 2	88 79	6849 97	0 03	1 28	12	0	HS	
6875	7 2	88 79	6874 84	0 08	3 76	12	0	HS	
6900	10 2	88 79	6899 55	0 16	7 54	12	360	HS	
6925	13 2	88 79	6924 03	0 27	12 61	12	0	HS	
6950	16 2	88 79	6948 21	0 4	18 95	12	0	HS	
6975	19 2	88 79	6972 02	0 56	26 55	12	0	HS	
7000	22 2	88 79	6995 41	0 74	35 39	12	0	HS	
7025	25 2	88 79	7018 3	0 96	45 43	12	360	HS	
7050	28 2	88 79	7040 63	1 19	56 66	12	360	HS	
7075	31 2	88 79	7062 34	1 45	69 04	12	0	HS	
7100	34 2	88 79	7083 38	1 74	82 54	12	360	HS	
7125	37 2	88 79	7103 67	2 04	97 13	12	360	HS	
7150	40 2	88 79	7123 18	2 37	112 75	12	360	HS	
7175	43 2	88 79	7141 85	2 72	129 38	12	360	HS	
7200	46 2	88 79	7159 62	3 09	146 96	12	0	HS	
7225	49 2	88 79	7176 44	3 48	165 44	12	360	HS	
7250	52 2	88 79	7192 27	3 89	184 78	12	360	HS	
7275	55 2	88 79	7207 07	4 31	204 92	12	360	HS	
7300	58 2	88 79	7220 79	4 75	225 81	12	360	HS	
7325	61 2	88 79	7233 41	5 21	247 39	12	360	HS	
7350	64 2	88 79	7244 87	5 68	269 6	12	360	HS	
7375	67 2	88 79	7255 16	6 16	292 37	12	360	HS	
7397	69 84	88 79	7263 21	6 59	312 84	12	360	HS	Wolfcamp
7400	70 2	88 79	7264 24	6 65	315 66	12	360	HS	
7425	73 2	88 79	7272 09	7 14	339 39	12	360	HS	
7450	76 2	88 79	7278 68	7 65	363 49	12	360	HS	
7475	79 2	88 79	7284 01	8 17	387 91	12	360	HS	
7500	82 2	88 79	7288 05	8 69	412 57	12	360	HS	
7525	85 2	88 79	7290 79	9 21	437 41	12	360	HS	
7550	88 2	88 79	7292 23	9 73	462 37	12	360	HS	
7561 14	89 54	88 79	7292 45	9 97	473 5	0			
11838 73	89 54	88 79	7327	100	4750	0			Lateral TD

Pilot hole will be drilled to 7600' Well will then be plugged back and kicked off at approx 6815' at 12 degrees per 100' with a 7 7/8" hole to 11,839' MD
TVD of 7,327' at TD

3D³ Directional Drilling Planner - 3D View

Company: Yates Petroleum Corporation
Well: Big Miguel BKN State Com. #1H



3D³ Directional Drilling Planner - 3D View

Company: Yates Petroleum Corporation
Well: Big Miguel BKN State Com. #1H

