

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No


Type of action Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator	Chevron USA (COG Operating, LLC agent)	Telephone	(432) 685-4340	e-mail address	PEdwards@conchoresources.com
Address:	550 West Texas Ave., Suite 1300, Midland, Texas 79701				
Facility or well name:	TexMack #202	API #:	30-015-35914	UL or Qtr/Qtr	N Sec 2 T-17-S R-31-E
County:	Eddy	Latitude	32°51'32.89"N	Longitude	103°59'36.76"W NAD: 1927 X 1983 <input type="checkbox"/>
Surface Owner	Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>				
Pit		Below-grade tank			
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/>		Volume _____ bbl Type of fluid _____			
Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/>		Construction material: _____			
Liner type: Synthetic <input checked="" type="checkbox"/> Thickness 12 mil Clay <input type="checkbox"/>		Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____			
Pit Volume 3,000 bbl					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water) 110'	Less than 50 feet	(20 points)			
	50 feet or more, but less than 100 feet	(10 points)	0		
	100 feet or more	(0 points)			
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources)	Yes	(20 points)			
	No	(0 points)	0		
Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)			
	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points)	0		
Ranking Score (Total Points)				0	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered. No Yes If yes, show depth below ground surface _____ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
Closed by trench burial, procedure attached on 2-14-2008, on verbal approval by Mike Bratcher
Lab and field sample results are attached.
All material above 250 mg/Kg removed from pit and placed in lined burial trench and closed

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .

Date: 2-13-08
Printed Name/Title **Gary Miller, Agent** Signature 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: _____ Signature **Accepted for record** Date **FEB 29 2008**
Printed Name/Title _____ Signature **NMOCD**

Highlander Environmental Corp.
Pit Closure Sampling Report

Job Number: 3411 Date: 2-14-08
 Client: COG (Chevron)
 Well Name: TEXMCK 202
 API#: 36-015-35414
 Depth of Pit: 10'
 Depth to Groundwater: _____ Orientation of pit N S E W

All pit sample depths are below pit bottom (BPB)

Sample Location	Depth (BPB)	Field Chloride Results (mg/Kg)	Lab Chloride Results (mg/Kg)
NE	2'	100	<100
NW	2'	100	<100
SE	2'	150	<100
SW	2'	100	<100
Center	2	100	<100

*closed by Trench Burial -
all samples below BGS mg/kg*

DNR- Did not run at lab.
 BGS- Below Ground Surface
 BPB- Below Pit Bottom

Summary Report

Gary Miller
Highlander Environmental Services
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: February 27, 2008

Work Order: 8022531



Project Location: Eddy County, NM
Project Name: COG/TexMack 202
Project Number: 3411

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
151617	NE-2'	soil	2008-02-14	00:00	2008-02-25
151618	NW-2'	soil	2008-02-14	00:00	2008-02-25
151619	SE-2'	soil	2008-02-14	00:00	2008-02-25
151620	SW-2'	soil	2008-02-14	00:00	2008-02-25
151621	Center-2'	soil	2008-02-14	00:00	2008-02-25

Sample: 151617 - NE-2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 151618 - NW-2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 151619 - SE-2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 151620 - SW-2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 151621 - Center-2'

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296
This is only a summary. Please, refer to the complete report package for quality control data.

Report Date: February 27, 2008
3411

Work Order: 8022531
COG/TexMack 202

Page Number: 2 of 2
Eddy County, NM

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00